









Item. No.	Photo	Features & Specifications		The price	
ADI AN-SL-2000		<b>Features:</b> Elegant Integrated Design,Aluminum alloy case Night sensor + PIR motion sensor+Remote Control Adaptive lighting system to achieve all night lighting when weather change Temperature control system to protect the battery charging and discharging in high temperate 140°70°wide lighting angle Fast battery replacement, no need of taking apart whole luminary Support 3 nights after full charging Adjustable angle solar panel		100-300 pcs Price(USD)	>300 pcs Price(USD)
				US\$292	US\$287
		LED	2000Lumens,2700K~6500K	Lighting mode	
		Li-ion battery	12V 18AH	1. 12hrs Full Power 2. 4hrs Full Power+8hrs 25% 3. 4hrs Full Power+8hrs Motion Sensor Control 4. 12hrs Motion Sensor Control	
		Solar Panel (high efficiency mono)	40W		
		Install height	3~4 meters		
		Waterproof	IP 65		
		Solar charging time	9-10 hours by bright sunlight	<b>Packing details:</b> Carton size for lamp: QTY/CTNS: 67*31*28CM G.W/CTNS: 11.3KG Carton size for solar panel: QTY/CTNS: 59*60*6.5CM G.W/CTNS: 4.6KG <b>Marks: Lamp and Solar panel in different carton.</b>	
		Lighting time	Over 3 nights		
		Material	Aluminium alloy + PMMA		
		Size	62*24*24cm		
		Work temperature	-25℃ to 65℃		
		Warranty	3 years		
ADI AN-SL-3000		<b>Features:</b> Elegant Integrated Design,Aluminum alloy case Night sensor + PIR motion sensor+Remote Control Adaptive lighting system to achieve all night lighting when weather change Temperature control system to protect the battery charging and discharging in high temperate 140°70°wide lighting angle Fast battery replacement, no need of taking apart whole luminary Support 3 nights after full charging Adjustable angle solar panel		100-300 pcs Price(USD)	>300 pcs Price(USD)
				US\$322	US\$316
		LED	3000Lumens,2700K~6500K	Lighting mode	
		Li-ion battery	12V 24AH	1. 12hrs Full Power 2. 4hrs Full Power+8hrs 25% 3. 4hrs Full Power+8hrs Motion Sensor Control 4. 12hrs Motion Sensor Control	
		Solar Panel (high efficiency mono)	50W		
		Install height	4~5 meters		
		Waterproof	IP 65		
		Solar charging time	9~10 hours by bright sunlight	<b>Packing details:</b> Carton size for lamp: QTY/CTNS: 67*31*28CM G.W/CTNS: 11.8KG Carton size for solar panel: QTY/CTNS: 59*75*6.5CM G.W/CTNS: 5.8KG <b>Marks: Lamp and Solar panel in different carton.</b>	
		Lighting time	Over 3 nights		
		Material	Aluminium alloy + PMMA		
		Size	62*24*24cm		
		Work temperature	-25℃ to 65℃		
		Warranty	3 years		
ADI AN-SL-4000		<b>Features:</b> Elegant Integrated Design,Aluminum alloy case Night sensor + PIR motion sensor+Remote Control Adaptive lighting system to achieve all night lighting when weather change Temperature control system to protect the battery charging and discharging in high temperate 140°70°wide lighting angle Fast battery replacement, no need of taking apart whole luminary Support 3 nights after full charging Adjustable angle solar panel		100-300 pcs Price(USD)	>300 pcs Price(USD)
				US\$350	US\$343
		LED	4000Lumens,2700K~6500K	Lighting mode	
		Li-ion battery	12V 28AH	1. 12hrs Full Power 2. 4hrs Full Power+8hrs 25% 3. 4hrs Full Power+8hrs Motion Sensor Control 4. 12hrs Motion Sensor Control	
		Solar Panel (high efficiency mono)	65W		
		Install height	5~6 meters		
		Waterproof	IP 65		
		Solar charging time	9~10 hours by bright sunlight	<b>Packing details:</b> Carton size for lamp: QTY/CTNS: 67*31*28CM G.W/CTNS: 12KG Carton size for solar panel: QTY/CTNS: 59*92*6.5CM G.W/CTNS: 7.5KG <b>Marks: Lamp and Solar panel in different carton.</b>	
		Lighting time	Over 3 nights		
		Material	Aluminium alloy + PMMA		
		Size	62*24*24cm		
		Work temperature	-25℃ to 65℃		
		Warranty	3 years		

Item. No.	Photo	Features & Specifications		The price	
ADIAN-SL-5000		<b>Features:</b> Elegant Integrated Design,Aluminum alloy case Night sensor + PIR motion sensor+Remote Control Adaptive lighting system to achieve all night lighting when weather change Temperature control system to protect the battery charging and discharging in high temperate 140°70°wide lighting angle Fast battery replacement, no need of taking apart whole luminary Support 3 nights after full charging Adjustable angle solar panel		100-300 pcs Price(USD)	>300 pcs Price(USD)
				US\$391	US\$384
		LED	5000Lumens,2700K~6500K	Lighting mode	
		Li-ion battery	12V 36AH	1. 12hrs Full Power 2. 4hrs Full Power+8hrs 25% 3. 4hrs Full Power+8hrs Motion Sensor Control 4. 12hrs Motion Sensor Control	
		Solar Panel (high efficiency mono)	80W		
		Install height	6~7 meters		
		Waterproof	IP 65		
		Solar charging time	9~10 hours by bright sunlight	<b>Packing details:</b> Carton size for lamp: QTY/CTNS: 67*31*28CM G.W/CTNS: 12.3KG Carton size for solar panel: QTY/CTNS: 59*109*6.5CM G.W/CTNS: 9.5KG <b>Marks: Lamp and Solar panel in different carton.</b>	
		Lighting time	Over 3 nights		
		Material	Aluminium alloy + PMMA		
		Size	62*24*24cm		
		Work temperature	-25℃ to 65℃		
		Warranty	3 years		
ADI AN-SL-6000		<b>Features:</b> Elegant Integrated Design,Aluminum alloy case Night sensor + PIR motion sensor+Remote Control Adaptive lighting system to achieve all night lighting when weather change Temperature control system to protect the battery charging and discharging in high temperate 140°70°wide lighting angle Fast battery replacement, no need of taking apart whole luminary Support 3 nights after full charging Adjustable angle solar panel		100-300 pcs Price(USD)	>300 pcs Price(USD)
				US\$430	US\$422
		LED	6000Lumens,2700K~6500K	Lighting mode	
		Li-ion battery	12V 42AH	1. 12hrs Full Power 2. 4hrs Full Power+8hrs 25% 3. 4hrs Full Power+8hrs Motion Sensor Control 4. 12hrs Motion Sensor Control	
		Solar Panel (high efficiency mono)	100W		
		Install height	6~7 meters		
		Waterproof	IP 65		
		Solar charging time	9~10 hours by bright sunlight	<b>Packing details:</b> Carton size for lamp: QTY/CTNS: 67*31*28CM G.W/CTNS: 12.5KG Carton size for solar panel: QTY/CTNS: 59*129*6.5CM G.W/CTNS: 11.5KG <b>Marks: Lamp and Solar panel in different carton.</b>	
		Lighting time	Over 3 nights		
		Material	Aluminium alloy + PMMA		
		Size	62*24*24cm		
		Work temperature	-25℃ to 65℃		
		Warranty	3 years		

Item. No.	Photo	Features & Specifications	The price		
ADIAN-SL-8000		<b>Features:</b> Elegant Integrated Design,Aluminum alloy case Night sensor + PIR motion sensor+Remote Control Adaptive lighting system to achieve all night lighting when weather change Temperature control system to protect the battery charging and discharging in high temperate 140°70°wide lighting angle Fast battery replacement, no need of taking apart whole luminary Support 3 nights after full charging Adjustable angle solar panel		100-300 pcs Price(USD)	>300 pcs Price(USD)
				US\$585	US\$575
			LED	8000Lumens,2700K~6500K	
			Li-ion battery	12V 65AH	
			Solar Panel (high efficiency mono)	150W	
			Install height	7~8 meters	
			Waterproof	IP 65	
			Solar charging time	9~10 hours by bright sunlight	
			Lighting time	Over 3 nights	
			Material	Aluminium alloy + PMMA	
		Size	62*24*24cm		
		Work temperature	-25℃ to 65℃		
		Warranty	3 years		
ADIAN-SL-10000		<b>Features:</b> Elegant Integrated Design,Aluminum alloy case Night sensor + PIR motion sensor+Remote Control Adaptive lighting system to achieve all night lighting when weather change Temperature control system to protect the battery charging and discharging in high temperate 140°70°wide lighting angle Fast battery replacement, no need of taking apart whole luminary Support 3 nights after full charging Adjustable angle solar panel		100-300 pcs Price(USD)	>300 pcs Price(USD)
				US\$647	US\$636
			LED	10000Lumens,2700K~6500K	
			Li-ion battery	12V 75AH	
			Solar Panel (high efficiency mono)	170W	
			Install height	8~9 meters	
			Waterproof	IP 65	
			Solar charging time	9~10 hours by bright sunlight	
			Lighting time	Over 3 nights	
			Material	Aluminium alloy + PMMA	
		Size	62*24*24cm		
		Work temperature	-25℃ to 65℃		
		Warranty	3 years		
ADIAN-SL-12000		<b>Features:</b> Elegant Integrated Design,Aluminum alloy case Night sensor + PIR motion sensor+Remote Control Adaptive lighting system to achieve all night lighting when weather change Temperature control system to protect the battery charging and discharging in high temperate 140°70°wide lighting angle Fast battery replacement, no need of taking apart whole luminary Support 3 nights after full charging Adjustable angle solar panel		100-300 pcs Price(USD)	>300 pcs Price(USD)
				US\$722	US\$709
			LED	12000Lumens,2700K~6500K	
			Li-ion battery	12V 86AH	
			Solar Panel (high efficiency mono)	200W	
			Install height	8~9 meters	
			Waterproof	IP 65	
			Solar charging time	9~10 hours by bright sunlight	
			Lighting time	Over 3 nights	
			Material	Aluminium alloy + PMMA	
		Size	62*24*24cm		
		Work temperature	-25℃ to 65℃		
		Warranty	3 years		