



Reliable Quality



Optimal Performance



Eco-Friendly & Energy-Saving



Quality Management
ISO 9001 & 14001

Advantage

- * We use 150lm/w bridgelux 45milled.
- (So our 30W can reach 4400lm which is the same brightness as normal 40W power.)
- Third party's IES file can be sent if you need.
- * Grade A level Lifepo4 lithium battery with UL/CE/UN38.3/MSDS
- * Top quality charger controller with 3 years warranty
- * Montech Mono solar cell,20%-22% efficiency
- * Any natural broken in warranty period,new parts will be sent to your office.

*** Real customers' good feedback**



Aluminium ally house

Spec.


Model No.	ADIADN-RA16	
LED	260lm	0.2W /16PCS Epistar SMD2038
Solar panel	5.5V/0.55W (260am currency,)	
CCT	3000K 6000K	
Battery	Lithium LiFeP04 (3.7V,1000MAH)	
House	Aluminium ALLY	
Charge time	8 hours in sun	
Discharge time	15seconds in motion / Above 500 times	
Warranty	2 Years	
Lighting type	Twilight+Motion / Motion / Lghting all the time / emergency	

QUANTITY	EXW UNIT PRICE
500 units	USD 7.50 / Unit

Dimension /Weight Info.

Fixture Info.	115*115*30mm, 140 g
Unit Coloured CTN BOX	120*35*120mm
CTN BOX	382*260*260m 40PCS/CTN 7.2KG
English instruction + neutral packing in coloured box	

Quality
you can trust.



Plastic house

Spec.

Model No.	ADIADN-wp25	
LED	350lm	0.2W /25PCS Epistar SMD2038
Solar panel	5.0V/1.2W (450am currency)	
CCT	3000K 6000K	
Battery	Lithium LiMn2O4 (3.2V,1500MAH)	
House	PC+ABS	
Charge time	8 hours in sun	
Discharge time	15seconds in motion / Above 500 times	
Warranty	2 Years	

Lighting type

Twilight+Motion / Motion / Lghting all the time / emergency

Dimension /Weight Info.

Fixture Info. 170*85*46mm , 180 g
Unit Coloured CTN BOX 90*52*178mm
CTN BOX
English instruction + neutral packing in coloured box

QUANTITY	EXW UNIT PRICE
500 units	USD8.6/ Unit



Plastic house

Spec.

Model No.	ADIADN-SLT46
LED	900lm 0.2W /46PCS Epistar SMD2038
Solar panel	5.0V/3.2W(1700am currency)
CCT	3000K 6000K
Battery	
House	PC+ABS
Charge time	8 hours in sun
Discharge time	15seconds in motion / Above 500 times
Warranty	2 Years
Lighting type	Twilight+Motion / Motion / Lghting all the time / emergency

Dimension /Weight Info.

Fixture Info. 270*98*46mm , 460 g
Unit Coloured CTN BOX 290*130*55mm
CTN BOX
English instruction + neutral packing in coloured box

QUANTITY	EXW UNIT PRICE
500 units	USD15.4/ Unit

Quality
you can trust.

Spec.

Model No.	ADIADN-SL108
LED	2100lm 0.2W /108PCS Epistar SMD2038
Solar panel	8.0V/10W(2000am currency)
CCT	3000K 6000K
Battery	Lithium LiMn2O4 (6.4V,9000MAH)
House	PC+ABS
Charge time	8 hours in sun
Discharge time	15seconds in motion / Above 500 times
Warranty	2 Years
Lighting type	Twilight+Motion / Motion / Lghting all the time / emergency



Plastic house

Dimension /Weight Info.

Fixture Info. 380*180*50mm , 2000 g
Unit Coloured CTN BOX 410*200*80mm
CTN BOX 465*430*430mm , 10PCS/CTN, 21kg
English instruction + neutral packing in coloured box

QUANTITY	EXW UNIT PRICE
500 units	USD 37.90 / Unit

Quality
you can trust.

Spec.



Plastic house

Model No.	ADIADN-SLW42	
LED	500lm	0.2W /42PCS Epistar SMD2038
Solar panel	5.5V/2.3W (2000am currency)	
CCT	3000K 6000K	
Battery	Lithium LiMn2O4 (3.7V,2200MAH)	
House	PC+ABS	
Charge time	8 hours in sun	
Discharge time	15seconds in motion / Above 400 times	
Warranty	2 Years	
Lighting type	Motion / Lghting all the time / emergency	

QUANTITY	EXW UNIT PRICE
500 units	USD 10.20 / Unit

Dimension /Weight Info.

Fixture Info.	171*105*30mm , 250 g
Unit Coloured CTN BOX	113*35*183mm
CTN BOX	380*378*245mm , 40PCS/CTN, 11kg
English instruction + neutral packing in coloured box	



Spec.

Model No.	ADI ADN-SLA48	
LED	800lm	0.2W /48PCS Epistar SMD2038
Solar panel	5.0V/3.2W (1800am currency)	
CCT	3000K 6000K	
Battery	Lithium LiMn2O4 (3.2V,3000MAH)	
House	PC+ABS	
Charge time	8 hours in sun	
Discharge time	15seconds in motion / Above 500 times	
Warranty	2 Years	
Lighting type	Twilight+Motion / Motion / Lghting all the time /	

QUANTITY	EXW UNIT PRICE
500 units	USD15.8/ Unit



Dimension /Weight Info.

Fixture Info.	220*118*60mm , 550 g
Unit Coloured CTN BOX	235*133*70mm
CTN BOX	350*470*270mm , 20PCS/CTN, 12.6kg
English instruction + neutral packing in coloured box	

Aluminium house



Solar Wall light For House



AKHUN-1500

1500lm, 1200mAh, 10000mAh, 10000mAh

DC 12V 1A 12V 1A

1500lm, 1200mAh, 10000mAh, 10000mAh

1500lm, 1200mAh, 10000mAh, 10000mAh

1500lm, 1200mAh, 10000mAh, 10000mAh

1500lm, 1200mAh, 10000mAh, 10000mAh

AKHUN-1500

1500lm, 1200mAh, 10000mAh, 10000mAh

DC 12V 1A 12V 1A

1500lm, 1200mAh, 10000mAh, 10000mAh

1500lm, 1200mAh, 10000mAh, 10000mAh

1500lm, 1200mAh, 10000mAh, 10000mAh

1500lm, 1200mAh, 10000mAh, 10000mAh



AKHUN-1500

1500lm, 1200mAh, 10000mAh, 10000mAh

DC 12V 1A 12V 1A

1500lm, 1200mAh, 10000mAh, 10000mAh

1500lm, 1200mAh, 10000mAh, 10000mAh

1500lm, 1200mAh, 10000mAh, 10000mAh

1500lm, 1200mAh, 10000mAh, 10000mAh






ADIADN-TRS24

SMD2835 0.2W 24PCS 450lm 4000K/6000K



Body: Aluminum Ally
Optical system: PC UV Protection
Finishing: Oxidize
Sensor: Pir, Radar

Internal box: 113*105*79mm
External box: 115*85*123mm




ADIADN-TRS48

SMD2835 0.2W 48PCS 1000lm 4000K/6000K



Body: Aluminum Ally
Optical system: PC UV Protection
Finishing: Oxidize
Sensor: Pir, Radar

Internal box: 226*105*79mm
External box: 240*108*85mm




ADIADN-TRS60

SMD2835 0.2W 60PCS 1100lm 4000K/6000K



Body: Aluminum Ally
Optical system: PC UV Protection
Finishing: Oxidize
Sensor: Pir, Radar

Internal box: 305*105*79mm
External box: 315*105*85mm





ADIADN-RWA16

SMD2835 0.2W 16PCS 260lm 4000K/6000K



Body: Aluminum Ally
Optical system: PC UV Protection
Finishing: Oxidize
Sensor: Pir, Radar

Internal box: 115*115*30mm
External box: 120*35*120mm




ADIADN-TWP25

SMD2835 0.2W 25PCS 350lm 4000K/6000K



Body: Aluminum Ally
Optical system: PC UV Protection
Finishing: Oxidize
Sensor: Pir, Radar

Internal box: 170*85*46mm
External box: 90*52*178mm




ADIADN-TWA48


SMD2835 0.2W 48PCS 760lm 4000K/6000K



Body: Aluminum Ally
Optical system: PC UV Protection
Finishing: Oxidize
Sensor: Pir, Radar

Internal box: 180*90*43mm
External box: 192*100*50mm





ADIADN-SLW42

 SMD2835 0.2W 42PCS 500lm 4000K/6000K



Body: PC+ABS
 Optical system: PC UV Protection
 Finishing: Oxidize
 Sensor: Pir, Radar

Internal box: 171*105*30mm
 External box: 113*35*183mm


ADIADN-SLT46

 SMD2835 0.2W 46PCS 900lm 4000K/6000K




Body: PC+ABS
 Optical system: PC UV Protection
 Finishing: Oxidize
 Sensor: Pir, Radar

Internal box: 270*98*46mm
 External box: 290*130*55mm




ADIADN-SLI08

 SMD2835 0.2W 108PCS 2100lm 4000K/6000K



Body: PC+ABS
 Optical system: PC UV Protection
 Finishing: Oxidize
 Sensor: Pir, Radar

Internal box: 380*180*50mm
 External box: 410*200*80mm





Reliable
Quality



Optimal
Performance



Eco-Friendly &
Energy-Saving



Quality Management
ISO 9001 & 14001

Solar lights

* our solar street lights, use 150lm/w bridgelux 45milled.
(So our 30W can reach 4400lm which is the same brightness as normal 40W power)

- * Grade A level Lifepo4 lithium battery with UL/CE/UN38.3/MSDS
- * Top quality charger controller with 3 years warranty
- * Montech Mono solar cell, 20%-22% efficiency
- * Any natural broken in warranty period, new parts will be sent to your office.



Aluminium ally house

Spec.

Model No.	ADIADN-TRA24	
LED	450lm	0.2W /24PCS Epistar SMD2038
Solar panel	5.0V/1.5W (800am currency,)	
CCT	4000K , 6000K	
Battery	Lithium LiFeP04 (3.2V,1500MAH)	
House	Aluminium ALLY	
Charge time	8 hours in sun	
Discharge time	15seconds in motion / Above 500 times	
Warranty	2 Years	
Lighting type	Twilight+Motion / Motion / Lghting all the time / emergency	

Dimension /Weight Info.

Fixture Info.	115*103*83mm, 340 g
Unit Coloured CTN BOX	115*85*123mm
CTN BOX	445*370*236mm 30PCS/CTN 11.3KG
English instruction + neutral packing in coloured box	

QUANTITY	EXW UNIT PRICE
500 units	USD 10.90 / Unit



Aluminium ally house

Spec.

Model No.	ADIADN-TRA46	
LED	1000lm	0.2W /46PCS Epistar SMD2038
Solar panel	5.0V/3.2W (1800am currency,)	
CCT	4000K , 6000K	
Battery	Lithium LiFeP04 (3.2V,4500MAH)	
House	Aluminium ALLY	
Charge time	8 hours in sun	
Discharge time	15seconds in motion / Above 500 times	
Warranty	2 Years	
Lighting type	Twilight+Motion / Motion / Lghting all the time / emergency	



Aluminium ally house

Dimension /Weight Info.

Fixture Info. 180*90*43mm , 360 g
 Unit Coloured CTN BOX 192*100*50mm
 CTN BOX 475*400*218mm 36PCS/CTN 15KG
 English instruction + neutral packing in coloured box

Solar panel Epistar SMD2038
5.0V/2.5W(1500am currency,)
CCT 4000K , 6000K
Battery Lithium LiMn2O4 (3.2V,3000MAH)
House Aluminium ALLY
Charge time 8 hours in sun
Discharge time 15seconds in motion / Above 500 times
Warranty 2 Years
Lighting type Twilight+Motion / Motion / Lghting all the time /

QUANTITY	EXW UNIT PRICE
----------	----------------

500 units USD 14.00 / Unit



Aluminium ally house

Dimension /Weight Info.

Fixture Info. 113*105*79mm , 330 g
 Unit Coloured CTN BOX 115*85*123mm
 CTN BOX 445*370*236mm 48PCS/CTN 18KG
 English instruction + neutral packing in coloured box

Spec.
Model No. ADIADN-TRS24
LED 450lm 0.2W /24PCS
 Epistar SMD2038
Solar panel 5.0V/1.5W(450am currency)
CCT 4000K , 6000K
Battery Lithium LiMn2O4 (3.2V,1500MAH)
House Aluminium ALLY
Charge time 8 hours in sun
Discharge time 15seconds in motion / Above 500 times
Warranty 2 Years
Lighting type Twilight+Motion / Motion / Lghting all the time / emergency

QUANTITY	EXW UNIT PRICE
----------	----------------

500 units USD 14.00 / Unit



Aluminium ally house

Spec.
Model No. ADIADN-TRS48
LED 900lm 0.2W /48PCS
 Epistar SMD2038
Solar panel 5.0V/3.2W(1800am currency)
CCT 4000K , 6000K
Battery Lithium LiMn2O4 (3.2V,3000MAH)
House Aluminium ALLY
Charge time 8 hours in sun
Discharge time 15seconds in motion / Above 500 times

Dimension /Weight Info.

Fixture Info.	226*105*79mm , 610 g
Unit Coloured CTN BOX	240*108*85mm
CTN BOX	485*325*370mm 24PCS/CTN 16.5KG
English instruction + neutral packing in coloured box	

Warranty

2 Years

Lighting type

Twilight+Motion / Motion / Lghting all the time / emergency

QUANTITY	EXW UNIT PRICE
500 units	USD 16.00 / Unit



Aluminium ally house

Dimension /Weight Info.

Fixture Info.	305*105*79mm , 880 g
Unit Coloured CTN BOX	315*105*85mm
CTN BOX	505*425*270mm 15PCS/CTN 14.8KG
English instruction + neutral packing in coloured box	

Spec.

Model No.	ADIADN-TRS60
LED	1100lm 0.2W/60PCS Epistar SMD2038
Solar panel	5.0V/4.2W (2200am currency)
CCT	4000K , 6000K
Battery	Lithium LiMn2O4 (3.2V,6000MAH)
House	Aluminium ALLY
Charge time	8 hours in sun
Discharge time	15seconds in motion / Above 500 times
Warranty	2 Years
Lighting type	Twilight+Motion / Motion / Lghting all the time / emergency

QUANTITY	EXW UNIT PRICE
500 units	USD22.5/ Unit

Quality
you can trust.