

MUTT 🐶 electric passenger car introduction and quotation

Adopt your MUTT today









Model electric passenger car configuration table

Item	Economical	Medium	Optional price in USD
Body type	Four doors four seats		
L*W*H(mm)	2780*1380*1580		
Wheel base(mm)	2015		
Tread(front/back) (mm)	1190/1200		
Minimum bending radius(m)	≤4.5		
Minimum clearance from the ground(full load) (mm)	140		
Rated passenger number(people)	4		
Front suspension type	McPherson independent suspension		
Back suspension type	Spiral spring dependent suspensions		
Front brake type	ventilated disc		
Back brake type	Drum		
Top speed(km/h)	40	45	
Economic speed(km/h)	32	36	
Mileage per hour (economic) (≥km)	100-120		
The whole curb weight(kg)	745	770	
Climbing(%)	20%		
Electrical specifications	AC asynchronous		
Motor specification(kw)	60V 3KW	72V 4KW	
Battery specification	12V 100Ah*5 (lead-acid maintenance-free)	12V 100Ah*6 (lead-acid maintenance-free)	
Insulation grade	H		
Tire model (front/back)	145/70 R12		
Head light	Halogen		
Drive form	rear wheel drive		
Warm wind system	●	●	
Air conditioner	-	○	500

Aluminum alloy wheel	●	●	
Front window glass electric lift	-	●	
Rear window glass electric lift	-	●	
Leather seat	●	●	
Front seat three-point safety belt	●	●	
Rear seat safety belt	-	-	
Electronic vacuum brake booster	●	●	
EPS electric power steering system	-	-	
Four-door remote control lock	●	●	
Spare tire	●	●	
Multimedia LED display	7 inches	10 inches	
Rear View Camera System	○	●	31.50
MOQ (Quantity/40HQ)	6	6	
FOB Qingdao sea port in China in USD	5032	5536	

Optional colour:



Seductive red



Passionate orange



Champagne gold



Pure white

Note: ● means equipped, ○ means optional, - means no equipped. Product specification configuration will be subject to real vehicle, our company reserves the power of interpretation.

The publicity pictures and product information is for reference only, no prior notice if there is any change.