Model	Pic		Specification		
5-510		L*W*H(mm)	2830*1500*1565		
		Certificate	eec-L7e		
-		Steering	left hand drive		
1		Maximum speed	50-55km/h		
		Seats	front 2 seats for adult rear 2 seats for child		
		Doors	2		
		Distance	130-220km		
-1		Motor type	PMSM		
		Power	4.5kw		
		Battery type	lithium or lead-acid		
CDCM1		Voltage	60v or 72v		
		Air Conditioner	option		
A.C.		Charge time(80%)	6hours		
		Suspension	Front: Macpherson suspension Rear:Trailing arm suspension		
		Container load	4sets/40HQ 2sets/20FT		
		 Heater Rear view camera. Electric doors and wii Touch Multi-media na Electric power steering 	avigation(USB,Bluetooth,SD)		

Model	Pic		Specification
-		L*W*H(mm)	2970*1450*1610
		Certificate	eec,DOT
		Steering	left hand drive
QII		Maximum speed	45-55km/h
UU		Seats	4
7 22		Doors	2
		Distance	130-150km
		Motor type	Brushless DC motor
-		Power	4.5kw
		Battery type	lead-acid
		Voltage	60v or 72v
		Air Conditioner	option
- 0		Charge time(80%)	6hours
18		Suspension	Front: Macpherson suspension Rear:Independent suspension
No.		Container load	4sets/40HQ 2sets/20FT
		 Heater Rear view camera. Electric doors and wi Touch Multi-media na 	ndows avigation(USB,Bluetooth)

Model	Pic		Specification
	Mint Same	L*W*H(mm)	2100*1210*1565
		Certificate	eec,DOT
		Steering	left hand drive
2		Maximum speed	45-50km/h
		Seats	2
A		Doors	- 2
		Distance	130-150km
		Motor type	Brushless DC motor
No.		Power	2.5kw
		Battery type	lead-acid
-		Voltage	60v or 72v
		Air Conditioner	option
		Charge time(80%)	6hours
I NUSS INT		Suspension	Front: Macpherson suspensior Rear:Independent suspension
		Container load	9sets/40HQ 4sets/20FT
		 Heater Electric doors and with MP3 Radio(USB,SD) 	

Model	Pic	E BRAZ	Specification
		L*W*H(mm)	2520*1215*1615
X		Certificate	eec,DOT
H.M.M.		Steering	left hand drive
1		Maximum speed	45-55km/h
		Seats	4
		Doors	2
		Distance	130-150km
111		Motor type	Brushless DC motor
		Power	4kw
		Battery type	lead-acid
11 2		Voltage	60v or 72v
		Air Conditioner	option
		Charge time(80%)	6hours
		Suspension	Front: Macpherson suspension Rear:Independent suspension
		Container load	9sets/40HQ 4sets/20FT
		 Heater Rear view camera. Electric doors and wi Touch Multi-media na 	ndows avigation(USB,Bluetooth,SD)

Model	Pic	SPECTRE	Specification
		L*W*H(mm)	2300×1190×1486
		Certificate	eec-L6e
		Steering	middle steering
		Maximum speed	45-60km/h
	SPELT	Seats	front 1 rear 1
A.		Doors	2
1		Distance	80-120km
		Motor type	PMSM
	• ~ ~	Power	3kw or 4.5kw
		Battery type	lithium or lead-acid
		Voltage	60v or 72v
		Air Conditioner	yes
		Charge time(80%)	6hours or 4hours
		Suspension	Front: Macpherson suspension Rear:Trailing arm suspension
		Container load	18sets/40HQ 5sets/20FT
			ndows avigation(USB,Bluetooth,SD) <mark>kw,max speed=45km/h,max</mark>

Model	Pic	SPECTRE	Specification
5-51 P	CARLER AND	L*W*H(mm)	2240×1190×1485
	Ser Strand	Certificate	eec-L6e
210		Steering	middle steering
1		Maximum speed	30-45km/h
150	KIP	Seats	front 1 rear 1
122	1 (m 11/15-7)	Doors	2
		Distance	70-80km
		Motor type	PMSM or Square wave motor
		Power	1kw or 2kw
		Battery type	lithium or lead-acid
ADIA2	B. P. S. B.	Voltage	72v
		Air Conditioner	yes
		Charge time(80%)	6hours or 4hours
	4 8 1	Suspension	Front: Macpherson suspension Rear:Trailing arm suspension
		Container load	18sets/40HQ 5sets/20FT
		 1 Heater 2 Rear view camera. 3 Electric doors and wi 4 MP3 Radio(USB,SD) *model with eec:motor=2 range=70km* 	

Model	Pic	22 2 2 2 2 2	Specification		
a Sala		L*W*H(mm)	2800*1300*1500		
		Certificate	eec,DOT		
	al mentals	Steering	left hand drive(nearly middle)		
1	· · ·	Maximum speed	45-55km/h		
5		Seats	front 1 for driver rear 2 seats for adult		
		Doors	2		
		Distance	60km(portable battery) 125km(fixed battery)		
		Motor type	PM synchronous motor		
		Power	3kw(portable battery) 4kw(fixed battery)		
l I-car		Battery type	lithium		
		Voltage	60v or 72v		
		Air Conditioner	option		
		Charge time(80%)	2-4hours		
		Suspension	Front: Macpherson suspension Rear:Trailing arm suspension		
	-	Container load			
		 (5) Electric power steerin (6) Internet car system (7) Portable lithium batter 	avigation(USB,Bluetooth,SD)		

Model	Pic	22 8 8 2	Specification
211		L*W*H(mm)	3200*1500*1515
\geq		Certificate	eec,DOT
		Steering	left hand drive
-1	• •	Maximum speed	60km/h
		Seats	2
		Doors	2
310		Distance	100km
		Motor type	PM synchronous motor
1		Power	5kw
1		Battery type	lithium
ck		Voltage	72v
		Air Conditioner	yes
3		Charge time(80%)	3-4hours
	A La	Suspension	Front: Macpherson suspension Rear:Trailing arm suspension
		Container load	1
		 S Electric power steerin Internet car system Portable lithium batter 	avigation(USB,Bluetooth,SD)



Remark:

1.Payment: 50% in advance, the balance should be paid before shipment.

2.Delivery time: 25-40 days after advance payment received according to the quantity of order.

3. Prices is valid for acceptance until 1 month after the date Of quotation.

4.Loading quantity: 2sets/20FT 4sets/40HQ

5. If you don't have any experience in importing, we will provide the best solution to you.

	Specification	
	Body size: L*W*H mm	2970*1450*1610
	Wheelbase mm	2130
	Tread (Front/rear) mm	1165/1185
Body	Min. ground clearance mm	135
	Kerb mass Kg	679
	Seats	4
1	Motor type	Brushless DC motor
	Rated motor power Kw	4.5
	Rated motor voltage V	72
Power	Battery type	Maintenance free lead-acid
	Battery capacity	12V 120Ah
121	Battery cell	6
- VI-3	Charger type	Car charger
- 15	Charging voltage V	110V-220
ransmission	Transmission system	Automatic
	Gear type	Automatic control
	Differential case	Yes
	Drive type	Rear wheel
	Front suspenssion	Macpherson struts
Chassis	Rear suspenssion	Integral damping
1 1	Body type	Unitary construction
1503	Brake type(front/rear)	Disc/disc
Brake	Parking type	Handbrake
TANG	Wheel size	165/65R13
Wheel	Wheel type	Alloy
	Economic power consumption Kw/h,100Km,full load	8
Performance	Max. speed Km/h,full load	40
	Climbing capacity %,full load	20
1000	Range Km,40Km/h	150
A Ca	Wiper	EPAL CELER
12	Open-type sunroof	22. 1 . 2 2
	Open-type rear window	See Hereit
	Side sliding window	
Outerior	Folding and adjustable outside rearview mirror	18.02 1.18
	Antenna	CALL NO.
	Adjustable headlight	C. P. C. C. C. C. C.

	Separate front turnal lamp	N.	
	Combined tail lamp with LED	10 2 C	and the search is
1	Reverse lamp	2.	シャンシ
	License plate lamp	10.	51.15
2-11	Safety belts	send /	143
	Screen display	· · · · ·	
	Safety handrail	2. • X = 3	1 p S S
	Leather seat	10- A.W.	10 122-
	Lighter	•	
-11-	12V spare power	6.00	
	Digital meter		
Interior	Brake liquid level alarm	S. 1. 1	
	Reverse alarm		
18.57	Radio with USB/SD/Clock	ことの	
	Hi-Fi speaker	2	
1-1-2	Non-slip floor	1-1-1-1-	
	Defogger	12.	201
-11	Heating	· · · · /	and the second
	Air flow		
Option	air conditioner	0	0
3-4-12	Long alarm lamp	AT THE	and the
Police equip	Siren wailing		
27/2	Lamp support		
	Red		
2.6	GRAY		The second
The s	GOLD	X 2.	to Para
	White	N. S. S. N.	
Note:	• STD; × WITI	HOUT; ○ OPTION	NON THE



Remark:

1.Payment: 50% in advance, the balance should be paid before shipment.

2.Delivery time: 25-40 days after advance payment received according to the quantity of order.

3. Prices is valid for acceptance until 1 month after the date Of quotation.

4.Loading quantity: 4sets/20FT 9sets/40HQ

5. If you don't have any experience in importing, we will provide the best solution to you.

y-y	Specification	22312223	
14	Body size: L*W*H mm	2520*1215*1615	
	Wheelbase mm	1935	
10.00	Tread (Front/rear) mm	992/992	
Body	Min. ground clearance mm	135	
692	Kerb mass Kg	660	
2412	Seats	4	
Ner	Motor type	Brushless DC motor	
	Rated motor power Kw	4	
Power	Rated motor voltage V	Maintenance free lead-acid	
	Battery type	60	
632	Battery capacity	12V 120Ah	
2 12-	Battery cell	5	
NC.	Charger type	Car charger	
R. Jum	Charging voltage V	110V-220	
- 44	Transmission system	Automatic	
ransmission	Gear type	Automatic control	
	Differential case	Yes	
	Drive type	Rear wheel	
	Front suspenssion	Macpherson struts	
Chassis	Rear suspenssion	Integral damping	
	Body type	Unitary construction	
5 S. S. D.	Brake type(front/rear)	Disc/disc	
Brake	Parking type	Handbrake	
	Wheel size	145/70R12	
Wheel	Wheel type	Alloy	
	Economic power consumption Kw/h,100Km,full load	8	
Performance	Max. speed Km/h,full load	40	
Re P	Climbing capacity %,full load	20	
123	Range Km,40Km/h	150	
602	Wiper	Lever a state of a state	
~ X = ~]	Open-type sunroof	< ·	
C.C.	Open-type rear window		
	Side sliding window	M. 1	
Outerior	Folding and adjustable outside rearview mirror	5.75.57	
100-3	Antenna		
C P A	Adjustable headlight	A PART A PART A	

SA IN	Separate front turnal lamp	1. 1. S. A. 1. S.	1.1.	SAM.	1
	Combined tail lamp with LED		C. B. C.	123	N.
	Reverse lamp	12 12 -	12	a sulla	1
	License plate lamp		12121	18.5	
R. William	Safety belts	128.	17:23	1 an	124
	Safety handrail	N	1. Salva	1	d al
	Leather seat		in the	23.12	
1234	Lighter	101-50-50	12/2	100-3	10
	12V spare power	100	120		
	Digital meter	1500	125050	C.F.	12
	Brake liquid level alarm	and the second	Jahr and	2200	
Interior	Reverse alarm	•	675	Self-	
	Radio with USB/SD/Clock	- 1 A. C.	1994 14	1100	SUCE
MART	Hi-Fi speaker	2	1°	AUST	14
	Non-slip floor		C. and the	633	T.
	Defogger	De Maria		al and	1
	Heating	ALL NOT	17 1 25	123	1
	Air flow		1700	Ser-	1
Option	A/C	0	1.52.91	0	the state
BRA R	Long alarm lamp		in the	83.2	1
Police equip	Siren wailing	12 120-10	N 3. 10	100-1	N.
	Lamp support	10 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	150		1
NE	Honda red	•	N.S.	12)
	Light pink	•	(Carl)		
PAR	Grass green	•	1	A.	
	Orange yellow	•	22	12	J
1.127	Pineapple yellow	•	175	A.S.	
E la	Ivory white	•	1 - 1	N. T	\$.0 +
			A starting	100-3	200