

## Offer Sheet

Item	Configuration	Standard Configuration
<b>Vehicle parameter</b>	Vehicle category	Low-speed electric vehicle
	Overall dimensions (L*W*H)mm	3468*1568*1570
	Driver position	Left rudder driving
	Body structure	Load-bearing metal shell
	Wheel Base (mm)	2297
	Ground clearance (mm)	170
	Curb Weight (kg)	790
	Rated Passengers	4 people
	Maximum depth of wading (mm)	≤400
	Luggage capacity (L)	550
	<b>Performance index</b>	Show the maximum speed (km/h)
Driving Mileage(Km)		Eco Mode (130-150 ); Drange (100-120);
Maximum climbing angle (%)		≥28
Charging mode		Slow charge
Input voltage (VAC)		90-265VAC
Charging time (h)		8-10
Power consumption (Kwh/100Km)		5-7
Electromotor		4KW/ AC asynchronous drive motor
Controller		72V / 350A

	<b>Battery type</b>	<b>Maintenance Free Battery DIN</b>
	<b>Battery capacity/quantity</b>	<b>12V100AH*6PCS</b>
<b>Chassis &amp; control system</b>	<b>Front suspension type</b>	<b>McPherson suspension</b>
	<b>Rear suspension type</b>	<b>Drag arm suspension</b>
	<b>Front brake type</b>	<b>Disc brake</b>
	<b>Rear brake type</b>	<b>Drum brake</b>
	<b>Parking brake type</b>	<b>Hand brake</b>
	<b>Tire specification</b>	<b>155/70R13</b>
	<b>Hub material</b>	<b>Aluminium alloy</b>
	<b>Brake assist type</b>	<b>Vacuum hydraulic</b>
	<b>Steering assistance</b>	<b>Electric power steering</b>
	<b>Variable speed type</b>	<b>Multitronic</b>
	<b>Driver position</b>	<b>Left hand drive</b>
	<b>Standard Configuration</b>	<b>Vehicle central control lock</b>
<b>Remote key</b>		<b>•</b>
<b>Rear View Camera</b>		<b>•</b>
<b>Electric lifting doors and windows</b>		<b>•</b>
<b>Top reading lamp</b>		<b>•</b>
<b>Multilingual operation menu</b>		<b>•</b>
<b>USB interface/Mobile phone charging port</b>		<b>•</b>
<b>Music/Video/ Radio</b>		<b>•</b>
<b>Flip the back seat as a whole</b>		<b>•</b>
<b>Adjustable external rearview mirror</b>		<b>•</b>
<b>Defrosting of warm air</b>		<b>•</b>
	<b>Steering wheel lock</b>	<b>•</b>
	<b>Hill Start Assist</b>	<b>•</b>
	<b>Combination Braking System</b>	<b>•</b>

<b>Security configuration</b>	<b>Third brake lights</b>	•
	<b>Motor high temperature protection</b>	•
	<b>Failure beep alarm</b>	•
	<b>Brake power break</b>	•
	<b>Charging to prevent leakage</b>	•
	<b>Charging automatic power failure</b>	•
	<b>Short circuit protection</b>	•
	<b>Temperature compensation</b>	•
<b>Color</b>	customized color	
<b>Note</b>	• STD; × WITHOUT; ○ OPTION	
<b>Container loading</b>	20GP fit 1 units , 40GP fit 3 units	
<b>FOB Qingdao price(\$/set)</b>	<b>One Unit</b>	<b>\$6900(EEC add 900USD)</b>
<b>Optional</b>	<b>Air Condition</b>	<b>\$500</b>
	<b>Lithium battery</b>	<b>\$1,000</b>
	<b>5KW motor</b>	<b>\$300</b>
	<b>Range Extender</b>	<b>\$400</b>
	<b>Solar Panel</b>	<b>\$500</b>












变档操作  
Shift operation



调整座椅  
Adjust the seat



车载MP5影音娱乐系统  
Vehicle entertainment system



灯光控制开关  
Light control switch



雨刷控制开关  
Wiper control switch

Sandy





WHITE · 白色



RED · 红色



ORANGE · 橙色



BLUE · 蓝色

I ❤️  
Sandy