

SINCE 1987

ONE STOP MILITARY SOLUTION

Manufacturer for Military & Police Garments and
Outdoor Protective Product



Production Process

1 Cutting & Stitching



2 Assembly



3 Finishing



USD 100/set FOB



Material:High-Performance engineering plastic + High Molecular Weight polythene fiber

Anti Puncture:Subject to up to 20J Kinetic energy of puncture, Protection layer is not penetrated at knife point

Anti-Impact: Subject to the Impact of 120J kinetic energy, the protection layer is not damaged or broken.

Strike power absorbing:Subject to 100J kinetic energy strike at protection layer, the colloid clay Impress does not excess 20mm

Fire proof Performance:After blazing sample for 10 seconds ,taking off bunsen burner ,sustained combustion should be not more thean 10 seconds

Protection area:1.08 m²

Weight: 8 kg

MOQ: 2000 pcs



USD100/set FOB



Material:High-Performance engineering plastic + High Molecular Weight polythene fiber

Resistance Capability: Velcro: $>7.0\text{N}/\text{cm}^2$
Buckle: $>500\text{N}$ Joints: $>2000\text{N}$

Anti-Impact: Subject to the Impact of 120J kinetic energy, the protection layer is not damaged or broken.

Strike power absorbing:Subject to 100J kinetic energy strike at protection layer, the colloid clay Impress does not exceed 20mm

Fire proof Performance:After blazing sample for 10 seconds ,taking off bunsen burner ,sustained combustion should be not more than 10 seconds .

Protection area:1.08 m²

Weight: 8 kg

MOQ: 2000 pcs



USD100/set FOB



Material:High-Performance engineering plastic + High Molecular Weight polythene fiber

Anti Puncture:Subject to up to 20J Kinetic energy of puncture, Protection layer is not penetrated at knife point

Anti-Impact: Subject to the Impact of 120J kinetic energy, the protection layer is not damaged or broken.

Strike power absorbing:Subject to 100J kinetic energy strike at protection layer, the colloid clay Impress does not excess 20mm

Fire proof Performance:After blazing sample for 10 seconds ,taking off bunsen burner ,sustained combustion should be not more thean 10 seconds

Protection area:1.08 m²

Weight: 8 kg

MOQ: 2000 pcs





USD100/set FOB

**Material : anti flaming 600D polyester cloth,EVA, nylon, aluminum plate
Chest protector is nylon plastic,the groin and the back protector is aluminum plate**

Size : 165-190cm

Weight : about 6.52kg/set

Protection area : about 1.08m²

Feature : anti flaming , waterproof, stab resistant ,anti resistant

Packing:54*48*51cm,1ctn/2sets

MOQ: 2000 pcs



USD145/set FOB



Material:Protective shell : High strength and toughness fire resistant injection PC
Protection area:

- 1.Chest, Abdomen and Groin: ≥ 0.17
- 2.Back: ≥ 0.18
- 3.Arms : ≥ 0.22
- 4.Legs : ≥ 0.42

Resistance Capability: Velcro: $>7.2\text{N}/\text{cm}^2$
Buckle: $>500\text{N}$
Joints: $>5000\text{N}$

Size :170~190 cm

Weight:8.00 kg with carrying bag.

Fire resistant: After blazing sample for 10 seconds ,taking off bunsen burner ,sustained combustion should be not more than 10 seconds

Anti Impact Resistance: Able to withstand continuous direct hit using 5.8kg steel ball to chest and arms from a distance of 220cm ($\geq 120\text{J}$)

MOQ: 2000 pcs



USD 20/pcs FOB

Anti riot Shield

Material:transparent PC(polycarbonate)

Size:900*500*3mm, can be customized

Weight:2.6kg

MOQ: 300pcs



USD 20/pcs FOB

Anti riot Shield

Material:transparent PC(polycarbonate)

Size:900*500*3mm, can be customized

Weight:2.6kg

MOQ: 300 pcs



USD 20/pcs FOB

Anti riot Shield

Material:transparent PC(polycarbonate)

Size:1000*500*3mm, canbe customized

Weight:3kg

MOQ: 300 pcs



USD30/pcs FOB

Anti riot Shield

Material:transparent PC(polycarbonate)

Size:1000*500*3mm, canbe customized

Weight:3.4kg

MOQ: 300pcs



USD30/pcs FOB

Anti riot Shield

Material: PC(polycarbonate)

Size:1200mm*530mm*4mm, canbe customized

Weight:5.5kg

MOQ: 1300 pcs



USD48/pcs FOB

Anti riot Shield

Material:transparent PC

Size:1600*550*3.5mm &1200*550*3.5 mm

Weight:5.0kg &4.2kg

MOQ: 300 pcs

USD20/pcs FOB



Anti riot helmet

Material: high impact-resistant ABS plastic injection shell & PC face visor

- thickness of the visor is 3mm
- fastening strap, chin protector and inner shock-absorbing system which made of skin-non-irritating, an-allergic, sweat-absorbing materials
- weight:1.60kgs

MOQ: 300 pcs

USD20/pcs FOB



Anti riot helmet

Material: high impact-resistant ABS plastic injection shell & PC face visor

- thickness of the visor is 3mm
- fastening strap, chin protector and inner shock-absorbing system which made of skin-non-irritating, an-allergic, sweat-absorbing materials

USD20/pcs FOB



Anti riot helmet

Material: high impact-resistant ABS plastic injection shell, steel mesh & PC face visor

- thickness of the visor is 3mm
- fastening strap, chin protector and inner shock-absorbing system which made of skin-non-irritating, an-allergic, sweat-absorbing materials
- weight:1.85kgs

MOQ: 1000 pcs

USD20/pcs FOB



Anti riot helmet

Material: high impact-resistant ABS plastic injection shell, steel mesh & PC face visor

- thickness of the visor is 3mm
- fastening strap, chin protector and inner shock-absorbing system which made of skin-non-irritating, an-allergic, sweat-absorbing materials

USD18/pcs FOB



Anti riot helmet

Material: high impact-resistant ABS plastic injection shell, steel mesh & PC face visor

- thickness of the visor is 3mm
- fastening strap, chin protector and inner shock-absorbing system which made of skin-non-irritating, an-allergic, sweat-absorbing materials
- weight:1.60kgs

MOQ: 300 pcs

USD20/pcs FOB



Anti riot helmet

Material: high impact-resistant ABS plastic injection shell & PC face visor

- thickness of the visor is 3mm
- fastening strap, chin protector and inner shock-absorbing system which made of skin-non-irritating, an-allergic, sweat-absorbing materials

USD 12/pcs FOB

T Baton
Expandable baton
MOQ: 1000 pcs



USD10/pr FOB

Handcuff/foot cuff

Material: carbon steel or stainless steel

MOQ: 3000 pcs



USD45/set FOB

Gas mask

Similar function as N95

For one mask can be used for one week

One and two filters are available

MOQ: 300 pcs

