

Date 25-Apr-12

Ref SO 3265 /4A (MS220 + MS110)

A.D.A.M Temiz Enerji Teknolojileri Tic.Ltd.Şti

Product Code	Description	Unit Price	Qty.	Total
MS220	Proofloader Load Bank MS220-2200 Rated 2,200kW (resistive) sheathed element Load Bank 400V 3ph 50Hz Fan Motor 380-420V 3ph 50Hz 1kW nominal Load Selection Rated at 50°C Movable Application	£43,951.00	1	£43,951.00
(PR01229)	Sigma 2 Load Bank Control System Module & Electrical Hardware			
LBxxxx	Load Bank Total			£43,951.00
	Load Control - Sigma			
PR00517	Sigma IHT3 (v4) with instrumentation and a standard 10m Lead - The Sigma 'Intelligent Handheld Terminal' IHT3, with full instrumentation is connected to the load bank with a standard 10m reinforced multi-core cable fitted with quick release plug and socket connectors. Note:- (PR01229) Sigma 2 Load Bank Control System Module is NOT Included in this price and must be ordered separately to enable this style of control. For further information ask for our Sigma IHT technical data sheet.	£768.00	1	£768.00
PR00389	Sigma PC Load Control Software v2 with USB Interface The Sigma PC load control system software, in conjunction with an industrial standard PC (not included), replaces the standard IHT for control of the load bank. The Sigma PC load control system provides enhanced load control and full data acquisition capabilities. Note:- (PR01229) Sigma 2 Load Bank Control System Module is NOT Included in this price and must be ordered separately to enable this style of control. For further information ask for our Sigma PC technical data sheet.	£1,960.00	1	£1,960.00
	MS220 Load Bank Options			
	Forklift Pocket Base and 4 point Lift - Included	£0.00	1	£0.00
	Anti Condensation Heaters Intended for permanently installed load banks or those not in regular use. Comprising of 100 Watt 230V fan assisted heating elements(s) as required, fitted in control/switchgear compartment(s). Automatically disabled when load bank is in operation. Connections to the heater are by terminals located inside the load bank when statically installed or by a plug/socket connection for moveable equipment.	£346.00	1	£346.00
	MS220 Ex-works, sub-total of selected items			£47,437.00

Date 25-Apr-12

Ref SO 3265 /4A (MS220 + MS110)

A.D.A.M Temiz Enerji Teknolojileri Tic.Ltd.Şti

Product Code	Description	Unit Price	Qty.	Total
MS110	Proofloader Load Bank MS110-1000 Rated 1,000kW (resistive) sheathed element Load Bank 400V 3ph 50Hz Fan Motor 380-420V 3ph 50Hz 1kW nominal Load Selection Rated at 50°C Moveable Application	£24,690.00	1	£24,690.00
(PR01229)	Sigma 2 Load Bank Control System Module & Electrical Hardware			
LBxxxx	Load Bank Total			£24,690.00
	Load Control - Sigma			
PR00409	Sigma Load Bank Interconnecting Lead - 10m These leads are used to connect two or more load banks together to enable a single Sigma Control (IHT or Sigma PC) to control all load banks connected. Connection is made by means of the quick release plug/socket connectors fitted to each load bank as standard. No further changes or operations are required as the Sigma Load Control will recognize all load banks connected and indicate the total test capacity available to the operator. Standard lead length 10 metres.	£134.00	1	£134.00
	MS110 Load Bank Options			
	Forklift Pocket Base - Included	£0.00	1	£0.00
PR00975	Single & Four Point Lifting frame (MS110) This top mounted lifting frame is attached to the load bank by four corner mounted galvanised tie rods that join to the fork pocket base at the bottom. This arrangement provides what effectively becomes a mini crash-frame around the load bank offering additional physical protection. The lift frame includes integrated solar protection and is essential for load banks rated at 50°C, when used outdoors.	£941.00	1	£941.00
	Paint Finish to customers chosen paint colour RAL No. to be specified. If no RAL No. is specified, the load bank will be supplied in our standard colours White RAL9001 with red doors.	£378.00	1	£378.00
	MS110 Ex-works, sub-total of selected items			£26,143.00
	MS220 + MS110 Ex-works grand total			£73,580.00

All prices are in Pound Sterling and exclude VAT

To be collected from Froment Factory

Packing & Shipping Costs Available on application

This offer is valid for 14 days.

E & O.E.

Payment terms: 25% - on placement of order, and remaining 75% - 14 days before advised despatch date

Date 25-Apr-12

Ref SO 3265 /4A (MS220 + MS110)

A.D.A.M Temiz Enerji Teknolojileri Tic.Ltd.Şti

Product Code	Description	Unit Price	Qty.	Total
--------------	-------------	------------	------	-------

Letters of Credit

We will be pleased to supply a copy of our Terms of Acceptance for Irrevocable Letters of Credit on request. However, please note that there is a minimum non-negotiable surcharge of £500 due to the added/extra banking charges incurred. A deposit of 30% will still be required. We can only accept an L/C confirmed by a UK Bank, payable at 'Sight of documents.

Delivery date quoted is subject to existing production capacity remaining unsold between quotation date and receipt of official written order. Due to our progressive policy N. J. Froment and Co. Ltd. reserve the right to make technical improvements and revise prices quoted, at anytime, up until the despatch date printed on the Order Acknowledgement, without notice or liability to the purchaser.

Commissioning & Factory Witness Acceptance

Commissioning & Training

Commissioning and Training are optional. The price listed is a daily rate. Travelling, accommodation and expenses will be charged at nett extra cost. The exact detail of what you require for this item can be finalized with further discussion.

£765.00	0
/per day,	
plus expenses	

Factory Witness Acceptance Testing

Standard factory tests on proven design load banks provide for full functional and power checks on individual load steps. We will be pleased to send details of our standard Factory Acceptance Tests. There is however an additional cost involved if you require us to repeat these tests under your supervision.

£1,980.00	0
-----------	---

Certificates of Origin & Invoice Legalisation

EU Certificate of Origin - certified by the chamber of commerce (not legalised)

£90.00	0
--------	---

Arab / British Certificate of Origin & legalised Invoice

Budget price - dependent on destination & invoice value.

£550.00	0
---------	---

Packing, Transport & Shipping

Prices quoted are ex-works, unpacked.

Shipping quotations available on application.

Warranty - The equipment is covered by a 12-month warranty as detailed in our Conditions of Trade.

Warranty for Proofloaders shipped overseas

In the unlikely event of faults or defects occurring our standard export warranty would apply on this equipment:

We will, at our discretion, make good by repair or by the supply of replacement parts, defects which appear in the goods within twelve months from shipment, when such defects are found to be the result of faulty design, material or workmanship. Labour costs, transportation and related expenses incurred by others are not included, unless by prior written agreement in each individual case.

We will set out to ensure that defective equipment is repaired or replaced as quickly as is reasonably possible, but will not accept liability for losses caused by non-availability of the equipment in the meantime.

This is a parts-only or return-to-base, warranty. We will not contribute to the labour costs involved in making repairs. If the equipment is returned to our UK facility, we will carry out necessary repairs without charge. Transport both ways would be at the buyer's expense.