



01 Product Description

**02** Specification and Data

03 Packing Details

04 Installations and Attentions

# **Product Description**

2-9M Series Bubble houses product are the latest characteristic residence products. It does not contain metal support framework, and has 360° full transparent vision experience. The dome structure design has strong stability, strengthening the wind and earthquake resistance.

The main material of the product is polycarbonate and aviation aluminum profile, with high safety and strong protection, which can safely avoid the invasion of snakes, insects, rats, ants and large beasts in the wild.

Meanwhile, the product adopts modular splicing design, the installation and demolition process is simple, and the field assembly cost is low.

At present, Bubble houses products have various of diameters in 2m, 3m, 4m, 5m, 9m, etc., and products of different specifications can be spliced and matched with each other, with high flexibility, which can meet diversified application scenarios.



- Product Name: Bubble house 2m-9m
- Product Type: XKF-2M-9M
- Main Material:
  - Polycarbonate (PC) + aviation aluminum profile
- Structural: Dome structure + modular splicing structure
- Boby Color: Transparent
- Features: 360 ° full transparent Perspective
- Size:Please refer to the products'datas
- Application: Outdoor Hotel, Camping, Outdoor camp, etc






### **Bubble House-2M**

Size: 02.1M\*H2.4M

Interior Space: 3.5m<sup>2</sup>

Main Materials: UV resistant coating polycarbonate + aviation aluminum
Standard: PC side wall + PC dome + aluminum framework + aluminum platform
Features: Anti-Oxidation, No Smell, Ordless, Anti-flaming,
Weight: 100KG/Set
Physical properties: Strong toughness, high impact resistance
Wind-Resistance: Level 10
Life Span: Standard 30 years life span, 10 year yellow change warranty
Warranty: Main Frame 3 years
Installation: Modular splicing + screw fixation
Application: 1 person
Application recommendation: Independent bathroom or lavatory connected with star room

### Bubble House-2M Size (Unit: mm)





#### **Bubble House-3M**


Size: Φ 3M\*H2. 2M

Interior Space: 7.1m<sup>2</sup>

Main Materials: UV resistant coating polycarbonate + aviation aluminum Standard: PC dome + aluminum platform

Optionals: internal and external sunshade system Features: Anti-Oxidation, No Smell, Ordless, Anti-flaming, Weight: 150KG/Set Physical properties: Strong toughness, high impact resistance Wind-Resistance: Level 10 Life Span: Standard 30 years life span, 10 year yellow change warranty Warranty: Main Frame 3 years Installation: Modular splicing + screw fixation Application: 1-2 person Application recommendation: Single/Double Person hotel or Children's room

## Bubble House-3M Size (Unit: mm)





#### **Bubble House-4M**


Size: @ 4M\*H2.7M

Interior Space: 12.5m<sup>2</sup>

Main Materials: UV resistant coating polycarbonate + aviation aluminum Standard: PC dome + aluminum platform

Optionals: internal and external sunshade system Features: Anti-Oxidation, No Smell, Ordless, Anti-flaming, Weight: 200KG/Set Physical properties: Strong toughness, high impact resistance Wind-Resistance: Level 10 Life Span: Standard 30 years life span, 10 year yellow change warranty Warranty: Main Frame 3 years Installation: Modular splicing + screw fixation Application: 1-2 persons Application recommendation: Double person hotel, Star View Room or Yoga room Children's room and etc.

## Bubble House-4M Size (Unit: mm)





#### Bubble House-5M


#### Size: $\Phi 5M*H3M$

Interior Space: 19.6m<sup>2</sup>

Main Materials: UV resistant coating polycarbonate + aviation aluminum Standard: PC dome + aluminum platform

Optionals: internal and external sunshade system and bathroom Features: Anti-Oxidation, No Smell, Ordless, Anti-flaming, Weight: 250KG/Set Physical properties: Strong toughness, high impact resistance Wind-Resistance: Level 10 Life Span: Standard 30 years life span, 10 year yellow change warranty Warranty: Main Frame 3 years Installation: Modular splicing + screw fixation Application: 2-3 persons Application recommendation: luxury hotel room, Deluxe camping house and etc.

### Bubble House-5M Size (Unit: mm)





#### **Bubble House-9M**


#### Size: 0 9M\*H5.2M

Interior Space: 80m<sup>2</sup> (can design to be 3bedroom houses) Main Materials: UV resistant coating polycarbonate + aviation aluminum

Standard: PC dome + aluminum platform

Optionals: internal and external sunshade system Features: Anti-Oxidation, No Smell, Ordless, Anti-flaming, Weight: 350KG/Set Physical properties: Strong toughness, high impact resistance Wind-Resistance: Level 10 Life Span: Standard 30 years life span, 10 year yellow change warranty Warranty: Main Frame 3 years Installation: Modular splicing + screw fixation Application: 15-20 persons Application recommendation: house, active center, etc.

## Bubble House-9M Size (Unit: mm)



# **Technical Data**

5mm ploycarbonate panel sound insulation		
Sonic frequency (HZ)	Sound resistance (dB)	
100		
125	14	
160	15	
200	16	
250	18	
315	19	
400	21	
500	23	
630	24	
800	25	
1000	26	

# Main Technical Data and Standard

5mm pl	oycarbonate panel sound ins	ulation
ITEM	DATA	Standard
DENSITY	1.1953g/cm³	GB/T 1033
Tensile Strength	Longitudinal 68.0MPa	GB/T 1040
	Transverse 66.6MPa	GB/T 1040
Tensile breaking strength	Longitudinal 126MPa	GB/T 1040
	Transverse 114MPa	GB/T 1040
Tensile modulus of elasticity	Longitudinal 2.45GPa	GB/T 1040
	Transverse 2.39GPa	GB/T 1040
Charpy Notched Impact Strength	Longitudinal 11.0KJ/m <sup>2</sup>	GB/T 1043.1-2008
	Transverse 11.4KJ/m <sup>2</sup>	GB/T 1043.1-2008
Heat distortion temperature(1.8MPa)	137.7℃	GB/T 1634
Transmittance	88%	GB2680-1994
Weatherability	10years	1


## Installation and Attentions


#### Installation

- Please wear gloves while installation to prevent scratching the product parts
- Please make sure the hole position of each part shall be aligned, and then the silica gel pad and screws shall be padded.


#### Attentions

- Aviod the products from the strong acid and alkali and other corrosive organic solvents,
- Prevent sharp objects from scratching product,
- Handle and put with care,





## **Internal Decoration Reference**



# **Case Galleries**









