

# Diesel 40 Seats Trackless Train



# Production Procedure



## Specifications--40 seats

|                                |                                       |   |
|--------------------------------|---------------------------------------|---|
| <b>General Performance</b>     | Model                                 | One locomotive+Two carriages  |
|                                | Locomotive Measurement                | 3600X1800X2090 mm   |
|                                | Carriage Measurement                  | 4000X2090X2095 mm   |
|                                | Gross Weight                          | 5980KGS   |
|                                | Seats capacity                        | 40 persons  |
|                                | Max speed(km/h)                       | ≤25   |
|                                | Min Turning radius                    | 10m   |
|                                | Maximum braking distance (m)          | ≤4  |
|                                | Ground clearance (mm)                 | ≥190  |
|                                | Climbing Ability                      | ≤15%  |
|                                | Locomotive / Carriage Wheel base (mm) | 2250/2220   |
| <b>Locomotive</b>              | Engine                                | Cummins Diesel engine ISF2.8S 96KW  |
|                                | Gear Box                              | D+N+R Fast Gear Automatic   |
|                                | Controller system                     | Smart Energy Supplying system   |
|                                | Driver Seats Type                     | Luxury Air bag adjustable seats   |
|                                | Steering system                       | Hydraulic boost, link steering, automatic clearance compensation  |
|                                | Brakes system                         | Front and rear double circuit hydraulic drum brake, parking brake device gas-liquid linkage brake system with air brake (emergency automatic brake) |
|                                | Tires                                 | 6.00-14 TUBELESS TYRE   |
|                                | Front/Rear axle and suspension        | Leaf spring suspension + double shock absorption  |
|                                | Transmission system                   | Rear drive  |
| <b>Carriage Technical data</b> | Layout of Seats                       | 4 persons* 5 rows*2 Carriages =40   |
|                                | Running Boards                        | Steps for each Carriage   |
|                                | Suspension system                     | Leaf spring suspension + double shock absorption  |



|                               |                                 |  |
|-------------------------------|---------------------------------|--|
|                               | Brakes system                   | Each carriage equipped with an independent hydraulic combination double brake device and emergency automatic parking system device   |
|                               | Steering system                 | Pull rod type four-wheel follow-up steering system, automatic clearance compensation function  |
|                               | Body Materials                  | FRP body,JIT manufacturing process standard  |
|                               | Floor type                      | Stainless Aluminum anti-slip floor   |
|                               | Seats type                      | Fiber glass soft seats with seat belt  |
| <b>Electrical Accessories</b> | Lights system                   | Locomotive is equipped with headlights, turn signals, brake lights, Top warning lights, etc.   |
|                               | Train Smoking & Classical Sound | Smoking Machine and Bell and train running sound Horn sound  |
|                               | Audio system                    | MP3 player, SD/TF card/USB compatible; digital radio, full electronic control digital tuning, FM radio, 18 presets automatic scanning storage function; USB/SD dust-proof function, using car-level flexible button, 4× 50W output power.  |
|                               | Camera System                   | Full vehicle Cameras:<br>- one in front of the locomotive<br>- one inside top of the locomotive<br>- one at rear left side of the locomotive<br>- one rear right side of the locomotive<br>- one rear right side of the first carriage<br>- one rear right side of the last carriage |
|                               | TV Panels                       | TV Panel in front of Each Wagon to see the front Scenery and the Programme   |

# Pictures

## 1. Open Type

### Appearance













### 3.Details

Audio System Driver




Video System



Carriage Inside



Carriage Seat



Camera System Driver



Camera System Wagon



---

## Customer Request

|                |                                    |
|----------------|------------------------------------|
| Type           | Open Door & Window                 |
| Locomotive     | 1                                  |
| Carriage       | 2                                  |
| Seat           | 40                                 |
| Engine         | Diesel                             |
| Road Condition | Flat, smooth                       |
| Place          | Community                          |
| Accessories    | Necessary accessories are equipped |



---

# QUOTATION

**No.: AU220626YM**

**DATE: JUNE 26TH 2022**

**Price Terms: FOB QINGDAO**

**Payment Terms: 50% Deposit + 50% Balance Before Delivery by T/T**



**Price Validity: Until JULY 31<sup>ST</sup> 2022**

**Lead Time: 20-25 Days After Receiving Deposit**

| <b>Marks &amp; No.s</b> | <b>DESCRIPTION OF GOODS</b>     | <b>UNIT PRICE(USD)<br/>FOB QINGDAO</b> | <b>QUANTITY<br/>(SETS)</b> | <b>AMOUNT(USD)<br/>FOB QINGDAO</b> |
|-------------------------|---------------------------------|--|----------------------------|------------------------------------|
| 1                       | Diesel 40 Seats Trackless Train | US\$49,367                             | 1                          | US\$49,367                         |

SAY TOTAL US DOLLARS FORTY NINE THOUSAND THREE HUNDRED AND SIXTY SEVEN ONLY

# Inspection





## Package and Delivery



---

## **After-sale Service**

### **1. Warranty Condition**

**A.** Warranty period: One year since the date of finishing production. Our company will repair the product, if the product, the material of the parts, the design and manufacturing of the products raised hardware problems caused by the product itself rather than human error within one year warranty period.

**B.** Our company repairs the products but will collect the basic costs of the spare parts if the problems are caused not by product itself but users' wrong operation or Force Majeure, etc. The service is always free.

### **2. How to Service**

**A.** At first, our products are manufactured through strict production control and careful inspection and test, so will not be easy to break down. Normally once it has problems, we judge the problems and send spare parts to our customers, and teach how to change new parts on by email, telephone, video or video chat. Within one year warranty period, if the problems are caused by product itself, all spare parts and shipping cost (by DHL, TNT, FedEx, etc.) are paid Yimiao company; if the problems are caused by users' wrong operation or Force Majeure, etc. the spare parts and shipping cost (by DHL, TNT, FedEx, etc.) are paid by users.

**B.** If the problems are serious and customers unable to change spare parts, or customers ask us to their place for repairing, we will send our technicians there. The flights tickets are paid by customers.