

True blue









COLLAPSIBLE CONTAINER HOUSE



1. Summary

- Building dimensions W3.01M*L5.94M*H2.81M(interior size W2.79M*L5.715M*H2.55M)
- 50mm eps sandwich panel for wall and roof
- all bolt connection to small items,take less space and don't need crane for installation
- in mass production,the price is competitive
- can be combined together to make a big room,can be stacked 2-3 levels,can add bathroom,kitchen,partition easily

2. technical features



NO	ITEM		SPECIFICATION	PICTURE
1	FRAME 	TOP&BOTTOM man beam	2.2mm thickness galvanized steel+powder coating	  
2		COLUMN	2.3mm thickness galvanized steel+powder coating	  




3		Lifting points	4mm thickness steel+powder coating	
4		Floor secondary beam	With 14 pcs 80*40*2980mm*1.2mm galvanized tube steel	
5	Wall panel	EPS sandwich panel	50mm/75mm thickness double skin 0.4mm,density 10KG/m3	
6	Roof	Steel sheet+glass wool insulation+steel ceiling	Insulation thickness can be 50mm/75mm/100mm	
7	Window&door	Steel door	Size 930*2030mm	
8		Pvc sliding window	Size 930*1200mm single/double glazed with security grill	

9	floor	Sub floor	16mm thickness MGO board (magnesium oxide board)/18mm fiber cement board	  
10		Surface floor	1.6mm thickness pvc tile	
11	Economic Bathroom&kitchen	bathroom	shower head,shower pan,seat toilet,wash basin	   
12		kitchen	Bottom cabinet with stainless steel countertop,with stainless steel basin,with faucet	
13	Higher quality bathroom&kitchen	bathroom	Glass shower cabin,seat toilet,wash basin with mirror and cabinet	  
14		kitchen	Bottom&top cabinet with stainless steel countertop,with stainless steel basin,with faucet	 
15	Electricity and plumbing	Suggest client buy locally		

3. catalogue of container frame

model	Layout	Description	Loading
DRL18-F HOT SALE MODEL		<p>Size:W3010*L5940*H2810mm</p> <p>2.2mm galvanized frame+powder coating for top and bottom main frame</p> <p>2.3mm galvanized frame+powder coating for post</p> <p>Galvanized tube steel for bottom secondary frame</p> <p>Without top secondary frame</p> <p>Without top and bottom panel</p> <p>Without wall,roof>window,door</p>	<p>1*20FT container can load 25 sets</p> <p>1*40HC container can load 60 units</p>
DRL9-F		<p>Size:W3010*L3010*H2810mm</p> <p>2.2mm galvanized frame+powder coating for top and bottom main frame</p> <p>2.3mm galvanized frame+powder coating for post</p> <p>Galvanized tube steel for bottom secondary frame</p> <p>Without top secondary frame</p> <p>Without top and bottom panel</p> <p>Without wall,roof>window,door</p>	<p>1*20FT container can load 35 sets</p> <p>1*40HC container can load 80 units</p>
DRL12-F		<p>Size:W3010*L3950*H2810mm</p> <p>2.2mm galvanized frame+powder coating for top and bottom main frame</p> <p>2.3mm galvanized frame+powder coating for post</p> <p>Galvanized tube steel for bottom secondary frame</p> <p>Without top secondary frame</p> <p>Without top and bottom panel</p> <p>Without wall,roof>window,door</p>	<p>1*20FT container can load 25 sets</p> <p>1*40HC container can load 65 units</p>




DRL15-F		<p>Size:W3010*L4990*H2810mm</p> <p>2.2mm galvanized frame+powder coating for top and bottom main frame</p> <p>2.3mm galvanized frame+powder coating for post</p> <p>Galvanized tube steel for bottom secondary frame</p> <p>Without top secondary frame</p> <p>Without top and bottom panel</p> <p>Without wall,roof>window,door</p>	<p>1*20FT container can load 25 sets</p> <p>1*40HC container can load 65 units</p>
DRL21-F		<p>Size:W3010*L6890*H2810mm</p> <p>2.2mm galvanized frame+powder coating for top and bottom main frame</p> <p>2.3mm galvanized frame+powder coating for post</p> <p>Galvanized tube steel for bottom secondary frame</p> <p>Without top secondary frame</p> <p>Without top and bottom panel</p> <p>Without wall,roof>window,door</p>	<p>1*40HC container can load 42 units,1*20ft container can load 21 units</p>
DRL24-F		<p>Size:W3010*L7840*H2810mm</p> <p>2.2mm galvanized frame+powder coating for top and bottom main frame</p> <p>2.3mm galvanized frame+powder coating for post</p> <p>Galvanized tube steel for bottom secondary frame</p> <p>Without top secondary frame</p> <p>Without top and bottom panel</p> <p>Without wall,roof>window,door</p>	<p>1*40HC container can load 37 units,1*20ft container can load 18 units</p>




DRL27-F		<p>Size:W3010*L8790*H2810mm</p> <p>2.2mm galvanized frame+powder coating for top and bottom main frame</p> <p>2.3mm galvanized frame+powder coating for post</p> <p>Galvanized tube steel for bottom secondary frame</p> <p>Without top secondary frame</p> <p>Without top and bottom panel</p> <p>Without wall,roof>window,door</p>	<p>1*40HC container can load 35 units,1*20ft container can load 17 units</p>
DRL36-F		<p>Size:W3010*L11820*H2810mm</p> <p>2.2mm galvanized frame+powder coating for top and bottom main frame</p> <p>2.3mm galvanized frame+powder coating for post</p> <p>Galvanized tube steel for bottom secondary frame</p> <p>Without top secondary frame</p> <p>Without top and bottom panel</p> <p>Without wall,roof>window,door</p>	<p>1*40HC container can load 30 units,1*20ft container can load 13 units</p>
DRL24-F A		<p>Size:W3960*L5940*H2810mm</p> <p>2.2mm galvanized frame+powder coating for top and bottom main frame</p> <p>2.3mm galvanized frame+powder coating for post</p> <p>Galvanized tube steel for bottom secondary frame</p> <p>Without top secondary frame</p> <p>Without top and bottom panel</p> <p>Without wall,roof>window,door</p>	<p>1*40HC container can load 45 units,1*20ft container can load 15 units</p>




DRL30-F		<p>Size:W4910*L5940*H2810mm</p> <p>2.2mm galvanized frame+powder coating for top and bottom main frame</p> <p>2.3mm galvanized frame+powder coating for post</p> <p>Galvanized tube steel for bottom secondary frame</p> <p>Without top secondary frame</p> <p>Without top and bottom panel</p> <p>Without wall,roof>window,door</p>	<p>1*40HC container can load 45 units,1*20ft container can load 15 units</p>
DRL36-F A		<p>Size:W5860*L5940*H2810mm</p> <p>2.2mm galvanized frame+powder coating for top and bottom main frame</p> <p>2.3mm galvanized frame+powder coating for post</p> <p>Galvanized tube steel for bottom secondary frame</p> <p>Without top secondary frame</p> <p>Without top and bottom panel</p> <p>Without wall,roof>window,door</p>	<p>1*40HC container can load 30 units,1*20ft container can load 12 units</p>

4. Catalogue of open room container house

model	Layout	Description	Loading
DRL18-1 DISCOU NT MODEL		<p>Size:W3010*L5940*H2810mm</p> <p>50mm eps sandwich panel for wall</p> <p>Steel sheet+75mm glass wool insulation+steel ceiling for roof</p> <p>One Steel security door</p> <p>Two Sliding window single glazed</p> <p>Open room</p> <p>16mm reinforced mgo board for floor</p> <p>Without electricity</p>	<p>1x40ft HQ container can load 15 sets, 1*20FT container can load 6 sets</p>


<p>DRL18-1 higher quality</p>		<p>Size:W3010*L5940*H2810mm 75mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof One Steel security door Two Sliding window double glazed Open room 18mm fiber cement board+1.6mm pvc tile for floor Without electricity With extra single sheet roof</p>	<p>1x40ft HQ container can load 13 sets, 1*20FT container can load 5 sets</p>
<p>DRL9-1</p>		<p>Size:W3010*L3010*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof One Steel security door Two Sliding window single glazed Open room 16mm reinforced mgo board for floor Without electricity</p>	<p>1*20FT container can load 9 sets 1*40HC container can load 23 units</p>
<p>DRL12-1</p>		<p>Size:W3010*L3950*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof One Steel security door Two Sliding window single glazed Open room 16mm reinforced mgo board for floor Without electricity</p>	<p>1*20FT container can load 8 sets 1*40HC container can load 18 units</p>

DRL15-1		<p>Size:W3010*L4990*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof One Steel security door Two Sliding window single glazed Open room 16mm reinforced mgo board for floor Without electricity</p>	<p>1*20FT container can load 7 sets 1*40HC container can load 16 units</p>
DRL18-G		<p>Size:W3010*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof One aluminum manual roller door Without window Open room 16mm reinforced MGO board for floor Without electricity</p>	<p>1x40ft HQ container can load 15 sets, 1*20FT container can load 6 sets</p>
DRL21-1		<p>Size:W3010*L6890*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof One Steel security door Two Sliding window single glazed Open room 16mm reinforced mgo board for floor Without electricity</p>	<p>1x40ft HQ container can load 12 sets,1*20ft container can load 5 units</p>


DRL24-1		<p>Size:W3010*L7840*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof One Steel security door Two Sliding window single glazed Open room 16mm reinforced mgo board for floor Without electricity</p>	<p>1x40ft HQ container can load 10 sets,1*20ft container can load 4 units</p>
DRL27-1		<p>Size:W3010*L8790*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof One Steel security door Two Sliding window single glazed Open room 16mm reinforced mgo board for floor Without electricity</p>	<p>1x40ft HQ container can load 9 sets,1*20ft container can load 4 units</p>
DRL36-L		<p>Size:W3010*L11820*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof One Steel security door Two Sliding window single glazed Open room 16mm reinforced mgo board for floor Without electricity</p>	<p>1*40HC container can load 8 units,1*20ft container can load 3 units</p>

<p>DRL2-6</p>		<p>Size for per unit container house W3010*L5940*H2810MM</p> <p>Ground story with 3 units,first story with 3 units</p> <p>With veranda,canopy,railing,stair</p> <p>50mm eps sandwich panel for wall</p> <p>Steel sheet+75mm glass wool insulation+steel ceiling for roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>16mm reinforced MGO board floor</p> <p>Without electricity and plumbing</p>	<p>1x40ft HQ container can load 2 sets,</p>
<p>DRL2-2</p>		<p>Size for per unit container house W3010*L5940*H2810MM</p> <p>Ground story with 1 unit,first story with 1 unit</p> <p>With veranda,canopy,railing,stair</p> <p>50mm eps sandwich panel for wall</p> <p>Steel sheet+75mm glass wool insulation+steel ceiling for roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>16mm reinforced MGO board floor</p> <p>Without electricity and plumbing</p>	<p>1x40ft HQ container can load 6 sets, 1*20FT container can load 2 sets</p>

DRL2-8



GROUND FLOOR PLAN









CROSS SECTION (R-44)



Ground story with 4 unit W3010*L5940*H2810 container house+2 units W2000*L6020*H2810 veranda container, first story with 4 unit W3010*L5940*H2810 container house+2 units W2000*L6020*H2810 veranda container
With railing, stair
Hall container all around with double glazed aluminum big glass window and door
50mm eps sandwich panel for wall
Steel sheet+75mm glass wool insulation+steel ceiling for roof
Steel security door
Pvc Sliding window single glazed
16mm reinforced MGO board+1.6mm pvc floor
Without electricity and plumbing
With 0.4mm thickness extra single sheet



1x40ft HQ container can load 1 set




5.Catalogue of container house with interior partition,bathroom and kitchen



model	Layout	Description	Loading
DRL18-2		<p>Size:W3010*L5940*H2810mm</p> <p>50mm eps sandwich panel for wall</p> <p>Steel sheet+75mm glass wool insulation+steel ceiling for roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower</p> <p>Without plumbing</p> <p>Without electricity</p> <p>16mm reinforced board+1.6mm pvc floor</p>	<p>1x40ft HQ container can load 14 sets,</p> <p>1*20FT container can load 5 sets</p>
DRL18-3		<p>Size:W3010*L5940*H2810mm</p> <p>50mm eps sandwich panel for wall</p> <p>Steel sheet+75mm glass wool insulation+steel ceiling for roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower</p> <p>Kitchen bottom cabinet,basin,faucet</p> <p>Without plumbing</p> <p>Without electricity</p> <p>16mm reinforced board+1.6mm pvc floor</p>	<p>1x40ft HQ container can load 13 sets,</p> <p>1*20FT container can load 5 sets</p>
DRL18-5		<p>Size:W3010*L5940*H2810mm</p> <p>50mm eps sandwich panel for wall</p> <p>Steel sheet+75mm glass wool insulation+steel ceiling for roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Two rooms</p>	<p>1x40ft HQ container can load 14 sets,</p> <p>1*20FT container can load 5 sets</p>

		16mm reinforced mgo board+1.6mm pvc floor Without electricity	
DRL18-6		Size:W3010*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,toilet,shower Without plumbing Without electricity 16mm reinforced MGO board+1.6mm pvc floor	1x40ft HQ container can load 13 sets, 1*20FT container can load 4 sets
DRL18-7		Size:W3010*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,toilet,shower Without plumbing Without electricity 16mm reinforced MGO board+1.6mm pvc floor	1x40ft HQ container can load 13 sets, 1*20FT container can load 4 sets
DRL36-3		Size:W3010*L11820*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed	1x40ft HQ container can load 7 sets, 1*20FT container can load 3 sets


		<p>Wash basin, toilet, shower</p> <p>Kitchen bottom cabinet, basin, faucet</p> <p>Without plumbing</p> <p>Without electricity</p> <p>16mm reinforced MGO board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet roof</p>	
DRL36-4		<p>Size: W3010*L11820*H2810mm</p> <p>50mm eps sandwich panel for wall</p> <p>Steel sheet+75mm glass wool insulation+steel ceiling for roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin, toilet, shower</p> <p>Kitchen bottom cabinet, basin, faucet</p> <p>Without plumbing</p> <p>Without electricity</p> <p>16mm reinforced MGO board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 7 sets,</p> <p>1*20FT container can load 3 sets</p>
DRL36-1		<p>Size: W6020*L5940*H2810mm</p> <p>50mm eps sandwich panel for wall</p> <p>Steel sheet+75mm glass wool insulation+steel ceiling for roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin, toilet, shower</p> <p>Kitchen bottom cabinet, basin, faucet</p> <p>Without plumbing</p> <p>Without electricity</p> <p>16mm reinforced MGO board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 7 sets,</p> <p>1*20FT container can load 3 sets</p>


<p>DRL36-2</p>		<p>Size:W6020*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,toilet,shower Kitchen bottom cabinet,basin,faucet Without plumbing Without electricity 16mm reinforced MGO board+1.6mm pvc floor With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 6 sets, 1*20FT container can load 2 sets</p>
<p>DRL54-1</p>		<p>Size:W9030*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,toilet,shower Kitchen bottom cabinet,basin,faucet Without plumbing Without electricity 16mm reinforced MGO board+1.6mm pvc floor With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 5 sets, 1*20FT container can load 2 sets</p>




DRL54-2		<p>Size:W9030*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,toilet,shower Kitchen bottom cabinet,basin,faucet Without plumbing Without electricity 16mm reinforced MGO board+1.6mm pvc floor With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 5 sets, 1*20FT container can load 2 sets</p>
DRL72-1		<p>Size:W12040*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,toilet,shower Kitchen bottom cabinet,basin,faucet Without plumbing Without electricity 16mm reinforced MGO board+1.6mm pvc floor With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 4 sets, 1*20FT container can load 1 sets</p>
DRL104-1		<p>Size:W6890*L15050*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,toilet,shower</p>	<p>1x40ft HQ container can load 3 sets</p>




		<p>Kitchen bottom cabinet,basin,faucet</p> <p>Without plumbing</p> <p>Without electricity</p> <p>16mm reinforced MGO board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet roof</p>	
DRL104-2		<p>Size:W6890*L15050*H2810mm</p> <p>50mm eps sandwich panel for wall</p> <p>Steel sheet+75mm glass wool insulation+steel ceiling for roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower</p> <p>Kitchen bottom cabinet,basin,faucet</p> <p>Without plumbing</p> <p>Without electricity</p> <p>16mm reinforced MGO board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet roof</p>	1x40ft HQ container can load 3 sets
DRL177-1		<p>Size:W14890*L11880*H2810mm</p> <p>50mm eps sandwich panel for wall</p> <p>Steel sheet+75mm glass wool insulation+steel ceiling for roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower</p> <p>Kitchen bottom cabinet,basin,faucet</p> <p>Without plumbing</p> <p>Without electricity</p> <p>16mm reinforced MGO board+1.6mm pvc floor</p> <p>With extra single sheet roof</p>	1x40ft HQ container can load 2 sets

6.Catalogue of container bathroom/toilet/shower





Item	Layout	Description	Loading
DRT-1		<p>Size:W3010*L5940*H2810mm</p> <p>50mm eps sandwich panel for wall</p> <p>Steel sheet+75mm glass wool insulation+steel ceiling for roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,toilet partition</p> <p>Without plumbing</p> <p>Without electricity</p> <p>18mm fiber cement board+1.6mm pvc floor</p>	<p>1x40ft HQ container can load 14 sets,</p> <p>1*20FT container can load 5 sets</p>


DRT-2		<p>Size:W3010*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,toilet,urinal,toilet partition Without plumbing Without electricity 18mm fiber cement board+1.6mm pvc floor</p>	<p>1x40ft HQ container can load 14 sets, 1*20FT container can load 5 sets</p>
DRT-3		<p>Size:W3010*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,toilet,shower,toilet partition Without plumbing Without electricity 18mm fiber cement board+1.6mm pvc floor</p>	<p>1x40ft HQ container can load 14 sets, 1*20FT container can load 5 sets</p>
DRT-4		<p>Size:W3010*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,toilet,shower,toilet partition Without plumbing Without electricity 18mm fiber cement board+1.6mm pvc floor</p>	<p>1x40ft HQ container can load 14 sets, 1*20FT container can load 5 sets</p>

DRT-5		<p>Size:W3010*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,toilet,shower,toilet partition Without plumbing Without electricity 18mm fiber cement board+1.6mm pvc floor</p>	<p>1x40ft HQ container can load 14 sets, 1*20FT container can load 5 sets</p>
DRT-6		<p>Size:W3010*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,shower,toilet partition Without plumbing Without electricity 18mm fiber cement board+1.6mm pvc floor</p>	<p>1x40ft HQ container can load 14 sets, 1*20FT container can load 5 sets</p>
DRT-7		<p>Size:W3010*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,toilet,toilet partition Without plumbing Without electricity 18mm fiber cement board+1.6mm pvc floor</p>	<p>1x40ft HQ container can load 14 sets, 1*20FT container can load 5 sets</p>


DRT-8		<p>Size:W3010*L5940*H2810mm 50mm eps sandwich panel for wall Steel sheet+75mm glass wool insulation+steel ceiling for roof Steel security door Sliding window single glazed Wash basin,toilet,toilet partition Without plumbing Without electricity 18mm fiber cement board+1.6mm pvc floor</p>	<p>1x40ft HQ container can load 14 sets, 1*20FT container can load 5 sets</p>
-------	--	--	--




LEFT ELEVATION



RIGHT ELEVATION



FRONT ELEVATION



BACK ELEVATION

more information about our company and collapsible container house

1. professional container house manufacture with **CE and ISO certificate**,100% of our container houses are for **exported**.
5000+ projects over 50+ countries

2.our package is **steel pallet+plastic film**,easy to load and unload,it is also a good way to protect the materials.our this kind package will increase around USD 70 cost per house.
other suppliers usually load the materials pieces by pieces in container,to unload 1*40HC container,4 workers usually take one day.and the materials are easy to be damaged.



others suppliers package

our package package

3.we are using **higher quality windows and doors**,there are very cheap windows and doors in the market. we will not use these,because they are very fragile



other supplier' s window and door



our window and door

4.most of the suppliers are using common type MGO board,it is not very strong and not good for waterproof.our **MGO board is with cement inside**,it is new type subfloor material,strong and waterproof.

5. we are using **higher quality sandwich panel, double skin 0.4mm** thickness, and some suppliers will use sandwich panel with double skin 0.3mm (although some supplier said their sandwich panel uses 0.3mm steel sheet, the exact thickness of the steel sheet is just 0.25mm, it is very thin, and can be easily damaged by a thief)

6. the container corner is welded by steel plate, so there are many welding points, although most of the suppliers will do powder coating, the powder coating can not cover every welding point, half a year later, the corner will get rusted



our company does **electroplating** for the corner firstly, then do **powder coating**, this way makes it anti rust



7. our **column is made by bending machine which make the holes exact**, and **easy to install**. now most of the supplier are making the column by cold forming machine, sometimes the holes are not exact, and hard to install

8. our **bottom secondary beam is 14pcs** (the space between two beams is around 380mm, the

floor will not shake greatly),and most of the suppliers will use 9pcs(the space between two beams is around 570mm,the floor will shake greatly)

9.our frame without powder coating is 2.3mm,some supplier's thickness is just 1.8mm,so they need to add support beam in the middle,the beam is thin,if without the support beam,the house will collapse.



10.we can ensure that all the provided materials will be the same as the specification sheet.now some supplier will supply lower quality materials than their specification sheet.

True blue