




**EVERYTHING  
UNDER THE SUN**

<http://AsianDragonIntl.com>



**2024 Off Road Electric scooter Quotation**

Item No	Picture	Feature	Optional	Package
T2pro		<p><b>Tire:10inch vacuum off road tires</b>            Frame: Aluminum+Steel            Maximum load :150KG            Start method:Integrated RDF sensor card  <b>Battery: 48V23AH</b>  <b>Motor:10inch 48v 1650W*2(Double motor)</b>  <b>Max speed:70km/h</b></p>		
T2 Plus		<p><b>Battery:60V21AH</b>  <b>Motor:60v 3000W*2(Double motor)</b>  <b>Max speed:80km/h</b>  <b>Range:60-70km</b>            Controller: 30A controller/45A            Brakes: Front and rear Disc brakes            Shock : Front and rear spring shock absorbers            Restricted speed:25km/h(European standard)            Light:front/rear/brake/turn/side light            Handlebar: T-handlebar            Charging time: 5-10 hours or support dual charging <b>Charger One 2A UL charger</b></p>	<p>1.10inch wide off-road tires  <b>2. 2A UL/CE charger:15\$(free)</b>  <b>3.Seat+13\$ (free)</b>  <b>4.USB phone charging:5\$(free)</b>  <b>5.6inch RFD sensor screen:28\$(free)</b>  <b>6.Removable battery:28us\$</b>  <b>7.with logo(pole and footboard) and carton logo(free)</b>  <b>8. waterproof strip(free)</b>  <b>9.4pcs shock absorbers (free)</b>  <b>10.alarm system:8us\$</b>  <b>11.Hydraulic brake: 30us\$</b>  <b>12.Damper:30\$</b>  <b>13.Bluetooth:10\$</b></p>	<p>Unfolded size 126x68x55CM            Folded size 123x68x132CM            Pedal width: 25CM            Packing size: 128x33x55cm            NW/GW:39.8KG/45.8KG            seat:2.5KG            20FT:120pcs,            40HQ:293pcs,            45HQ:336pcs</p>
T2		<p><b>Battery: 48V13AH (single motor)</b>  <b>Motor:10inch 48v 2000W(single motor)</b>  <b>Max speed:45km/h(single motor)</b>            Controller: 30A controller            Brakes: Front and rear Disc brakes            Shock absorbs: Front and rear spring shock absorbers            Restricted speed:25km/h Light:front/rear light and side light            Handlebar: dovetail folding handlebar            Charging time: 5-10 hours or support dual charging <b>Charger One 2A charger</b></p>		

<p><b>T1Pro (Double motor)</b></p>		<p><b>Tire:10inch vacuum off road tires</b>  Frame: Aluminum+Steel  Maximum load :150KG  Start method:Integrated voltage lock switch (key switch)  <b>Battery: 48V23AH (Double motor)</b>  <b>Motor:10inch 48v 1650W*2(Double motor)</b>  <b>Max speed:70km/h(Double motor)</b></p>	<p><b>1.10inch wide off-road tires</b>  <b>2.Extra 2A charger:12\$(UL)</b>  <b>3.Seat+13\$ (free)</b>  <b>4.USB mobile phone charging:5\$(free)</b>  <b>5.Install 6inch LCD screen+13\$(free)</b>  <b>6.with removable battery:28us\$</b>  <b>7.with logo(pole and footboard) and carton logo(free)</b></p>	<p>Unfolded size 115*21*129CM  Folded size 115*21*45CM  Pedal width: 21CM  Packing size: 124*26*48.5cm  Carton weight:5KG  NW/GW:30.75KG/37.15KG  20FT:224pcs,  40HQ:464pcs,  45HQ:544pcs</p>
<p><b>T1 (Single Motor)</b></p>		<p><b>Battery: 48V13AH (single motor)</b>  <b>Motor:10inch 48v 2000W(single motor)</b>  <b>Max speed:45km/h(single motor)</b>  Controller: 30A controller  Brakes: Front and rear Disc brakes  Shock absorbs: Front and rear spring shock absorbers  Resricted speed:25km/h Light:front/rear light and side light  Handlebar: dovetail folding handlebar  Charging time: 5-10 hours or support dual charging Charger One 2A charger</p>	<p><b>8.</b>  <b>with waterproof strip(free)</b>  <b>9.upgrade shock absorbers (free)</b>  <b>10.alarm system:8us\$</b>  <b>11.Hydraulic brake: 30us\$</b>  <b>12.Damper:30\$</b>  <b>13.Bluetooth:10\$</b></p>	<p>Unfolded size 115*21*129CM  Folded size 115*21*45CM  Pedal width: 21CM  Packing size: 125*26*50CM  Carton weight:5KG  NW/GW:25KG/30KG  20FT:224pcs,  40HQ:464pcs,  45HQ:544pcs</p>
<p><b>T12 (Single Motor)</b></p>		<p><b>Tire:12inch vacuum road tires</b>  Frame: Aluminum+Steel  Maximum load :150KG  Start method:Integrated voltage lock switch (key switch)  Battery: 48V23AH (single motor)  Motor:10inch 48v 2000W(single motor)  Max speed:50km/h(single motor)  Controller: 30A controller  Brakes: Front and rear Disc brakes  Shock absorbs: Front and rear spring shock absorbers  Light:front/rear light and side light  Handlebar: dovetail folding handlebar  Charging time: 5-10 hours or support dual charging Charger One 2A charger</p>	<p>1.12inch wide city-road tires  2.Extra 2A charger:12\$(UL)  3.Small Seat:15\$/Big seat:38\$  <b>4.USB mobile phone charging:5\$(free)</b>  <b>5.Install 6inch LCD screen+13\$(free)</b>  <b>6.with logo(pole and footboard) and carton logo(free)</b>  <b>7.install pole cover LED light+35\$(free)</b>  <b>8.Install LED cover light+25\$(free)</b>  <b>9. with waterproof strip(free)</b>  <b>10.upgrade shock absorbers (free)</b>  11.alarm system:8us\$  12.Hydraulic brake: 30us\$  13.Damper:30\$  14.Bluetooth:10\$</p>	<p>Expanded size: 135*29*132CM  Folded size: 135*31*60M  Flat width: 31CM  Packing size: 142*34*54CM  NW/GW:55kg/65kg  Seat: 3KG "  20ft:107pcs,  40ft:223pcs,  40HQ:260pcs</p>



T9



Tire:11inch off road tires with 6inch screen  
 Frame: carbon steel  
 Maximum load :150KG  
 Start method:Integrated voltage lock switch (key switch)  
**Battery: 60V20AH**  
**Motor: Double motor 4000W\*2**  
**Max speed:80-100km/h**  
 Controller: 25A controller  
 Brakes: Front and rear Hydraulic brakes  
 Shock absorbs: Front and rear spring shock absorbers  
 Restricted speed:25km/h (EU standard)  
 Light:front/rear light and side light  
 Handlebar: dovetail folding handlebar  
 Charging time: 5-10 hours or so/support dual charging Charger One 2A charger

- 1.Default off-road tires, road tires can be changed
- 2.2A charger:12\$
- 3.Small Seat:15\$/Big seat:38\$
- 4.USB mobile phone charging:5\$
- 5.with removable battery:38us\$
- 6.Install pole cover LED light+35\$
- 7.Install LED cover light+25\$
- 8.alarm system:8us\$
- 9.Damper:30\$
- 10.Bluetooth:10\$

Unfolded size 132\*300\*131CM  
 Pedal width: 21CM  
 Packing size: 142\*34\*54CM  
 Carton weight:5KG  
 NW/GW:56KG/66KG  
 20FT:108pcs,  
 40HQ:260pcs,  
 45HQ:300pcs

T6



Tire:14 inch off road tires  
 Maximum load :400KG  
 Start method Integrated voltage lock switch (key switch)  
 Choose one of two anti-theft switch  
**Motor:60V/72V(optional) 4000W\*2 (Double motor) Max**  
**speed:80-100km/h**  
**Controller: dual 45A controller**  
**Battery:60v40ah and 72v50ah(optional)**  
 Brakes: Front and rear hydraulic oil brakes  
 Shock absorbs: Front and rear spring shock absorbers  
 Lights: 3 U7 lights + motorcycle horns  
 Instrumentation Leading 100 color LCD instrument (with USB charging port)  
 Handlebar: dovetail folding handlebar seat can be retrofitted  
 Charging time: 5-10 hours or so/support dual charging Charger One 2A charger

- 1.Default off-road tires, road tires can be changed
- 2.Two 2A charger:12\$
- 3.Small Seat:15\$/Big seat:38\$
- 4.USB mobile phone charging:5\$
- 5.with removable battery:38us\$
- 6.Install pole cover LED light+35\$
- 7.Install LED cover light+25\$
- 8.alarm system:8us\$
- 9.Damper:30\$
- 10.Bluetooth:10\$

Expanded size: 148\*66\*125CM  
 Folded size: 150\*55\*66CM  
 Flat width: 31CM  
 Packing size: 158\*37\*64CM .  
 GW:71kg, NW:62KG  
 Seat: 3KG "  
 20ft:90pcs,40ft:181pcs,40HQ:206pcs

T7



**Tire:11 inch off road tires**  
 Maximum load :400KG  
 Start method Integrated voltage lock switch (key switch) Choose one of two anti-theft switch  
**Motor: 60V3000W\*2(Double motor)**  
**Battery:20AH**  
**Max speed:80 -100km/h**  
 Controller: dual 45A controller  
 Brakes: Front and rear hydraulic oil brakes  
 Shock absorbs: Front and rear spring shock absorbers  
 Lights: 3 U7 lights + motorcycle horns  
 Instrumentation Leading 100 color LCD instrument (with USB charging port)  
 Handlebar: dovetail folding handlebar seat can be retrofitted  
 Charging time: 5-10 hours or so/support dual charging Charger One 2A charger

- 1.Default off-road tires, road tires can be changed
- 2.Two 2A charger:12\$
- 3.Small Seat: 15\$/Big seat:38\$
- 4.USB mobile phone charging:5\$
- 5.with removable battery:38us\$
- 6.Install pole cover LED light+35\$
- 7.Install LED cover light+25\$
- 8.alarm system:8us\$
- 9.Damper:30\$
- 10.Bluetooth:10\$

Expanded size: 135\*29\*132CM  
 Folded size: 135\*31\*60M  
 Flat width: 31CM  
 Packing size: 142\*34\*54CM  
 NW/GW:55kg/65kg  
 Seat: 3KG "  
 20ft:107pcs,  
 40ft:223pcs,  
 40HQ:260pcs

T10



**Tire:11inch off road tires with 6inch screen**  
 Frame: carbon steel  
 Maximum load :150KG  
 Start method:Integrated voltage lock switch (key switch)  
**Battery: 60V20AH**  
**Motor: Double motor 3000W\*2**  
**Max speed:80km/h**  
 Controller: 45A controller  
 Brakes: Front and rear Oil brakes  
**Shock absorbs: Front/ rear hydraulic shock**  
 Restricted speed:25km/h Light:front/rear light and side light  
 Handlebar: dovetail folding handlebar  
 Charging time: 5-10 hours or so/support dual charging Charger One 2A charger

- 1.Default off-road tires, road tires can be changed
- 2.Two 2A charger:12\$
- 3.Small Seat: 15\$/Big seat:38\$
- 4.USB mobile phone charging:5\$
- 5.with removable battery:38us\$
- 6.Install pole cover LED light+35\$
- 7.Install LED cover light+25\$
- 8.alarm system:8us\$
- 9.Damper:30\$
- 10.Bluetooth:10\$

Unfolded size 132\*300\*131CM  
 Pedal width: 21CM  
 Packing size: 142\*34\*54CM  
 Carton weight:5KG  
 NW/GW:56KG/66KG  
 20FT:108pcs,  
 40HQ:260pcs,  
 45HQ:300pcs

T8



**Tire:11inch Vacuum off road tire**  
 Maximum load :200KG  
 Start method Integrated voltage lock switch (key switch) Choose one of two anti-theft switch  
**Max speed:100 -120km/h**  
**Battery: 72V40AH**  
**Motor:Double motor 72v 3600W\*2**  
**Range:100 -120km**  
 Controller: dual 50A controller  
 Brakes: **Front and rear hydraulic oil brakes**  
 Shock : **Front/rear Hydraulic shock absorbers**  
 Lights: 3 U7 lights + motorcycle horns  
 Light:front/rear/turn/brake light  
 Handlebar: T- handlebar  
 Charging time: 3-7 hours or so/support dual charging Charger **One 5A UL charger**

- 1.Default off-road tires, road tires can be changed
- 2.2A charger:12\$
- 3.Small Seat: 15\$/Big seat:38\$
- 4.USB mobile phone charging:5\$
- 5.with removable battery:38us\$
- 6.Install pole cover LED light+35\$
- 7.Install LED cover light+25\$
- 8.alarm system:8us\$
- 9.Damper:30\$
- 10.Bluetooth:10\$

product size:140\*135\*68cm  
 Folding size:141\*28\*48cm  
 Packing size:145\*31\*53cm,  
 NW/GW:55kg/65kg 20ft:118pcs,  
 40HQ:286pcs



T11



**Tire:11inch off road tires**  
 Frame: Full Aluminum alloy  
 Maximum load :150KG  
 Start method:Integrated voltage lock switch (key switch)  
**Battery: 48V28AH/52V25AH**  
**Motor: Double motor 48v 2000W\*2**  
**Max speed:70km/h**  
 Controller: 25A controller  
 Brakes: Front and rear Disc brakes  
 Shock absorbs: Front and rear spring shock absorbers  
 Restricted speed:25km/h Light:front/rear light and side light  
 Handlebar: dovetail folding handlebar  
 Charging time: 5-10 hours or so/support dual charging Charger One 2A charger

- 1.10inch wide off-road tires
- 2.Extra 2A charger:12\$(UL)
- 3.Seat+13\$ (free)
- 4.USB mobile phone charging:5\$(free)
- 5.Install 6inch LCD screen+13\$(free)
- 6.with removable battery:28us\$
- 7.with logo(pole and footboard) and carton logo(free)
- with waterproof strip(free)
- 9.upgrade shock absorbers (free)
- 10.alarm system:8us\$
- 11.Hydraulic brake: 30us\$
- 12.Damper:30\$
- 13.Bluetooth:10\$

Unfolded size 115\*21\*129CM  
 Folded size 115\*21\*45CM  
 Pedal width: 21CM  
 Packing size: 128\*28\*52CM  
 Carton weight:5KG  
 NW/GW:30KG/35KG  
 20FT:150pcs,  
 40HQ:312pcs,  
 45HQ:366pcs

T3



**Tire:11inch Vacuum off road tires**  
 Frame: Aluminum+Steel  
 Maximum load :150KG  
 Start method:Integrated voltage lock switch (key switch)  
**Battery: 48V28AH**  
**Motor: Double motor 48v 2000W\*2**  
**Max speed:70km/h**  
**Range:70-80km**  
 Controller: 30A controller  
 Brakes: Front and rear Disc brakes  
 Shock : Front and rear spring shock absorbers  
 Restricted speed:25km/h  
 Light:front/rear/turn/brake/side light  
 Handlebar:T-handlebar  
 Charging time: 3-5 hours or so/support dual charging **Charger One 3.4A UL charger**

- 1.10inch wide off-road tires
- 2.Extra 2A charger:12\$(UL)
- 3.Seat+13\$ (free)
- 4.USB mobile phone charging:5\$(free)
- 5.Install 6inch LCD screen+13\$(free)
- 6.with removable battery:28us\$
- 7.with logo(pole and footboard) and carton logo(free)
- with waterproof strip(free)
- 9.upgrade shock absorbers (free)
- 10.alarm system:8us\$
- 11.Hydraulic brake: 30us\$
- 12.Damper:30\$
- 13.Bluetooth:10\$

Unfolded size :127\* 29\*130cm  
 Folded size :127\* 29\* 51cm  
 Pedal width: 21CM  
 Carton weight:5KG  
 NW/GW:30KG/35KG  
 Packing size:135x29.5x56.5cm,  
 20FT:125pcs, 40HQ:302pcs,  
 45HQ:346pcs

T4



**Tire:10inch Vacuum off road tires**  
 Frame: Full Aluminum alloy  
 Maximum load :150KG  
 Start method:Integrated voltage lock switch (key switch)  
**Battery: 48V27AH**  
**Motor:Double motor 48v 1600W\*2**  
**Max speed:70km/h**  
**Range:70-80km**  
 Controller: 30A controller  
 Brakes: Front and rear Disc brakes  
 Shock : Front and rear spring shock absorbers  
 Restricted speed:25km/h  
 Light:front/rear/turn/brake/side light  
 Handlebar: T-Handlebar  
 Charging time: 3-5 hours or so/support dual charging Charger **One 3.4A UL charger**

- 1.10inch wide off-road tires
- 2.Extra 2A charger:12\$(UL)
- 3.Seat+13\$ (free)
- 4.USB mobile phone charging:5\$(free)
- 5.Install 6inch LCD screen+13\$(free)
- 6.with removable battery:28us\$
- 7.with logo(pole and footboard) and carton logo(free)
- with waterproof strip(free)
- 9.upgrade shock absorbers (free)
- 10.alarm system:8us\$
- 11.Hydraulic brake: 30us\$
- 12.Damper:30\$
- 13.Bluetooth:10\$

Unfolded size 115\*21\*129CM  
 Folded size 115\*21\*45CM  
 Pedal width: 21CM  
 Packing size: 128\*28\*52CM  
 Carton weight:5KG  
 NW/GW:30KG/35KG  
 20FT:150pcs,  
 40HQ:312pcs,  
 45HQ:366pcs



L8-13A



Tire:14 inch off road tire  
 Maximum load :300KG  
 Start method Integrated voltage lock switch (key switch) Choose one of two anti-theft switch  
 Motor/speed:11 -inch dual 52V1500W\*2  
**Max speed:65km/h**  
 Controller: dual 30A controller  
 Brakes: Front and rear hydraulic oil brakes  
 Shock absorbs: Front and rear spring shock absorbers  
 Lights: 3 U7 lights + motorcycle horns  
 Instrumentation Leading 100 color LCD instrument (with USB charging port)  
 Handlebar: dovetail folding handlebar seat can be retrofitted  
 Charging time: 5-10 hours or so/support dual charging Charger One 2A charger

1. with seat :15us\$
- 2.Two 2A charger:12\$
- 3.Install 6inch LCD screen+13\$
- 4.Add USB mobile phone bracket:5\$

Expanded size: 158\*31\*135CM  
 Folded size: 144\*31\*60M  
 Flat width: 31CM  
 Packing size: 153\*34\*64CM  
 Carton weight:7KG  
 Material: Reinforced iron + aluminum alloy Body weight: (excluding battery): 38KG  
 Battery:25ah:6.2kg, 30ah:7.5kg, 35ah:8.6kg, 40ah:10kg  
 Seat: 3KG "  
**20ft:90pcs,40ft:181pcs,40HQ:206pcs**

L8-11E



Tire:14 inch off road tire  
 Maximum load :300KG  
 Start method Integrated voltage lock switch (key switch) Choose one of two anti-theft switch  
 Motor/speed:14 -inch dual 52V1500W\*2  
**Max speed:65km/h**  
 Controller: dual 30A controller  
 Brakes: Front and rear hydraulic oil brakes  
 Shock absorbs: Front and rear spring shock absorbers  
 Lights: 3 U7 lights + motorcycle horns  
 Instrumentation Leading 100 color LCD instrument (with USB charging port)  
 Handlebar: dovetail folding handlebar seat can be retrofitted  
 Charging time: 5-10 hours or so/support dual charging Charger One 2A charger

1. with seat :15us\$
- 2.Two 2A charger:12\$
- 3.Install 6inch LCD screen+13\$
- 4.Add USB mobile phone bracket:5\$

Expanded size: 158\*31\*135CM  
 Folded size: 144\*31\*60M  
 Flat width: 31CM  
 Packing size: 153\*34\*64CM  
 Carton weight:7KG  
 Material: Reinforced iron + aluminum alloy Body weight: (excluding battery): 38KG  
 Battery:25ah:6.2kg, 30ah:7.5kg, 35ah:8.6kg  
 Seat: 3KG "  
**20ft:90pcs,40ft:181pcs,40HQ:206pcs**

L8-14Pro



Tire:11,13,14 inches tires for optional(The default is 11 inch tires)  
 Maximum load :400KG  
 Start method Integrated voltage lock switch (key switch) Choose one of two anti-theft switch  
 Motor/speed:11 -inch dual 60V3000W\*2  
**Max speed:80-100km/h**  
 Controller: dual 45A controller  
 Brakes: Front and rear hydraulic oil brakes  
 Shock absorbs: Front and rear spring shock

- 1.Default off-road tires, road tires can be changed
- 2.Upgrade to seamless folding T+20\$
- 3.Double-layer carton+10\$
- 4.Upgrade flow left and right turn signal+5\$
- 5.Two 2A charger:12\$
- 6.Seat+15\$
- 7.Add USB mobile phone bracket:5\$

Expanded size: 158\*31\*135CM  
 Folded size: 144\*31\*60M  
 Flat width: 31CM  
 Packing size: 153\*34\*64CM  
 Carton weight:7KG  
 Material: Reinforced iron + aluminum alloy Body weight: (excluding battery): 38KG  
 Battery:25ah:6.2kg, 30ah:7.5kg, 35ah:8.6kg, 40ah:10kg,45ah:11.5kg, 50ah:13kg,60ah:17kg, 70ah:21kg, 80ah:25kg  
 Seat: 3KG "  
**20ft:90pcs,40ft:181pcs,40HQ:206pcs**





absorbers  
 Lights: 3 U7 lights + motorcycle horns  
 Instrumentation Leading 100 color LCD instrument (with USB charging port)  
 Handlebar: dovetail folding handlebar seat can be retrofitted  
 Charging time: 5-10 hours or so/support dual charging Charger One 2A charger

- 7.Add USB mobile phone charging:35\$
- 8.Install pole cover LED light+55\$
- 9.Install LED cover light+35\$
- 10.13-inch road tires : 52us\$
- 11.14inch off road tire:75us\$
- 12.Install 6inch LCD screen+18\$

Enlarge the battery compartment  
 unfolded size: 158\*38\*135CM  
 folded size: 160\*38\*60CM  
 pedal width: 38CM  
 packing size: 163\*41\*64CM ,  
 165\*46\*64CM  
 Battery: 33ah:16kg,  
 38ah: 20kg,43ah:24kg  
 48ah:28kg,53ah:33kg,  
 57ah:38kg,100ah:53kg  
 20ft:90pcs,40ft:181pcs,40HQ:206pcs

LW-3wheel



**11inch off road 3wheel Escooter**  
 Body Frame: Ultra strong aluminum+Iron alloy  
 Motor: 52V 6000w double motor  
 Battery 52V 20AH lithium battery (21700)  
 Battery:52V 40AH lithium battery(MAX Mileage 52V 20AH:60~70KM)  
 Battery:52V 40AH:120~140KM(Max Speed: 60~65KM/H)  
 Gradeability:40°  
 Lights: Front two 30W lights with horn+brake light+indicator+rear light  
 Braking Front+Rear Disc brake  
 Tires:11inch off road tires  
 Suspension: Front motorcycle suspension+rear dual spring suspension  
 Dashboard:Twist-grip throttle  
 Folding: yes  
 Charger: 52V 2A

- 1.Two 2A charger:12\$
- 2.Seat+15\$
- 3.Add USB mobile phone charging:5\$
- 4.Install pole cover LED light+55\$
- 5.Install LED cover light+35\$
- 6.13-inch road tires : 52us\$
- 7.14inch off road tire:75us\$
- 8.Install 6inch LCD screen+13\$
- 9. removatable battery: 50\$

N.W./G.W. 60KG/66KG  
 66KG/72KG  
 Package Size 156\*50\*58CM

LW-1



**13inch off road Escooter**  
 Body Frame: Ultra strong aluminum+Iron alloy  
 Motor: 52V 6000w double motor  
 Battery 52V 20AH lithium battery (21700)  
 Battery:52V 40AH lithium battery(MAX Mileage 52V 20AH:60~70KM)  
 Battery:52V 40AH:120~140KM(Max Speed: 60~65KM/H)  
 Gradeability:40°  
 Lights: Front two 30W lights with horn+brake light+indicator+rear light  
 Braking Front+Rear Disc brake  
 Tires:11inch off road tires  
 Suspension: Front motorcycle suspension+rear dual spring suspension  
 Dashboard:Twist-grip throttle  
 Folding: yes  
 Charger: 52V 2A

- 1.Two 2A charger:12\$
- 2.Seat+15\$
- 3.Add USB mobile phone bracket:5\$
- 4.Install pole cover LED light+55\$
- 5.Install LED cover light+35\$
- 7.14inch off road tire:35us\$
- 8.Install 6inch LCD screen+13\$
- 9. removatable battery: 50\$

N.W./G.W. 54KG/60KG  
 60KG/66KG  
 Package Size: 148\*38\*58cm

LW-2



13inch off road Escooter  
 Body Frame: Ultra strong aluminum+Iron alloy  
 Motor: 52V 6000w double motor  
 Battery 52V/60V 20AH/50AH lithium battery  
 (21700)  
 Battery:52V 40AH lithium battery(MAX Mileage  
 52V 20AH:60~70KM)  
 Battery:52V 40AH:120~140KM(Max Speed:  
 60~65KM/H)  
 Gradeability:40°  
 Lights: Front two 30W lights with horn+brake  
 light+indicator+rear light  
 Braking Front+Rear Oil Disc brake  
 Tires:13inch off road tires  
 Suspension: Front motorcycle suspension+rear  
 dual spring suspension  
 Dashboard:Twist-grip throttle  
 Folding: yes  
 Charger: 52V /60V 2A

- 1.Two 2A charger:12\$
- 2.Seat+15\$
- 3.Add USB mobile phone bracket:5\$
- 4.Install pole cover LED light+55\$
- 5.Install LED cover light+35\$
- 7.14inch off road tire:35us\$
- 8.Install 6inch LCD screen+13\$
9. removatable battery: 50\$

N.W./G.W. 54KG/60KG  
 60KG/66KG  
 Package Size: 148\*38\*58cm

LW-4



11inch off road Escooter  
 Body Frame: Ultra strong aluminum+Iron alloy  
 Motor: 60V/72V 6000w double motor  
 Battery 60V/72V 40AH/50AH lithium battery  
 (21700)  
 Lights: Front two 30W lights with horn+brake  
 light+indicator+rear light  
 Braking Front+Rear Oil Disc brake  
 Tires:11inch off road tires  
 Suspension: Front motorcycle suspension+rear  
 dual spring suspension  
 Dashboard:Twist-grip throttle  
 Folding: yes  
 Charger: 60V/72V 2A

- 1.Two 2A charger:12\$
- 2.Seat+15\$
- 3.Add USB mobile phone bracket:5\$
- 4.Install pole cover LED light+55\$
- 5.Install LED cover light+35\$
- 7.14inch off road tire:35us\$
- 8.Install 6inch LCD screen+13\$
9. removatable battery: 50\$

60V 50AH:66KG/74KG  
 72V 50AH:71KG/78KG  
 Package Size: 161\*39.5\*60CM



T5



**11inch road vocuum semi-hot melt tire**

Material:Aviation aluminum alloy

Craftmanship: CNC

Loading: 150kg,

**Max speed:100-120KM/H** ,

**Recharge mileage:80km,**

Climbing angle:25 degree

**Battery capacity:72v40AH(LG battery)**

Digital display:TFT,

Shock Absorber: front and rear Hydraulic spring suspension,

**Max motor power: 12000W(reexternal rotation motor with belt connected transmission mode)**

Charging:84v 5AH

Braking method: Hydraulic brake,

Color: German Grey

Light:front/rear light and side light/turn/brake light/siren/signal light

1.with seat :50us\$

2. 5A charger:50\$

3.Add USB mobile phone bracket:35\$

4.with logo(pole and footboard) and carton logo(free)

with waterproof strip(free)

6.upgrade shock absorbers (free)

7.alarm system:8us\$

8.Hydraulic brake: 30us\$(free)

9.Damper:30\$(free)

10.Bluetooth: 10\$

5. 1.Body size:142\*30.7\*126cm  
2.Ground clearance:12cm  
3.NW:58kg



Item No	Picture	Description	Packaging info
<p><b>M4PRO</b> (single motor)</p>		<p>10inch off road aluminium electric scooter  1. 10 inch off road wheel aluminium+ Iron frame frame  2. LCD display  3. battery capacity:48V16AH  5. front/rear Dis brake  6. with front light and rear light/brake light  7. Motor : 48v500W  8. max speed:40km/h(with 3speed 15/25 or 40 different) 9. Max loading:200kg  10: IP54 Waterproof. rear motor  11. 10inch air tire  12. support flashlight(2side) and brake light, turn light,  13. with front/rear shock absorption  14. without seat  15. color:Black  <b>16. mobile phone bracket with USB:5us\$</b></p>	<p><b>Folding size: 120*26*37CM</b>  <b>Expansion size: 110*24* (80-120) CM</b>  <b>Packing size 119*31*36CM</b></p> <p><b>NW:22.5KG/GW:25KG</b>  <b>20ft:210pcs</b>  <b>40ft:430pcs</b>  <b>40HQ:498pcs</b></p>



<p><b>L8-10 (MAX)</b></p>		<p>Tire size 10 inch with Honeycomb tires  Distance per charge 45-55KM  Max Speed 30KM/H(depends on road and weight)  Instrument system LED display  <b>Brake system : Front Wheel Drum brake, Rear Wheel</b>  EABS E Brake  Motor power: 350W  Battery capacity:3615AH  Battery voltage 36V  Charging time 2H  Charging voltage AC100-220V/50-60HZ  With LED front + rear light  Color(white and black for option)  IP waterproof:IP56 , <b>back motor</b></p>	<p>Packing size:  119.5*22.2*60.5cm  N.W:19.1kg  G.W:23.7kg  20ft:160pcs  40FT:335PCS  40HQ:350pcs</p>
<p><b>L8-4pro (single motor)</b></p>		<p>10inch city road electric scooter  1. 10 inch city road wheel aluminium+ Iron frame frame  2. LCD+LED display  3.battery capacity:36V10-18AH  5.front/rear Electric +Dis brake  6.with front light and rear light/brake light  7.Motor : 36v350W ( double motor:350*2 )  8.max speed:35km/h(with 3speed 15/25 or35 different)  9.Max loading:150kg  10: IP54 Waterproof.  11.<b>10inch honeycomb tire and front motor</b>  12: Charging time: 2-5H(it is up the battery capacity)  13: Charging voltage AC100-220V/50-60HZ  14. without seat  15. color:Black  <b>Advantages:</b>  <b>1. With securitykey,</b>  <b>2. The battery is removable.</b>  <b>3. Support large capacity battery,</b>  <b>4. Front and rear shock absorption</b></p>	<p>Packing size: 120*21*59.5cm  N.W:20kg  G.W:23.2kg  20ft:188pcs  40FT:387PCS  40HQ:450pcs  product size: 119*50*120cm  folded size:119*50*58cm</p> <p>Packing size: 120*21*59.5cm  N.W:25kg  G.W:28.2kg  20ft:188pcs  40FT:387PCS  40HQ:450pcs</p>

<p><b>L8-10 (New)</b></p>		<p><b>10inch electric scooter (Metal bracket body)</b>  1.8.5 inch off road wheel aluminium+ Iron frame frame  2. LED display  3.The battery can over 15AH,Distance:40-50km  4.battery capacity:36V15AH  <b>5.Dis brake+electric brake</b>  6.with front light and rear light/brake light  7.Motor 36v350W  8.max speed:35km/h(with 2 speed 15/25 or 35 different)  9.Max loading:150kg  10: IP54 Waterproof. <b>front motor</b>  <b>11.10inch honeycomb tire</b>  <b>12. with front/rear shock</b></p>	<p>unfolding size 120*19*115cm  folding size 120*19*42cm  package size 120*19*55cm</p> <p>pedal width 16cm  Weight  Floor height:12cm,  NW:14KG/GW:16KG  20ft:210pcs  40ft:430pcs  40HQ:498pcs</p>
<p><b>L8-4</b></p>		<p><b>Tire size 8.5 inch with honeycomb (Metal bracket body)</b>  Distance per charge 30KM  Max Speed 20KM/H(depends on road and weight)  Instrument system LED display  Brake system front and rear disc brake  Motor power: 350w  Battery capacity 7.8A(Chinese battery)  Battery voltage 36V  Charging time 2H  Charging voltage AC100-220V/50-60HZ  With LED front + rear light  Color(white and black for option)  With APP function</p>	<p><b>unfolding size</b>  <b>:1056*430*1166mm</b>  <b>Packing size: 115*19*53cm</b>  <b>folding</b>  <b>size:1056*430*490cm</b>  <b>N.W:12.6KG</b>  <b>G.W:17kg</b>  <b>20ft:280pcs</b>  <b>40FT:600PCS</b>  <b>40HQ:680pcs</b></p>



L5-10inch	 	<p>10inch sharing electric scooter</p> <ol style="list-style-type: none"> <li>1. 10 inch city road wheel aluminium+ Iron frame frame</li> <li>2. LED display</li> <li>3. battery capacity:36V 10AH/20AH</li> <li>4. Front/rear Drum brake</li> <li>5. with front light and rear light/brake light</li> <li>6. Motor:36v350W</li> <li>7. max speed:25km/h(with 2speed 15/25)</li> <li>8. Max loading:150kg</li> <li>9. IP65 Waterproof.</li> <li>10. 10inch honeycomb tire and rear motor</li> <li>11. color:Black</li> <li>12. Driving distance:50-60km</li> <li>13. charging time:5-7hours</li> <li>14. support mobile APP</li> </ol> <p><b>Advantage:</b></p> <ol style="list-style-type: none"> <li>1. The battery is removable.</li> <li>2. it is non-foldable and not external wires. all of cable hidden inside</li> <li>3. IOT Modules(gps tracking and lock/unlock by scan code)</li> <li>4. IP65 waterproof</li> <li>5. Honeycomb tires</li> <li>6. Front and rear shock absorption</li> <li>7. With security key,</li> <li>8. Support large capacity battery,</li> <li>9. With lock</li> <li>10. with helmet</li> <li>11. with voice</li> </ol>	<p>N. W: 27kg</p> <p>G. W: 29. 5kg</p> <p>20ft: 200pcs</p> <p>40FT: 340PCS</p> <p>40HQ: 410pcs</p> <p>Product size: (before folding) 118*43*120cm</p> <p>Packing size: 119*20. 5*58. 5cm</p>
-----------	--	---	--

Sharing scooter server(Through remote tracking, payment, management, maintenance, etc.)

You can buy this server through our.. and according to you requirement.. full server platform 15000US\$

If you want to rental our server platform (19usd/months/pcs (moq:50pcs))