



**EVERYTHING
UNDER THE SUN**

<http://AsianDragonIntl.com>





Stock list in EU warehouse

Electric Scooter

Model	Picture	Specification
D5		<ol style="list-style-type: none"> 1.Tire Size:12 inch 2.Max Range:60KM-120KM 3.Net Weight:46kg 4.Gross Weight: 53.5kg 5.Max Speed: 60-70km/h 6.Rated Power: 2*2500W 7.Battery Capacity:48V/35Ah lithium battery (Removable) 8.Max Load:150KG 9.Charging Time:5-7hours 10.Maximum Climbing slope:45° 11.Waterproof Grade:IP60 12.Open Size:1420*660*1380mm 13.Fold Size: 1490*320*580mm 14.Packaging Size:1485*320*590mm 15.Foldable Body 16.Colour:Black+Orange
X1		<ol style="list-style-type: none"> 1.Tire Size:10-inch inner and Outer Tyre 2.Battery:48 volt single drive 13 Ah 3.Motor:1000W 4.Charging Time:5-8 Hours 5.Max Speed:45 km /h 6.Max Range:40-50km 7.Max Load:120Kg 8.Light:Front light + rear light 9.Waterproof Resistant:IP54 10.Open Size:1178*630*1350mm 11.Fold Size:1200*270*500mm 12.Net Weight:27.3kg 13.Gross Weight:31kg 14.Color:black and red details 15.Packaing Size:1200*270*500mm 16.Current Packing Conctect: Scooter+charger+wrench+adaptor 17.Container (Qty):392PCS for 1x40HQ

<p>G10</p>		<ol style="list-style-type: none"> 1.Tire Size:10-inch Off road tire 2.Battery:48 volt single drive 20 Ah 3.Motor:1200W*2 NFC 4.Charging Time:5-8 Hours 5.Max Speed:65km /h 6.Max Range:65-75km 7.Max Load:120Kg 8.Light:Front light + rear light 9.Waterproof Resistant:IP60 10.Climb Angle:35 degree 11.Open Size:122*64*122CM 12.Fold Size:122*64*535CM 13.Net Weight:41kg 14.Gross Weight:47kg 15.Color: black and red details 16.Packaing Size:125.5*30*58CM 17.Current Packing Conctect: Scooter+charger+wrench+adaptor 18.Container (Qty):392PCS for 1x40HQ
<p>X3</p>		<ol style="list-style-type: none"> 1.Tire Size:11-inch inner and Outer Tyre 2.Battery:48 V dual drive 21 Ah 3.Motor:2*1200W 4.Charging Time:8~12Hours 5.Max. Speed:55km /h 6.Max. Range:40-50km 7.Max. Load:120Kg 8.Light:Front light + rear light 9.Waterproof Resistant: IP54 10.Climb Angle:45 degree 11.Open Size:1350*700*1400 12.Fold Size:1410*350*550mm 13.Net Weight:40kg 14.Gross Weight:46kg 15.Color: black and red details 16.Packaing Size:1410*350*550mm 17.Container (Qty):228PCS for 1x40HQ
<p>X5</p>		<ol style="list-style-type: none"> 1.Tire Size:13-inch inner and Outer Tyre 2.Battery:60 V dual drive 30Ah 3.Motor:2*2800W 4.Charging Time:8-15 Hours 5.Max. Speed:85 km /h 6.Max. Range:65-75km 7.Max. Load:120Kg 8.Light:Front light + rear light+acrylic cover 9.Waterproof Resistant: IP54 10.Open Size:1518*700*1420mm 11.Fold Size:1510*390*650mm 12.Net Weight:51kg 13.Gross Weight:59kg 14.Color: black and red details 15.Packaing Size:1510*390*650mm 16.Container (Qty):178PCS for 1x40HQ

<p>X8</p>	 <p>10 英寸</p>	<ol style="list-style-type: none"> 1.Tire Size: 10 inch anti puncture Vacuum tire 2.Max Range: 45km 3.Net Weight: 17kg 4.Speed: 25km/h 5.Rated Power: 350W 6.Battery Capacity: 36V/5Ah (Removable lithium battery) 7.Scooter Material: Aluminium Alloy 8.Maximum Output Power: 850W 9.Charging Time: 5-6 hours 10.Motor drive: front motor drive 11.Waterproof Level: IP54 12.Load Range: 100kg 13.Hook Load: 10kg 14.Pedal ground clearance: 135mm 15.Climbing Angel: 15° 16.Open Size: 1083*401*1186mm 17.Fold Size: 1083*401*460mm 18.Packaing Size:1150*200*570mm 19.Colour: black/silver 20.Container (Qty):680 PCS for 1x40HQ
<p>X9 plus</p>	 <p>10 英寸</p> <p>欧盟标准</p>	<ol style="list-style-type: none"> 1.Tire Size: 10 inch anti puncture Vacuum tire 2.Max Range: 70km 3.Net Weight: 20kg 4.Speed: 40km/h 5.Rated Power: 500W 6.Battery Capacity: 36V/15.6Ah/20.8Ah (Removable lithium battery) 7.Scooter Material: Aluminium Alloy 8.Maximum Output Power: 1100W 9.Charging Time: 5-6 hours 10.Waterproof Level: IP54 11.Load Range: 100kg 12.Hook Load: 10kg 13.Pedal ground clearance: 205mm 14.Climbing Angel: 25° 15.Open Size: 1110*500*1230mm 16.Fold Size: 1110*500*540mm 17.Packing size: 1150*200*570mm 18.Colour: black/orange/white 19.Container (Qty):650 PCS for 1x40HQ

<p>X9 pro</p>		<ol style="list-style-type: none"> 1.Tire Size: 10 inch anti puncture Vacuum tire 2.Max Range: 105km 3.Net Weight: 20kg 4.Speed: 40km/h 5.Rated Power: 850W 6.Battery Capacity: 48V/15.6Ah (Removable lithium battery) 7.Scooter Material: Aluminium Alloy 8.Maximum Output Power: 1100W 9.Charging Time: 5-6 hours 10.Waterproof Level: IP54 11.Load Range: 100kg 12.Hook Load: 10kg 13.Pedal ground clearance: 205mm 14.Climbing Angel: 25° 15.Open Size: 1110*500*1230mm 16.Fold Size: 1110*500*540mm 17.Packing size: 1150*200*570mm 18.Colour: black/orange/white 19.Container (Qty):650 PCS for 1x40HQ
<p>X10</p>		<p>1200x2W 48v18.2Ah, 15pcs stock with black color</p>
<p>X11</p>		<p>450w 36v 13Ah gray color 4pcs and blue 3pcs</p>

<p>S9Plus</p>		<p>Rated Motor: 800W Peak power: 1400W Battery: 48v 15Ah Tire: 10inch off-road tire Max Speed : 45KM/H Range : 50-70KM Suspension: Front and rear suspension Brake: EABS & R Disc brake & F Drum brake Packing Size: 128*25*66cm Black Silver yellow</p>
<p>WQ-W4pro</p>		<p>Tire size: 8.5 inch Color:Black,white Material: Aluminum alloy Max load:120kg Max speed: 25km/h Motor power:350W Battery: 36V/10Ah Charging time:4-6 hours Charging voltage AC 110-240V, 50-60Hz Max climbing angles: 10-15° Net weight:12.5kg Gross weight:14.7kg Packing size: 1110*160*530mm black color</p>
<p>WQ-W5pro</p>		<p>Tire size: 8.5 inch Color:Black,white Material: Aluminum alloy Max load:120kg Max speed: 25km/h Motor power:350W Battery: 36V/10Ah Charging time:4-6 hours Charging voltage AC 110-240V, 50-60Hz Max climbing angles: 10-15° Net weight:12.5kg Gross weight:14.7kg Packing size: 1110*160*530mm black color</p>

<p>WQ-W4max</p>		<p>Tire size: 10 inch Color: black/ white Material: Aluminum alloy Max load:130kg Max speed: 30-33km/h Motor power:350W 36v15ah Charging time:6-9 hours Charging voltage AC 110-240V, 50-60Hz Max climbing angles: 15-25° Net weight:17.5kg Gross weight:20.5kg Product size: 1167*472*1203mm Folding size: 1167*472*534mm Packing size:1180*205*570mm</p>
<p>S9PRO</p>		<p>Rated Motor: 600W Peak power: 1100W Battery: 48v 13Ah Tire: 10inch off-road tire Max Speed : 40KM/H Range : 50-70KM Suspension: Front and rear suspension Brake: EABS & R Disc brake & F Drum brake Packing Size: 120*20*62cm black color</p>
<p>WQ-Q6</p>		<p>Stock 420pcs Battery type: Lithium battery Charger type 48 V 12.5Ah Motor rated power: 500 Watts (Rear Motor) Range voltage: 110-240V Input volage 54.6V Charge time : 5-5.5 Hour Brake system Fron+ Rear Disc Brake Max speed : 45 Km/h Max gradeability : 25° Package demension (L×W×H):1210 x 260 x 370 mm N.W/G.W :25 KG Features LED MOOD Lights</p>
<p>WQ-Q7</p>		<p>Charger type 48 V 17.5Ah Motor rated power: 500 Watts x2 (Front+Rear Motors) Range voltage: 110-240V Input volage 54.6V Charge time : 9-9.5 Hour Brake system Fron+ Rear Disc Brake Max speed : 45 Km/h Max gradeability : 35° Maximum mileage: 55-65Km</p>

Q5



Battery type: Lithium Battery

48 V 21Ah

Motor rated power: 1800 Watts x 2
(Rear+Front Motors)

Range voltage: 110-240V

Input voltage 54.6V

Charge time : 9-11 Hour




Brake system Fron+ Rear Disc Brake

Max speed : 60-65 Km/h



Max gradeability : 35°

Maximum mileage: 45~60Km

Electric Scooter			
Model	Picture	Specification	Notes
X1		<p>1.Tire Size: 10-inch inner and Outer Tyre 2.Battery: 48V single drive 13Ah (Removable lithium battery) 3.Motor: 1000W 4.Charging Time: 5-8 Hours 5.Max Speed: 45 km/h 6.Max Range: 40-50km 7.Max Load: 120Kg 8.Light: Front light + rear light 9.Waterproof Resistant: IP54 10.Open Size: 1178*630*1350mm 11.Fold Size: 1200*270*500mm 12.Net Weight: 27.3kg 13.Gross Weight: 31kg 14.Color: black and red details 15.Packaig Size: 1200*270*500mm 16.Current Packing Conctect: Scooter+charger+wrench+adaptor 17.Container (Qty): 392PCS for 1x40HQ</p>	<p>1.Replaceable battery.Y 2.Charger specification.DC 48V/1.5A 3.Brake system:DISC BRAKE 4.Light:Front light + rear light 5.Waterproof Resistant:IP54 6.Way of folding:Handle Folding 7.Climb Angle:35 degree</p>
X1Pro		<p>1.Tire Size: 10-inch inner and Outer Tyre 2.Battery: 48V single drive 21Ah (Removable lithium battery) 3.Motor: 1000W 4.Charging Time: 5-8 Hours 5.Max Speed: 45 km/h 6.Max Range: 65-75km 7.Max Load: 120Kg 8.Light: Front light + rear light 9.Waterproof Resistant: IP54 10.Climb Angle: 35 degree 11.Open Size: 1178*630*1350mm 12.Fold Size: 1200*270*500mm 13.Net Weight: 27.3kg 14.Gross Weight: 31kg 15.Color: black and red details 16.Packaig Size: 1200*270*500mm 17.Current Packing Conctect: Scooter+charger+wrench+adaptor 18.Container (Qty): 392PCS for 1x40HQ</p>	<p>1.Replaceable battery.Y 2.Charger specification.DC 48V/1.5A 3.Brake system:DISC BRAKE 4.Light:Front light + rear light 5.Waterproof Resistant:IP54 6.Way of folding:Handle Folding 7.Climb Angle:35 degree</p>
X3		<p>1.Tire Size: 11-inch inner and Outer Tyre 2.Battery: 48V dual drive 21 Ah (Removable lithium battery) 3.Motor: 2*1200W 4.Charging Time: 8-12Hours 5.Max Speed: 55km/h 6.Max Range: 40-50km 7.Max Load: 120Kg 8.Light: Front light + rear light 9.Waterproof Resistant: IP54 10.Climb Angle: 45 degree 11.Open Size: 1350*700*1400 12.Fold Size: 1410*350*550mm 13.Net Weight: 40kg 14.Gross Weight: 46kg 15.Color: black and red details 16.Packaig Size: 1410*350*550mm 17.Container (Qty): 228PCS for 1x40HQ</p>	<p>1.Replaceable batter.Y 2.Charger specification.DC 48V/1.5A 3.Brake system:DISC BRAKE 4.Light:Front light + rear light 5.Waterproof Resistant: IP54 6.Way of folding: Handle Folding 7.Climb Angle:45 degree 8.Current packing conctect:Scooter+charger+wrench +adaptor</p>
X5		<p>1.Tire Size: 13-inch inner and Outer Tyre 2.Battery: 60V dual drive 30Ah (Removable lithium battery) 3.Motor: 2*2800W 4.Charging Time: 8-15 Hours 5.Max. Speed: 85 km/h 6.Max. Range: 65-75km 7.Max. Load: 120Kg 8.Light: Front light + rear light+acrylic cover 9.Waterproof Resistant: IP54 10.Open Size: 1518*700*1420mm 11.Fold Size: 1510*390*650mm 12.Net Weight: 51kg 13.Gross Weight: 59kg 14.Color: black and red details 15.Packaig Size: 1510*390*650mm 16.Container (Qty): 156PCS for 1x40HQ</p>	<p>1.Replaceable batter.Y 2.Charger specification.DC 60V2A 3.Brake system:Oil Brake 4.Light:Front light + rear light+ACRYLIC COVER 5.Waterproof Resistant: IP54 6.Way of folding: Handle Folding 7.Climb Angle:55 degree 8.Current packing conctect:Scooter+charger+wrench +adaptor</p>

<p>X7</p>		<ol style="list-style-type: none"> 1.Tire Size: 8.5 inch anti puncture Vacuum tire 2.Max Range: 20km 3.Net Weight: 12.5kg 4.Speed: 25km/h 5.Rated Power: 350W 6.Battery Capacity: 36V/5Ah (Removable lithium battery) 7.Scooter Material: Aluminium Alloy 8.Maximum Output Power: 850W 9.Charging Time: 2-3hours 10.Motor drive: front motor drive 11.Waterproof Level: IP54 12.Load Range: 100kg 13.Hook Load: 10kg 14.Pedal ground clearance: 130mm 15.Climbing Angel: 15° 16.Open Size: 1056*420*1166mm 17.Fold Size: 1056*420*450mm 18.Packing size: 1150*200*570mm 19.Colour: black/silver 20.Container(QTY): 680pcs for 1*40HQ 	
<p>X7 Pro</p>		<ol style="list-style-type: none"> 1.Tire Size: 10 inch anti puncture Vacuum tire 2.Max Range: 20km 3.Net Weight: 12.5kg 4.Speed: 25km/h 5.Rated Power: 350W 6.Battery Capacity: 36V/5Ah (Removable lithium battery) 7.Scooter Material: Aluminium Alloy 8.Maximum Output Power: 850W 9.Charging Time: 2-3hours 10.Motor drive: front motor drive 11.Waterproof Level: IP54 12.Load Range: 100kg 13.Hook Load: 10kg 14.Pedal ground clearance: 130mm 15.Climbing Angel: 15° 16.Open Size: 1056*420*1166mm 17.Fold Size: 1056*420*450mm 18.Packing size: 1150*200*570mm 19.Colour: black/silver 20.Container(QTY): 680pcs for 1*40HQ 	
<p>X8</p>		<ol style="list-style-type: none"> 1.Tire Size: 10 inch anti puncture Vacuum tire 2.Max Range: 45km 3.Net Weight: 17kg 4.Speed: 25km/h 5.Rated Power: 350W 6.Battery Capacity: 36V/5Ah (Removable lithium battery) 7.Scooter Material: Aluminium Alloy 8.Maximum Output Power: 850W 9.Charging Time: 5-6 hours 10.Motor drive: front motor drive 11.Waterproof Level: IP54 12.Load Range: 100kg 13.Hook Load: 10kg 14.Pedal ground clearance: 135mm 15.Climbing Angel: 15° 16.Open Size: 1083*401*1186mm 17.Fold Size: 1083*401*460mm 18.Packing Size:1150*200*570mm 19.Colour: black/silver 20.Container (Qty):680 PCS for 1x40HQ 	
<p>X9 plus</p>		<ol style="list-style-type: none"> 1.Tire Size: 10 inch anti puncture Vacuum tire 2.Max Range: 70km 3.Net Weight: 20kg 4.Speed: 40km/h 5.Rated Power: 500W 6.Battery Capacity: 36V/15.6Ah/20.8Ah (Removable lithium battery) 7.Scooter Material: Aluminium Alloy 8.Maximum Output Power: 1100W 9.Charging Time: 5-6 hours 10.Waterproof Level: IP54 11.Load Range: 100kg 12.Hook Load: 10kg 13.Pedal ground clearance: 205mm 14.Climbing Angel: 25° 15.Open Size: 1110*500*1230mm 16.Fold Size: 1110*500*540mm 17.Packing size: 1150*200*570mm 18.Colour: black/orange/white 19.Container (Qty):650 PCS for 1x40HQ 	<ol style="list-style-type: none"> 1.Folding Method: Fast folding in 3 seconds 2.Frame Material:aluminum-magnesium alloy 3.Climbing Angel:Climb angle 25° 4.Applicable Terrain:Cement, uneven, flat soil and other roads 5.Pedal Width:183mm 6.Ground Clearance of Pedal:205mm 7.Ground clearance of pedal chassis:120mm 8.Motor parameters:Strong power

<p>X9 pro</p>		<ol style="list-style-type: none"> 1.Tire Size: 10 inch anti puncture Vacuum tire 2.Max Range: 105km 3.Net Weight: 20kg 4.Speed: 40km/h 5.Rated Power: 850W 6.Battery Capacity: 48V/15.6Ah (Removable lithium battery) 7.Scooter Material: Aluminium Alloy 8.Maximum Output Power: 1100W 9.Charging Time: 5-6 hours 10.Waterproof Level: IP54 11.Load Range: 100kg 12.Hook Load: 10kg 13.Pedal ground clearance: 205mm 14.Climbing Angel: 25° 15.Open Size: 1110*500*1230mm 16.Fold Size: 1110*500*540mm 17.Packing size: 1150*200*570mm 18.Colour: black/orange/white 19.Container (Qty):650 PCS for 1x40HQ 	<ol style="list-style-type: none"> 9.Charger:patent power supply 10.Motor driven:Rear wheel drive 11.Battery removal method: Portable and removable 12.Waterproof level:IPX4 13.Headlight:LED high-brightness front light 3w 14.Tailight:Rear LED 15.Applicable height/light: 120~200cm 16.Load range:100kg 17.Hook load:10kg
<p>X10</p>		<ol style="list-style-type: none"> 1.Tire Size: 11 inch anti puncture Vacuum tire 2.Max Range: 100km 3.Net Weight: 45kg 4.Speed: 40km/h 5.Rated Power: 1200*2W dual power 6.Battery Capacity: 48V/18.2Ah (Removable lithium battery) 7.Scooter Material: Aluminium Alloy 8.Charging Time: 9-10 hours 9.Waterproof Level: IPX4 10.Motor drive: front and rear motor drive 11.Load Range: 120kg 12.Hook Load: 10kg 13.Climbing Angel: 30° 14.Pedal ground clearance: 290mm 15.Open Size: 1345*700*1325mm 16.Fold Size: 1340*700*635mm 17.Packing Size:1340*240*685mm 18.Colour: black/red/gray 19.Container (Qty):650 PCS for 1x40HQ 	
<p>D7</p>		<ol style="list-style-type: none"> 1.Tire Size: 14 inch off-road tire 2.Max Range: 120KM 3.Net Weight: 80kg 4.Gross Weight: 53.5kg 5.Max Speed: 90km/h 6.Rated Power: 2*4000W 7.Battery Capacity: 60V/60Ah (Removable lithium battery) 8.Max Load: 150KG 9.Charging Time: 5-7hours 10.Maximum Climbing slope: 55° 11.Waterproof Grade: IP60 12.Open Size: 1420*700*1438mm 13.Fold Size: 1490*320*580mm 14.Packaging Size: 166.5*65*46 cm 15.Foldable Body 16.Colour: Black+red 17.Container(QTY): 140pcs for 1*40HQ 	<ol style="list-style-type: none"> 1.14"60V8000W, high power scooter, maximum speed of 90 yards (let players better experience the car's own performance) 2. Front and rear oil pressure shock absorber 3. The body is foldable 4. There are two headlights in front and left and right turn signals in back 5. High elastic wear-resistant vacuum tire (can be driven on sand, wetland, slope, tile) 6. Motor life increased to 3000 hours (high power, low heat, stronger heat dissipation capacity) 7. Powerful battery life (130-140 km) 8. Digital LCD display (real-time monitoring data, speed, distance, power, gear, etc) 9. Add a fan to the controller to dissipate heat 10. Dual rear wheel brake system (0.1 seconds braking, fast braking stability) 11. The four-fold protective folding enhances the safety factor of the vehicle 12. Dual charging head function
<p>V7</p>		<ol style="list-style-type: none"> 1.Battery: 60V38.4AH (Removable lithium battery) 2.Charger: 60v 2A 3.Charging Duration: 4-9 hrs 4.Motor Type: Dual brushless motor 5.Motor Wattage: 2800W*2 6.Tyre Size: 11inch 7.Controller Ampere/Voltage: 60v 45A*2 8.BrakeType: oil brake (front and rear) 9.Brake Rotor: 160mm 10.Front Shock: Dual Hydraulic 11.Rear shock: Single Spring 12.Scooter Material: Aluminium Alloy and iron 13.Top Speed: 60-85km/h(37-52m/h) 14.Max Load: 100-150KG(220-330LBS) 15.Display: LCD intelligent display 16.Front Lights: 2*U7 lights+2*drive lights 17.Rear lights: 2*Brake LED lights+2*drive lights+turn lights 18.Horn: Electric Horn 19.voltage key: have 20.Climbing Ability: ~30° 21.Color: Black 22.N./G Weight: 40-45kg/50-54kg(88-99LBS/110-119LBS) 23.Dimension/FoldingSize: 127(L)*29(W)*130(H)cm/127(L)*29(W)*51(H)cm 24.Packing Size: 137(L)*36(W)*57(H)cm 	<p>CE</p>

<p>G10</p>	 <p>plain hybrid, installation tool, seat anti-drift lock, inflator, scooter lockpick</p>	<p>Order G10 Scooter</p> <ol style="list-style-type: none"> 1.Tire Size: 11 inch anti puncture Vacuum tire 2.Max Range: 45-65km 3.Net Weight: About 40 5kg 4.Speed: 55-65km/h 5.Rated Power: 48V/1200W 6.Battery Capacity: 48V/20Ah (Removable lithium battery) 7.Scooter Material: Aluminium Alloy and iron 8.Charging Time: 8 hours 9.Waterproof Level: IPX4 10.Load Range: 100kg 11.Climbing Angel: 35° 12.Open Size: 1220*640*1220mm 13.Fold Size: 1220*640*535mm 14.Packing Size: 1255*300*580mm 15.Colour: black and red details 	<p>CE/FCC/ROHS Colored Light</p>
<p>D5</p>		<ol style="list-style-type: none"> 1.Tire Size: 12 inch 2.Max Range: 60KM-120KM 3.Net Weight: 46kg 4.Gross Weight: 53.5kg 5.Max Speed: 60-70km/h 6.Rated Power: 2*2500W 7.Battery Capacity: 48V/35Ah (Removable lithium battery) 8.Max Load: 150KG 9.Charging Time: 5-7hours 10.Maximum Climbing slope: 45° 11.Waterproof Grade: IP60 12.Open Size: 1420*660*1380mm 13.Fold Size: 1490*320*580mm 14.Packaging Size: 1485*320*590mm 15.Foldable Body 16.Colour: Black+Orange 17.40HQ container: 224pcs 	<ol style="list-style-type: none"> 1.Body material:Iron+aluminum 2.Speed range: three gears in total 3.Applicable terrain: highways 4.Maximum climbing slope:45° 5.Cruise control function: Yes 6.Brake type:Oil brake 7.Braking function and 8.position Brake before and after power outage 9.Brake function and position.Oil brake front and rear brakes 10.Waterproof grade:IP60 11.Pedal ground distance:38cm 12.Vibration reduction:Front and rear hydraulic shock absorption 13.Battery warranty period:1 year 14.There are double head lamps at the front and turn signal at the left and right at the rear 15.Split tires (can be quickly changed)