

Materialnummer	Ø mm	kg	m	Bezeichnung	L-Ort	Stück verfügbar	kg insgesamt	m insgesamt	
BL203050270	270	480	1.067	St 35.8	22	2	960	2.133	
BL203050270	270	540	1.200	St 35.8	22	1	540	1.200	
BL203050270	270	590	1.311	St 35.8	22	1	590	1.311	
BL203050270	270	600	1.333	St 35.8	22	1	600	1.333	
BL203050270	270	610	1.356	St 35.8	22	1	610	1.356	
BL203050270	270	640	1.422	St 35.8	22	1	640	1.422	
BL203050270	270	680	1.511	St 35.8	22	1	680	1.511	
BL203050270	270	700	1.556	St 35.8	22	1	700	1.556	
BL203050270	270	750	1.667	St 35.8	22	4	3000	6.667	
BL203050270	270	820	1.822	St 35.8	22	1	820	1.822	
BL203050270	270	830	1.844	St 35.8	22	1	830	1.844	
BL203050270	270	900	2.000	St 35.8	22	2	1800	4.000	
BL203050270	270	930	2.067	St 35.8	22	1	930	2.067	
BL203050310	310	600	1.017	St 35.8	22	1	600	1.017	
BL203050310	310	620	1.051	St 35.8	22	1	620	1.051	
BL203050310	310	660	1.119	St 35.8	22	3	1980	3.356	
BL203050310	310	670	1.136	St 35.8	22	1	670	1.136	
BL203050310	310	680	1.153	St 35.8	22	1	680	1.153	
BL203050310	310	730	1.237	St 35.8	22	1	730	1.237	
BL203050310	310	750	1.271	St 35.8	22	2	1500	2.542	
BL203050310	310	770	1.305	St 35.8	22	3	2310	3.915	
BL203050310	310	790	1.339	St 35.8	22	6	4740	8.034	
BL203050310	310	810	1.373	St 35.8	22	2	1620	2.746	
BL203050310	310	830	1.407	St 35.8	22	1	830	1.407	
BL203050310	310	870	1.475	St 35.8	22	1	870	1.475	
BL203050310	310	920	1.559	St 35.8	22	1	920	1.559	
BL203050310	310	940	1.593	St 35.8	22	1	940	1.593	
BL203050310S	310	930	1.576	St 35.8	22	1	930	1.576	
BL203050320	320	660	1.048	St 35.8	22	3	1980	3.143	
BL203050320	320	740	1.175	St 35.8	22	1	740	1.175	
BL203050320	320	770	1.222	St 35.8	22	1	770	1.222	
BL203050320	320	940	1.492	St 35.8	22	2	1880	2.984	
BL203050320S	320	890	1.413	St 35.8	22	1	890	1.413	
BL204050270	270	490	1.089	St 45.8	22	1	490	1.089	
BL204050270	270	590	1.311	St 45.8	22	2	1180	2.622	
BL204050270	270	600	1.333	St 45.8	22	5	3000	6.667	
BL204050270	270	650	1.444	St 45.8	22	1	650	1.444	
BL204050270	270	750	1.667	St 45.8	22	8	6000	13.333	
BL204050270	270	870	1.933	St 45.8	22	1	870	1.933	
BL204050270	270	900	2.000	St 45.8	22	2	1800	4.000	
BL204050310	310	740	1.254	St 45.8	22	1	740	1.254	
BL204050310	310	940	1.593	St 45.8	22	3	2820	4.780	

BL204050310	310	1080	1.831	St 45.8	22	1	1080	1.831	
BL204050310	310	1100	1.864	St 45.8	22	1	1100	1.864	
BL204050310	310	1180	2.000	St 45.8	22	1	1180	2.000	
BL204050310S	310	850	1.441	St 45.8	22	1	850	1.441	
BL204050310S	310	870	1.475	St 45.8	22	17	14790	25.068	
BL204050320	320	800	1.270	St 45.8	22	1	800	1.270	
BL204050320	320	1000	1.587	St 45.8	22	1	1000	1.587	
BL204071310	310	670	1.136	C 26	22	5	3350	5.678	
BL204071310	310	740	1.254	C 26	22	2	1480	2.508	
BL204071310	310	790	1.339	C 26	22	1	790	1.339	
BL204071310	310	800	1.356	C 26	22	3	2400	4.068	
BL204071310	310	890	1.508	C 26	22	2	1780	3.017	
BL204071310	310	910	1.542	C 26	22	1	910	1.542	
BL204071310	310	940	1.593	C 26	22	2	1880	3.186	
BL204071310	310	1020	1.729	C 26	22	1	1020	1.729	
BL204071310	310	1100	1.864	C 26	22	1	1100	1.864	
BL204071310	310	1150	1.949	C 26	22	1	1150	1.949	
BL204071310	310	1180	2.000	C 26	22	1	1180	2.000	
BL204071310S	310	700	1.186	C 26	22	1	700	1.186	
BL204219270	270	600	1.333	St 52.0 S	22	1	600	1.333	
BL204219270	270	640	1.422	St 52.0 S	22	9	5760	12.800	
BL204219270	270	750	1.667	St 52.0 S	22	1	750	1.667	
BL204219270	270	810	1.800	St 52.0 S	22	1	810	1.800	
BL204219270	270	900	2.000	St 52.0 S	22	2	1800	4.000	
BL204219280	280	570	1.175	St 52.0 S	22	1	570	1.175	
BL204219310	310	640	1.085	St 52.0 S	22	12	7680	13.017	
BL204219310	310	710	1.203	St 52.0 S	22	1	710	1.203	
BL204219310	310	730	1.237	St 52.0 S	22	1	730	1.237	
BL204219310	310	770	1.305	St 52.0 S	22	2	1540	2.610	
BL204219310	310	790	1.339	St 52.0 S	22	3	2370	4.017	
BL204219310	310	880	1.492	St 52.0 S	22	2	1760	2.983	
BL204219310	310	1010	1.712	St 52.0 S	22	1	1010	1.712	
BL204219310	310	1110	1.881	St 52.0 S	22	1	1110	1.881	
BL204219310	310	1180	2.000	St 52.0 S	22	1	1180	2.000	
BL204219310S	310	710	1.203	St 52.0 S	22	1	710	1.203	
BL204219320	320	750	1.190	St 52.0 S	22	1	750	1.190	
BL204219320	320	1180	1.873	St 52.0 S	22	1	1180	1.873	
BL204219320S	320	1130	1.794	St 52.0 S	22	2	2260	3.587	
BL204810270	270	560	1.244	17 MN 4	22	1	560	1.244	
BL204810270	270	580	1.289	17 MN 4	22	1	580	1.289	
BL205550270	270	470	1.044	FSTE 355	22	1	470	1.044	
BL205550270	270	520	1.156	FSTE 355	22	1	520	1.156	

BL205550270	270	590	1.311	FSTE 355	22	1	590	1.311	
BL205550270	270	640	1.422	FSTE 355	22	2	1280	2.844	
BL205550270	270	700	1.556	FSTE 355	22	4	2800	6.222	
BL205550270	270	750	1.667	FSTE 355	22	2	1500	3.333	
BL205550270	270	810	1.800	FSTE 355	22	1	810	1.800	
BL205550280	280	520	1.072	FSTE 355	22	1	520	1.072	
BL205550280	280	850	1.753	FSTE 355	22	1	850	1.753	
BL205550290	290	450	0.874	FSTE 355	22	1	450	0.874	
BL205550290	290	520	1.010	FSTE 355	22	1	520	1.010	
BL205550310	310	980	1.661	FSTE 355	22	1	980	1.661	
BL205550310	310	740	1.254	FSTE 355	22	2	1480	2.508	
BL205550310	310	750	1.271	FSTE 355	22	1	750	1.271	
BL205550310	310	760	1.288	FSTE 355	22	1	760	1.288	
BL205550310	310	790	1.339	FSTE 355	22	1	790	1.339	
BL205550310	310	830	1.407	FSTE 355	22	1	830	1.407	
BL205550310	310	860	1.458	FSTE 355	22	1	860	1.458	
BL205550310	310	890	1.508	FSTE 355	22	1	890	1.508	
BL205550310	310	930	1.576	FSTE 355	22	1	930	1.576	
BL205550310	310	940	1.593	FSTE 355	22	4	3760	6.373	
BL205550310	310	980	1.661	FSTE 355	22	1	980	1.661	
BL205550310	310	1020	1.729	FSTE 355	22	1	1020	1.729	
BL205550310	310	1030	1.746	FSTE 355	22	1	1030	1.746	
BL205550310	310	1180	2.000	FSTE 355	22	11	12980	22.000	
BL205550310	310	1210	2.051	FSTE 355	22	1	1210	2.051	
BL205550310S	310	680	1.153	FSTE 355	22	1	680	1.153	
BL205550310S	310	760	1.288	FSTE 355	22	1	760	1.288	
BL205550310S	310	780	1.322	FSTE 355	22	1	780	1.322	
BL205550310S	310	810	1.373	FSTE 355	22	1	810	1.373	
BL205550310S	310	930	1.576	FSTE 355	22	44	40920	69.356	
BL205550310S	310	1100	1.864	FSTE 355	22	1	1100	1.864	
BL205550320	320	940	1.492	FSTE 355	22	1	940	1.492	
BL205550320	320	1010	1.603	FSTE 355	22	1	1010	1.603	
BL205550320	320	1150	1.825	FSTE 355	22	2	2300	3.651	
BL205550320	320	1180	1.873	FSTE 355	22	1	1180	1.873	
BL205550320S	320	930	1.476	FSTE 355	22	3	2790	4.429	
BL205550320S	320	1130	1.794	FSTE 355	22	1	1130	1.794	
BL205800270	270	450	1.000	St 52.4 D	22	1	450	1.000	
BL205800270	270	480	1.067	St 52.4 D	22	1	480	1.067	
BL205800270	270	510	1.133	St 52.4 D	22	4	2040	4.533	
BL205800270	270	530	1.178	St 52.4 D	22	1	530	1.178	
BL205800270	270	540	1.200	St 52.4 D	22	1	540	1.200	
BL205800270	270	680	1.511	St 52.4 D	22	1	680	1.511	

BL205800270	270	690	1.533	St 52.4 D	22	1	690	1.533	
BL205800270	270	720	1.600	St 52.4 D	22	1	720	1.600	
BL205800270	270	750	1.667	St 52.4 D	22	2	1500	3.333	
BL205800270	270	790	1.756	St 52.4 D	22	1	790	1.756	
BL205800270	270	850	1.889	St 52.4 D	22	2	1700	3.778	
BL205800270	270	900	2.000	St 52.4 D	22	2	1800	4.000	
BL205800280	280	560	1.155	St 52.4 D	22	2	1120	2.309	
BL205800280	280	750	1.546	St 52.4 D	22	3	2250	4.639	
BL205800300	300	780	1.405	St 52.4 D	22	1	780	1.405	
BL205800310	310	650	1.102	St 52.4 D	22	1	650	1.102	
BL205800310	310	670	1.136	St 52.4 D	22	3	2010	3.407	
BL205800310	310	700	1.186	St 52.4 D	22	1	700	1.186	
BL205800310	310	710	1.203	St 52.4 D	22	2	1420	2.407	
BL205800310	310	770	1.305	St 52.4 D	22	2	1540	2.610	
BL205800310	310	780	1.322	St 52.4 D	22	2	1560	2.644	
BL205800310	310	790	1.339	St 52.4 D	22	3	2370	4.017	
BL205800310	310	810	1.373	St 52.4 D	22	1	810	1.373	
BL205800310	310	830	1.407	St 52.4 D	22	1	830	1.407	
BL205800310	310	850	1.441	St 52.4 D	22	1	850	1.441	
BL205800310	310	860	1.458	St 52.4 D	22	2	1720	2.915	
BL205800310	310	940	1.593	St 52.4 D	22	2	1880	3.186	
BL205800310	310	1010	1.712	St 52.4 D	22	1	1010	1.712	
BL205800310	310	1020	1.729	St 52.4 D	22	3	3060	5.186	
BL205800310	310	1180	2.000	St 52.4 D	22	3	3540	6.000	
BL205800310S	310	780	1.322	St 52.4 D	22	2	1560	2.644	
BL205800310S	310	840	1.424	St 52.4 D	22	2	1680	2.847	
BL205800310S	310	930	1.576	St 52.4 D	22	1	930	1.576	
BL205800310S	310	1050	1.780	St 52.4 D	22	1	1050	1.780	
BL205800310S	310	1130	1.915	St 52.4 D	22	3	3390	5.746	
BL205800320	320	680	1.079	St 52.4 D	22	1	680	1.079	
BL205800320	320	690	1.095	St 52.4 D	22	8	5520	8.762	
BL205800320	320	740	1.175	St 52.4 D	22	1	740	1.175	
BL205800320	320	760	1.206	St 52.4 D	22	1	760	1.206	
BL205800320	320	900	1.429	St 52.4 D	22	1	900	1.429	
BL205807310	310	1180	2.000	St 52.4 D MOD	22	1	1180	2.000	
BL205807320	320	1030	1.635	St 52.4 D MOD	22	3	3090	4.905	
BL207130270	270	450	1.000	37S10	22	1	450	1.000	
BL207130270	270	490	1.089	37S10	22	1	490	1.089	
BL207130270	270	750	1.667	37S10	22	1	750	1.667	
BL212002270	270	450	1.000	C 45 R-02	22	1	450	1.000	
BL212002270	270	510	1.133	C 45 R-02	22	1	510	1.133	
BL212002270	270	580	1.289	C 45 R-02	22	3	1740	3.867	

BL212002270	270	630	1.400	C 45 R-02	22	2	1260	2.800	
BL212002270	270	670	1.489	C 45 R-02	22	1	670	1.489	
BL212002270	270	900	2.000	C 45 R-02	22	1	900	2.000	
BL212002310	310	590	1.000	C 45 R-02	22	1	590	1.000	
BL212002310	310	630	1.068	C 45 R-02	22	1	630	1.068	
BL212002310	310	640	1.085	C 45 R-02	22	1	640	1.085	
BL212002310	310	650	1.102	C 45 R-02	22	1	650	1.102	
BL212002310	310	670	1.136	C 45 R-02	22	1	670	1.136	
BL212002310	310	680	1.153	C 45 R-02	22	1	680	1.153	
BL212002310	310	710	1.203	C 45 R-02	22	1	710	1.203	
BL212002310	310	780	1.322	C 45 R-02	22	6	4680	7.932	
BL212002310	310	790	1.339	C 45 R-02	22	1	790	1.339	
BL212002310	310	810	1.373	C 45 R-02	22	2	1620	2.746	
BL212002310	310	830	1.407	C 45 R-02	22	1	830	1.407	
BL212002310	310	860	1.458	C 45 R-02	22	1	860	1.458	
BL212002310	310	890	1.508	C 45 R-02	22	1	890	1.508	
BL212002310	310	900	1.525	C 45 R-02	22	4	3600	6.102	
BL212002310	310	910	1.542	C 45 R-02	22	2	1820	3.085	
BL212002310	310	920	1.559	C 45 R-02	22	1	920	1.559	
BL212002310	310	940	1.593	C 45 R-02	22	6	5640	9.559	
BL212002310	310	1060	1.797	C 45 R-02	22	1	1060	1.797	
BL212002310	310	1130	1.915	C 45 R-02	22	1	1130	1.915	
BL212002310	310	1180	2.000	C 45 R-02	22	1	1180	2.000	
BL212002310S	310	930	1.576	C 45 R-02	22	2	1860	3.153	
BL249010270	270	600	1.333	P92	22	1	600	1.333	
BL249030240	240	510	1.437	P91	22	1	510	1.437	
BL249030240	240	680	1.915	P91	22	7	4760	13.408	
BL249030290	290	480	0.932	P91	22	3	1440	2.796	
BL249030290	290	550	1.068	P91	22	1	550	1.068	
BL249030290	290	560	1.087	P91	22	4	2240	4.350	
BL249030290	290	590	1.146	P91	22	1	590	1.146	
BL249030290	290	630	1.223	P91	22	1	630	1.223	
BL249030290	290	650	1.262	P91	22	1	650	1.262	
BL249030290	290	770	1.495	P91	22	1	770	1.495	
BL252010270	270	500	1.111	19 MNVS 6	22	1	500	1.111	
BL252010270	270	530	1.178	19 MNVS 6	22	1	530	1.178	
BL252010270	270	580	1.289	19 MNVS 6	22	1	580	1.289	
BL252010270	270	610	1.356	19 MNVS 6	22	1	610	1.356	
BL252010270	270	640	1.422	19 MNVS 6	22	3	1920	4.267	
BL252010270	270	750	1.667	19 MNVS 6	22	5	3750	8.333	
BL252010270	270	870	1.933	19 MNVS 6	22	2	1740	3.867	
BL252010270	270	900	2.000	19 MNVS 6	22	7	6300	14.000	

BL252010280	280	530	1.093	19 MNVS 6	22	7	3710	7.649	
BL252010280	280	900	1.856	19 MNVS 6	22	2	1800	3.711	
BL252010310	310	540	0.915	19 MNVS 6	22	1	540	0.915	
BL252010310	310	710	1.203	19 MNVS 6	22	2	1420	2.407	
BL252010310	310	790	1.339	19 MNVS 6	22	1	790	1.339	
BL252010310	310	940	1.593	19 MNVS 6	22	1	940	1.593	
BL252010310	310	1090	1.847	19 MNVS 6	22	1	1090	1.847	
BL252010310	310	1100	1.864	19 MNVS 6	22	1	1100	1.864	
BL252010310	310	1150	1.949	19 MNVS 6	22	1	1150	1.949	
BL252010310S	310	900	1.525	19 MNVS 6	22	1	900	1.525	
BL252010310S	310	980	1.661	19 MNVS 6	22	4	3920	6.644	
BL252010310S	310	1130	1.915	19 MNVS 6	22	4	4520	7.661	
BL252010320	320	1180	1.873	19 MNVS 6	22	1	1180	1.873	
BL252010320S	320	1020	1.619	19 MNVS 6	22	2	2040	3.238	
BL252010320S	320	1050	1.667	19 MNVS 6	22	4	4200	6.667	
BL252010320S	320	1130	1.794	19 MNVS 6	22	1	1130	1.794	
BL252221270	270	600	1.333	N 80	22	1	600	1.333	
BL252221280	280	690	1.423	N 80	22	1	690	1.423	
BL252221280	280	720	1.485	N 80	22	1	720	1.485	
BL252221310	310	710	1.203	N 80	22	2	1420	2.407	
BL252221310	310	730	1.237	N 80	22	1	730	1.237	
BL254150270	270	450	1.000	15 MO 3	22	1	450	1.000	
BL254150270	270	580	1.289	15 MO 3	22	1	580	1.289	
BL254150270	270	600	1.333	15 MO 3	22	2	1200	2.667	
BL254150270	270	640	1.422	15 MO 3	22	2	1280	2.844	
BL254150270	270	900	2.000	15 MO 3	22	4	3600	8.000	
BL254150310	310	590	1.000	15 MO 3	22	1	590	1.000	
BL254150310	310	650	1.102	15 MO 3	22	1	650	1.102	
BL254150310	310	850	1.441	15 MO 3	22	1	850	1.441	
BL254150310	310	870	1.475	15 MO 3	22	1	870	1.475	
BL254150310	310	890	1.508	15 MO 3	22	1	890	1.508	
BL254150310	310	910	1.542	15 MO 3	22	1	910	1.542	
BL254150310	310	920	1.559	15 MO 3	22	1	920	1.559	
BL254150310	310	940	1.593	15 MO 3	22	1	940	1.593	
BL254150310	310	990	1.678	15 MO 3	22	1	990	1.678	
BL254150310	310	1000	1.695	15 MO 3	22	1	1000	1.695	
BL254150310	310	1060	1.797	15 MO 3	22	1	1060	1.797	
BL254150310	310	1180	2.000	15 MO 3	22	2	2360	4.000	
BL254150310S	310	770	1.305	15 Mo 3	22	1	770	1.305	
BL254150310S	310	840	1.424	15 Mo 3	22	2	1680	2.847	
BL254150310S	310	930	1.576	15 Mo 3	22	1	930	1.576	
BL254150320S	320	1070	1.698	15 Mo 3	22	4	4280	6.794	

BL271470270	270	810	1.800	20 MNCR 5	22	1	810	1.800	
BL271490270	270	810	1.800	20 MNCRS 5	22	1	810	1.800	
BL271490270	270	850	1.889	20 MNCRS 5	22	1	850	1.889	
BL272160270	270	530	1.178	30 CRMO 4	22	1	530	1.178	
BL272160270	270	540	1.200	30 CRMO 4	22	2	1080	2.400	
BL272160270	270	600	1.333	30 CRMO 4	22	4	2400	5.333	
BL272160270	270	610	1.356	30 CRMO 4	22	27	16470	36.600	
BL272160270	270	670	1.489	30 CRMO 4	22	20	13400	29.778	
BL272160270	270	720	1.600	30 CRMO 4	22	3	2160	4.800	
BL272160290	290	650	1.262	30 CRMO 4	22	1	650	1.262	
BL272160290	290	870	1.689	30 CRMO 4	22	1	870	1.689	
BL272160310	310	670	1.136	30 CRMO 4	22	1	670	1.136	
BL272160310	310	710	1.203	30 CRMO 4	22	1	710	1.203	
BL272160310	310	750	1.271	30 CRMO 4	22	2	1500	2.542	
BL272160310	310	1000	1.695	30 CRMO 4	22	1	1000	1.695	
BL272160310	310	1150	1.949	30 CRMO 4	22	2	2300	3.898	
BL272160310S	310	780	1.322	30 CRMO 4	22	12	9360	15.864	
BL272170280	280	810	1.670	LG 52500	22	1	810	1.670	
BL272250270	270	420	0.933	42 CRMO 4	22	1	420	0.933	
BL272250270	270	590	1.311	42 CRMO 4	22	7	4130	9.178	
BL272250270	270	600	1.333	42 CRMO 4	22	1	600	1.333	
BL272250270	270	720	1.600	42 CRMO 4	22	2	1440	3.200	
BL272250270	270	760	1.689	42 CRMO 4	22	1	760	1.689	
BL272250280	280	840	1.732	42 CRMO 4	22	1	840	1.732	
BL272250310	310	590	1.000	42 CRMO 4	22	1	590	1.000	
BL272250310	310	730	1.237	42 CRMO 4	22	1	730	1.237	
BL272250310	310	790	1.339	42 CRMO 4	22	1	790	1.339	
BL272250310	310	910	1.542	42 CRMO 4	22	18	16380	27.763	
BL272250310	310	1050	1.780	42 CRMO 4	22	1	1050	1.780	
BL272250310	310	1120	1.898	42 CRMO 4	22	4	4480	7.593	
BL272250310S	310	750	1.271	42 CRMO 4	22	1	750	1.271	
BL272250310S	310	840	1.424	42 CRMO 4	22	1	840	1.424	
BL272250310S	310	900	1.525	42 CRMO 4	22	2	1800	3.051	
BL272250310S	310	1130	1.915	42 CRMO 4	22	2	2260	3.831	
BL272250310S	310	1210	2.051	42 CRMO 4	22	3	3630	6.153	
BL272250320S	320	710	1.127	42 CRMO 4	22	1	710	1.127	
BL272250320S	320	800	1.270	42 CRMO 4	22	1	800	1.270	
BL273350270	270	520	1.156	13 CRMO 4 4	22	2	1040	2.311	
BL273350270	270	590	1.311	13 CRMO 4 4	22	1	590	1.311	
BL273350270	270	630	1.400	13 CRMO 4 4	22	1	630	1.400	
BL273350270	270	750	1.667	13 CRMO 4 4	22	4	3000	6.667	
BL273350270	270	900	2.000	13 CRMO 4 4	22	1	900	2.000	

BL273350310	310	590	1.000	13 CRMO 4 4	22	1	590	1.000	
BL273350310	310	680	1.153	13 CRMO 4 4	22	1	680	1.153	
BL273350310	310	700	1.186	13 CRMO 4 4	22	1	700	1.186	
BL273350310	310	790	1.339	13 CRMO 4 4	22	1	790	1.339	
BL273350310	310	900	1.525	13 CRMO 4 4	22	1	900	1.525	
BL273350310	310	940	1.593	13 CRMO 4 4	22	2	1880	3.186	
BL273350310	310	1000	1.695	13 CRMO 4 4	22	1	1000	1.695	
BL273350310S	310	760	1.288	13 CRMO 4 4	22	1	760	1.288	
BL273350310S	310	900	1.525	13 CRMO 4 4	22	1	900	1.525	
BL273350310S	310	930	1.576	13 CRMO 4 4	22	2	1860	3.153	
BL273361270	270	470	1.044	P 11	22	1	470	1.044	
BL273361270	270	600	1.333	P 11	22	3	1800	4.000	
BL273361270	270	720	1.600	P 11	22	1	720	1.600	
BL273361310	310	630	1.068	P 11	22	1	630	1.068	
BL273361310	310	680	1.153	P 11	22	1	680	1.153	
BL273361310	310	740	1.254	P 11	22	1	740	1.254	
BL273361310	310	790	1.339	P 11	22	1	790	1.339	
BL273361310	310	830	1.407	P 11	22	1	830	1.407	
BL273361310	310	850	1.441	P 11	22	2	1700	2.881	
BL273361310	310	860	1.458	P 11	22	2	1720	2.915	
BL273361310	310	880	1.492	P 11	22	1	880	1.492	
BL273361310	310	910	1.542	P 11	22	7	6370	10.797	
BL273361310	310	950	1.610	P 11	22	1	950	1.610	
BL273361310	310	1150	1.949	P 11	22	7	8050	13.644	
BL273361310S	310	760	1.288	P 11	22	1	760	1.288	
BL273361310S	310	1010	1.712	P 11	22	1	1010	1.712	
BL273510270	270	420	0.933	27 CRMO 4 4	22	1	420	0.933	
BL273510270	270	610	1.356	27 CRMO 4 4	22	1	610	1.356	
BL273510270	270	720	1.600	27 CRMO 4 4	22	1	720	1.600	
BL273640270	270	480	1.067	X 12 CRMO 5	22	1	480	1.067	
BL273640270	270	800	1.778	X 12 CRMO 5	22	1	800	1.778	
BL273640270	270	870	1.933	X 12 CRMO 5	22	2	1740	3.867	
BL273640310	310	740	1.254	X 12 CRMO 5	22	1	740	1.254	
BL273640310	310	950	1.610	X 12 CRMO 5	22	3	2850	4.831	
BL273640310	310	1150	1.949	X 12 CRMO 5	22	3	3450	5.847	
BL273800270	270	830	1.844	10 CRMO 9 10	22	1	830	1.844	
BL273800310	310	670	1.136	10 CRMO 9 10	22	1	670	1.136	
BL273800310	310	760	1.288	10 CRMO 9 10	22	1	760	1.288	
BL273800310	310	790	1.339	10 CRMO 9 10	22	1	790	1.339	
BL273800310	310	820	1.390	10 CRMO 9 10	22	1	820	1.390	
BL273800310	310	910	1.542	10 CRMO 9 10	22	1	910	1.542	
BL273800310	310	1060	1.797	10 CRMO 9 10	22	1	1060	1.797	



BL273800310	310	1150	1.949	10 CRMO 9 10	22	1	1150	1.949	
BL273800310S	310	700	1.186	10 CRMO 9 10	22	1	700	1.186	
BL273800310S	310	750	1.271	10 CRMO 9 10	22	1	750	1.271	
BL273800310S	310	920	1.559	10 CRMO 9 10	22	1	920	1.559	
BL273800310S	310	1040	1.763	10 CRMO 9 10	22	1	1040	1.763	
BL273800310S	310	1080	1.831	10 CRMO 9 10	22	1	1080	1.831	
BL273800310S	310	1150	1.949	10 CRMO 9 10	22	2	2300	3.898	
BL273801310	310	590	1.000	F 22	22	1	590	1.000	
BL273801310	310	600	1.017	F 22	22	1	600	1.017	
BL273801310	310	700	1.186	F 22	22	1	700	1.186	
BL273801310	310	930	1.576	F 22	22	1	930	1.576	
BL273801310	310	1060	1.797	F 22	22	1	1060	1.797	
BL273801310	310	1080	1.831	F 22	22	1	1080	1.831	
BL273801310S	310	710	1.203	F 22	22	1	710	1.203	
BL273860240	240	390	1.099	X12 CRMO 9 1	22	2	780	2.197	
BL273860240	240	500	1.408	X12 CRMO 9 1	22	1	500	1.408	
BL273860240	240	680	1.915	X12 CRMO 9 1	22	2	1360	3.831	
BL273860270	270	460	1.022	X 12 CRMO 9 1	22	1	460	1.022	
BL273860270	270	480	1.067	X 12 CRMO 9 1	22	1	480	1.067	
BL273860270	270	990	2.200	X 12 CRMO 9 1	22	1	990	2.200	
BL273860295	295	570	1.107	X 12 CRMO 9 1	22	1	570	1.107	
BL277070270	270	500	1.111	30 CrMoV 9	22	1	500	1.111	
BL277070280	280	570	1.175	30 CrMoV 9	22	1	570	1.175	
BL277070280	280	580	1.196	30 CrMoV 9	22	1	580	1.196	
BL277070280	280	860	1.773	30 CrMoV 9	22	1	860	1.773	
BL289021280	280	650	1.340	StE 420 mod	22	1	650	1.340	
BL289160270	270	460	1.022	F46VA	22	1	460	1.022	
BL289160270	270	500	1.111	F46VA	22	5	2500	5.556	
BL289160270	270	570	1.267	F46VA	22	1	570	1.267	
BL289160270	270	600	1.333	F46VA	22	1	600	1.333	
BL289160270	270	630	1.400	F46VA	22	1	630	1.400	
BL289160270	270	640	1.422	F46VA	22	1	640	1.422	
BL289160270	270	730	1.622	F46VA	22	1	730	1.622	
BL289160270	270	750	1.667	F46VA	22	2	1500	3.333	
BL289160270	270	900	2.000	F46VA	22	1	900	2.000	
BL289160310	310	590	1.000	F46VA	22	1	590	1.000	
BL289160310	310	670	1.136	F46VA	22	1	670	1.136	
BL289160310	310	680	1.153	F46VA	22	1	680	1.153	
BL289160310	310	700	1.186	F46VA	22	2	1400	2.373	
BL289160310	310	740	1.254	F46VA	22	4	2960	5.017	
BL289160310	310	750	1.271	F46VA	22	1	750	1.271	
BL289160310	310	760	1.288	F46VA	22	1	760	1.288	

BL289160310	310	780	1.322	F46VA	22	1	780	1.322	
BL289160310	310	820	1.390	F46VA	22	1	820	1.390	
BL289160310	310	910	1.542	F46VA	22	1	910	1.542	
BL289160310	310	920	1.559	F46VA	22	1	920	1.559	
BL289160310	310	970	1.644	F46VA	22	1	970	1.644	
BL289160310	310	990	1.678	F46VA	22	1	990	1.678	
BL289160310	310	1000	1.695	F46VA	22	2	2000	3.390	
BL289160310	310	1030	1.746	F46VA	22	2	2060	3.492	
BL289160310	310	1050	1.780	F46VA	22	2	2100	3.559	
BL289160310	310	1090	1.847	F46VA	22	1	1090	1.847	
BL289160310	310	1180	2.000	F46VA	22	1	1180	2.000	
BL289160310S	310	1050	1.780	F46VA	22	1	1050	1.780	
BL289160320	320	590	0.937	F46VA	22	1	590	0.937	
BL289160320	320	940	1.492	F46VA	22	1	940	1.492	
BL289160320	320	1030	1.635	F46VA	22	1	1030	1.635	
BL289160320	320	1180	1.873	F46VA	22	1	1180	1.873	
BL289282310	320	710	1.203	STE 460 S/ 2	22	1	710	1.203	
BL289282310	320	890	1.508	STE 460 S/ 2	22	1	890	1.508	
BL289282320	320	710	1.127	STE 460 S/ 2	22	1	710	1.127	
BL289282320	320	780	1.238	STE 460 S/ 2	22	4	3120	4.952	
BL289382310S	310	1010	1.712	S770Mod (Ti-B-leg.)	22	3	3030	5.136	
BL289383270	270	460	1.022	S77MOD.(CRW)	22	2	920	2.044	
BL289383270	270	480	1.067	S77MOD.(CRW)	22	3	1440	3.200	
BL289383270	270	520	1.156	S77MOD.(CRW)	22	3	1560	3.467	
BL289383270	270	590	1.311	S77MOD.(CRW)	22	1	590	1.311	
BL289383270	270	600	1.333	S77MOD.(CRW)	22	2	1200	2.667	
BL289383270	270	620	1.378	S77MOD.(CRW)	22	1	620	1.378	
BL289383270	270	630	1.400	S77MOD.(CRW)	22	1	630	1.400	
BL289383270	270	780	1.733	S77MOD.(CRW)	22	4	3120	6.933	
BL289383270	270	850	1.889	S77MOD.(CRW)	22	1	850	1.889	
BL289383270	270	870	1.933	S77MOD.(CRW)	22	1	870	1.933	
BL289383270	270	900	2.000	S77MOD.(CRW)	22	2	1800	4.000	
BL289383310	310	650	1.102	S77MOD.(CRW)	22	1	650	1.102	
BL289383310	310	700	1.186	S77MOD.(CRW)	22	3	2100	3.559	
BL289383310	310	710	1.203	S77MOD.(CRW)	22	1	710	1.203	
BL289383310	310	720	1.220	S77MOD.(CRW)	22	5	3600	6.102	
BL289383310	310	740	1.254	S77MOD.(CRW)	22	1	740	1.254	
BL289383310	310	790	1.339	S77MOD.(CRW)	22	2	1580	2.678	
BL289383310	310	940	1.593	S77MOD.(CRW)	22	1	940	1.593	
BL289383310	310	1180	2.000	S77MOD.(CRW)	22	2	2360	4.000	
BL289383310S	310	710	1.203	S77MOD.(CRW)	22	1	710	1.203	
BL289383310S	310	770	1.305	S77MOD.(CRW)	22	1	770	1.305	

BL289383310S	310	1030	1.746	S77MOD.(CRW)	22	1	1030	1.746	
BL289383320	320	770	1.222	S77MOD.(CRW)	22	1	770	1.222	
BL289383320	320	860	1.365	S77MOD.(CRW)	22	3	2580	4.095	
BL298099310	310	860	1.458	F47S/S2	22	1	860	1.458	
							673270		