

# SCROOBY'S LABORATORY SERVICE CC

*Spectrographic, Chemical and Mechanical Testing of Materials*

CK 1999/047204/23  
21 O'Reilly Merry St  
Rynfield Benoni 1501  
VAT No: 4390188391

TEL: 011 425 1074 / 0116  
CELL: 082 925 0115

P O Box 13401  
Northmead  
1511

[www.scroobyslab.co.za](http://www.scroobyslab.co.za)



RaySA Engineering Solutions  
1 Charl Street, Ifafi  
HARTBEESPORT  
0260

ATTENTION: Mr Jean-Pierre du Plessis

Date Received: 13 October 2021

Date Tested: 20 October 2021

Date Reported: 21 October 2021

Order No: 1141

**REFERENCE No: 29957**

## CERTIFICATE of ANALYSIS

ELEMENT	UNIT	Composition
		Sample ID: Shavings
Copper	Mass %	99.1
Iron	ppm	5681
Sulphur	ppm	124
Silicon	ppm	124
Cobalt	ppm	76
Arsenic	ppm	36
Manganese	ppm	14
Antimony	ppm	3
Aluminium	ppm	≤ 1
Lead	ppm	≤ 1
Tellurium	ppm	≤ 1
Nickel	ppm	≤ 1
Magnesium	ppm	≤ 1
Bismuth	ppm	≤ 1
Selenium	ppm	≤ 1

Description of samples

Method #: SLS-ICP

The results relate only to the item as received and tested.

Copper shavings

Sequence page: 4649

*Results in this report are not included in the SANAS Schedule of accreditation for Scrooby's Laboratory. \*Opinions and interpretations are outside the scope of the SANAS Schedule of accreditation for Scrooby's Laboratory\*. Our SANAS accreditation demonstrates technical competency for Spectrographic, Dezincification of Brass and Tensile testing and the operation of a laboratory quality management system. All information in this document is given in good faith, but without warranty or guarantee of any kind whatsoever, whether implied or expressed. The original of this certificate is held at Scrooby's Laboratory Service cc for 10 years. This certificate may not be reproduced other than in full, without the written permission of Scrooby's Laboratory Service. If a Statement of Conformity is required, Scrooby's Laboratory will forward a copy of the Decision Rule. SAMPLES WILL BE RETAINED FOR THREE MONTHS*

**Technical Signatory**

END OF DOCUMENT