

5D Cinema



keynote: Seats: Luxury Chair, 3 Seats x 6 Sets

Propulsion: Electric System Layout: 6 Seats x 3 Rows

Place: Indoor

Size: 10.3x 4.8x 3.2M Screen size: 4x 2.5M

Proportion of the screen: 16:9

Total: 18 Seats



Quotation List

Asian Dragon International Corporation

sales@asiandragonintl.com

Cust.#:CU21031000005

S/C.#: No.Q220422-01

Date:2022/4/22

Term of validity: 30days

SEQ	ITEM NO	PIC	DESCRIPTION	QTY
1	Projector PANASON IC PT- BW410C	0	Lumen: 4000 Standard definition: 1280*800 Projection technology: 3LCD ContraSt: 16000:1 Weight: 3.3kg PoWer: 320W Size: 352×98×279.4mm	2.00 SET
2	Projection Hanger Frame SQ-IB01		Hang and protect Projection.	1.00 SET
3	Polarized Lenses SQ-IC01		Size: 15cm x 15cm Polarization rate:99.9%.	1.00 PR
4	3D GLASSES SQ-PG03		Line polarized 3D glasses, For Adults, black	100. 00P C
5	HDMI Cable SQIV02		Length: 15 meters.	2.00 PC

SEQ	ITEM NO	PIC	DESCRIPTION	QTY
6	Metal Screen SQ-IF01		Metal flat screen with screen frame. Screen material: PVC substrate with metal coating Frame material: Iron, anti-rust paint on surface	10.0 0SQ. M
7	5.1 Speaker (12-20) SQA5.1- 12/20		Main Speaker: FDW-050 2 pcs Center speaker: FYB-431C 1pcs Subwoofer Speaker: FYB-08 1 pcs Surround Speaker: FDW-050 2 pcs Amplifier: FAV-8100HD 1pcs	1.00 SET
8	High- performan ce video workstatio ns Including Control Software	7 3 -	Configuration: CPU I3; RAM:4G; Solid-State Drive 240G; Mainboard:Asus; Discrete Graphics; 2U PC Box; Emergency control system; Synchronous control system Seat commissioning, Testing software signal analysis system digital seat PID motion control software (SCM), Etc. With independent intellectualproperty rights, no infringement,piracy and other disputes in thesubsequent use, safe, ease of use. And system software freeupgrades for lifetime.	1.00 SET
9	Display SQCD01		Monitor and video broadcast window, 22" LCD; Voltage: AC100V-240V; Screen ratio 16:9; Resolution ratio 1366*768; Interfaces VGA.	1.00 SET
10	Equipment Cabinet 18U SQ-SC02		"Vertical cabinet; Specifications: 18U; Size(mm): 600x600x1200."	1.00 SET

SEQ	ITEM NO	PIC	DESCRIPTION	QTY
11	Motion Chair SQ-Q033E -12b		"Electric System Capacity: 3 people; Style: Luxury; Material: Genuine leather + fiberglass Special effects: Vibration, Leg sweep, Spray air and water, Push back; Movement: Right to left, Front and back; up and down: 0-175mm; Forward-back leaning:± 20°; Left to right: ± 7°; Vibration: 12HZ; Seat Size: 1900 * 850 * 1400mm "	6.00 SET
12	Snow Machine HS-S02	SHOW MACHINE SHOW	"Voltage: AC220V-240V, 50/60HZ; Power: 1200W; Size: 515×3100×230mm; Weight: 9.8Kg; Snow liquid consumption:4.5ML /min"	2.00 SET
13	Snow Liquid SQ-PO01	Reteri SNOW LIGHT SNOW LIGHT SSA	Consumables	2.00 PC
14	Bubble Machine HS-B01		"Voltage: 200W; Bubble Cover: 20m³; Voltage: AC220V-240V,50/60HZ; Size: 415×250×415mm; Weight: 12KG;"	1.00 SET
15	Bubble Liquid SQ-PO02	BURNE LIQUID	Antari BL-5	1.00 SET

SEQ	ITEM NO	PIC	DESCRIPTION	QTY
16	Stroble Lamp LED-002		"Stroble Lamp"	1.00 SET
17	Rain Machine SQSR01.		"Voltage: AC220V-240V,50/60HZ; Power: 50W; Control Way: Automatic; Spatial Coverage: 10m³"	1.00 SET
18	Smoke Machine HS-F09		Voltage: AC220V-240V; 50/60HZ; Power: 1200W; Size: 510×260×215mm; Weight: 6.8kg; Smoke Cover: 20000cu.ff/min	1.00 SET
19	Smoke Liquid SQ-PO03	Cutori Lesiros Lunis	Consumables	1.00 SET
20	Fire Machine SQSF03.		Computer control, show fire automatically	1.00 SET
21	Fan Machine FZY400-4		Voltage: AC220V-240V; 50/60HZ; Power:200W; Control Way: Automatic; Spatial Coverage: 8m³	2.00 SET

SEQ	ITEM NO	PIC	DESCRIPTION	QTY
22	Laser Light Machine HD-001		Laser Light Machine	1.00 SET
23	Water Tank SQSW01.		"Hold water,Keep clean. Volume: 0.01 m³;"	1.00 SET
24	Air Compress or 3KW SQDA02.	luxed in	"WD-750-4A130 Rated power: 220V/50HZ; Motor: 3KW; Capacity: (L/min): 450; Noise level: (dB): 40; Rotate speed(r/min): 1400; Aor tank volume(L): 135L; Rated discharged pressure(Mpa): 0.8; Weight:105KG; Size(mm):1000*450*760."	1.00 SET
25	Filter 015Q		Filter	1.00 SET

REMARK:

Package: All the equipments are packed by wood frame ready for transportation Installation: The whole system can be installed according to Installation Instruction Manual.