

Technical Specification					
AIRCRAFT					
Aircraft Type:	B737-400F	Serial No:	Registration:		
Manufacturer:	Boeing	DOM:	1998.8	Current Status:	Airworthy
TSN: 57506.19		CSN:	34773	As of:	17-May-2024

WEIGHT AND BALANCE

Maximum Take-Off Weight	139,000 lbs	Basic Empty Weight	71095.7 lbs
Maximum Landing Weight	121,000 lbs	Fuel Capacity	19956 L
Maximum Zero Fuel Weight	113,000 lbs	ETOPS	N/A

AIRFRAME MAINTENANCE STATUS

Type of Check	Check Interval	Last Check Date		Next Check Date	
16C-Check	4000FH	2020/08/09	53854FH	2024/09/01	57854FH
A Check	250FH	2023/09/25	57326.06FH	TBD	57576.06FH

APU

Part Number	Serial Number	Last OH	TSN	CSN
380428-10-1	P-100979	31-Mar-2021	36,824.77	33,661

LANDING GEAR

Part Number	Serial Number	Last OH	Intervals	CSN	Next Due
65-73761-119	XC93232	2022/12/03	10years/ 10592CY	64408	2032/12/02
65-73761-120	XC92866	2022/12/03	10years/21000CY	60288	2032/12/02
65-73762-21	369565	2022/12/03	10years/ 4617CY	43321	2032/12/02

AVIONICS /NAVIGATION EQUIPMENT LIST

Components	Part Number	Vendor	Qty
IRU	HG1050AD10/HG1050AD09	HONEYWELL	2
ADC	501FAD1-1/ 4061100-901	SMITHS/ HONEYWELL	2
FCC	4051600-914	HONEYWELL	2
FMC	171497-05-01/176200-01-01	GE	2
VHF COMM RECEIVER	822-1047-003	ROCKWELL COLLINS	3
VHF NAV RECEIVER	822-0761-001	ROCKWELL COLLINS	2
ACARS MANAGEMEM UNIT	965-0758-001	HONEYWELL	1
A/T COMPUTER	755SUE2-4	SMITHS	1
EGPWC	965-0976-060-216-216	ROCKWELL COLLINS	1
TCAS	940-0351-001	HONEYWELL	1
EFIS SG	622-9436-101	ROCKWELL COLLINS	2
DAA	DG1035AB03	HONEYWELL	2
DFDAU	967-0212-002	HONEYWELL	1
WEATHER RADOR TRANSCEIVER	622-5132-633	ROCKWELL COLLINS	1
FIXED ELT	453-5002	ARTEX	1
PORTALBE ELT	S1823502-03	KANNAD	1

Engine 1 Status and LLP List

Part Number	CFM56-3C-1	Inst. on AC		Position	1
Serial Number		Install Date	2021/3/28	As of Date	17-May-2024
Current Thrust Rating	22K	TSLSV	2711.38	TSN	45410.38
First LLP in Category B	4281	CSLSV	1849	CSN	24965

No	Part Nomenclature	Part P/N	Part S/N	Part TSN	Part CSN	Cycles Run				Cycles Remaining			Cycle Limit			Note
						A	B	C	2-C1	A	B	C	A	B	C	
211	BOOSTER SPOOL	335-009-306-0	DB082272	45410.38	24965	0	24965	0		5035	5035	5035	30000	30000	30000	
213	FAN DISK	335-014-511-0	DC094957	25589.38	21307	19458	1849	0		8314	6900	5570	30000	24900	20100	
221	FAN SHAFT ASSY	335-006-414-0	DB143053	45410.38	24965	0	24965	0		5035	5035	5035	30000	30000	30000	
312	HPC SHAFT	1275M37P02	GWN0FL03	21045.38	11401	9552	1849	4069		4530	4530	4530	20000	20000	20000	
313	HPC SPOOL STG 1&2	1589M66G02	GWN09309	28600.38	19788	6343	9376			4281	4281	4281	20000	20000	20000	
314	HPC DISK STG 3	1590M59P01	XAEH5389	21045.38	11401	9552	1849	4069		4530	4530	4530	20000	20000	20000	
315	HPC SPOOL STG 4-9	1588M89G03	GWN0E5CL	23407.38	17336	3891	9376	0		6733	6733	5319	20000	20000	15800	
316	ROTOR REAR AIR SEAL	1319M25P02	GFF5GJW7	8303.38	1849	0	1849	4069		12520	11268	9390	20000	18000	15000	
521	HPT FRONT SHAFT	1385M90P04	XAEJ3408	27548.38	17568	11650	1849			6212	5373	5280	20000	17300	17000	
522	HPT FRONT AIR SEAL	1282M72P07	XAEM5568	8303.38	5918	0	1849	4069		12270	9693	9263	20000	15800	15100	
525	HPT DISK	1475M29P03	XAEL4379	8303.38	1849	0	1849	4069		13098	12116	10871	20000	18500	16600	
526	HPT REAR SHAFT	1864M91P02	TMT3BU19	2711.38	1849	0	1849	0		18151	18151	18151	20000	20000	20000	
542	LPT DISK STG 1	301-331-126-0	DA703466	27047.38	16314	14465	1849	0		8686	8686	8686	25000	25000	25000	
543	LPT DISK STG 2	301-331-226-0	JN80312	39443.38	1849	0	1849	0	12789	7095	6840	5818	25000	24100	20500	
544	LPT DISK STG 3	301-331-322-0	BB245126	31785.38	19110	17261	1849	0		5890	5890	5890	25000	25000	25000	
545	LPT DISK STG 4	301-331-429-0	DD686391	7769.38	5020	3171	1849	0		19980	19980	19980	25000	25000	25000	
546	LPT ROTOR SUPP STG 3	305-056-116-0	DA865188	13996.38	8931	3567	5364	0		16069	16069	16069	25000	25000	25000	
551	LPT SHAFT	301-330-067-0	LA069432	45410.38	24965	0	24965	0		5035	5035	5035	30000	30000	30000	
552	LPT STUB SHAFT	301-330-626-0	BB459357	19926.38	13358	11509	1849	0		11642	11642	11642	25000	25000	25000	

Engine 2 Status and LLP List

Part Number	CFM56-3C-1	Inst. on AC		Position	2
Serial Number		Install Date	2022/8/19	As of Date	17-May-2024
Current Thrust Rating	22K	TSLSV	9938.97	TSN	48293.97
First LLP in Category B	6522	CSLSV	5545	CSN	29584


No	Part Nomenclature	Part P/N	Part S/N	Part TSN	Part CSN	Cycles Run			Cycles Remaining			Cycle Limit			Note
						A	B	C	A	B	C	A	B	C	
211	BOOSTER SPOOL	335-009-306-0	PA164953	9938.97	5545	0	5545	0	24455	24455	24455	30000	30000	30000	
213	FAN DISK	335-014-511-0	PA286482	9938.97	5545	0	5545	0	23319	19355	15623	30000	24900	20100	
221	FAN SHAFT ASSY	335-006-414-0	DF803320	9938.97	5545	0	5545	0	24455	24455	24455	30000	30000	30000	
312	HPC SHAFT	1275M37P02	NCE146JP	9938.97	5545	0	5545	0	14455	14455	14455	20000	20000	20000	
313	HPC SPOOL STG 1&2	1589M66G02	GWN0JDEH	19029.97	10981	1510	9471	0	9019	9019	9019	20000	20000	20000	
314	HPC DISK STG 3	1590M59P01	XAEL8761	19029.97	10981	1510	9471	0	9019	9019	9019	20000	20000	20000	
315	HPC SPOOL STG 4-9	1588M89G03	GWN0LC2P	19029.97	10981	1510	9471	0	9019	9019	7125	20000	20000	15800	
316	ROTOR REAR AIR SEAL	1319M25P02	GFF5EG94	19029.97	10981	1510	9471	0	7966	7170	5975	20000	18000	15000	
521	HPT FRONT SHAFT	1385M90P04	XAEL9134	19029.97	10981	1510	9471	0	7540	6522	6409	20000	17300	17000	
522	HPT FRONT AIR SEAL	1282M72P07	XAEM5803	9938.97	5545	0	5545	0	12981	10255	9800	20000	15800	15100	
525	HPT DISK	1475M29P03	XAEL4393	9938.97	5545	0	5545	0	14005	12955	11624	20000	18500	16600	
526	HPT REAR SHAFT	1864M91P02	TMT1AR47	19029.97	10981	1510	9471	0	9019	9019	9019	20000	20000	20000	
542	LPT DISK STG 1	301-331-126-0	PA241890	19029.97	10981	1510	9471	0	14019	14019	14019	25000	25000	25000	
543	LPT DISK STG 2	301-331-227-0	BC828611	19029.97	10981	1510	9471	0	14019	14019	14019	25000	25000	25000	
544	LPT DISK STG 3	301-331-322-0	BC878211	19029.97	10981	1510	9471	0	14019	14019	14019	25000	25000	25000	
545	LPT DISK STG 4	301-331-429-0	DE691421	19029.97	10981	1510	9471	0	14019	14019	14019	25000	25000	25000	
546	LPT ROTOR SUPP STG 3	305-056-116-0	DD334222	19029.97	10981	1510	9471	0	14019	14019	14019	25000	25000	25000	
551	LPT SHAFT	301-330-066-0	PA824037	9938.97	5545	0	5545	0	24455	24455	24455	30000	30000	30000	
552	LPT STUB SHAFT	301-330-626-0	DE678667	19029.97	10981	1510	9471	0	14019	14019	14019	25000	25000	25000	

NOTES: UNLESS OTHERWISE SPECIFIED

- THIS EMERGENCY EQUIPMENT LOCATION LIST IS EFFECTIVE FOR THE FOLLOWING AIRCRAFT:
AIRCRAFT SERIAL NUMBER:
B737-400SF 29914
- ATTACHMENT ITEMS P/N : 40340-20, TIE DOWN AND TSO-C22, BELT TO REMAIN INSTALLED ON 9G BARRIER.

- FINAL -

APPROVALS	DATE
DRAWN A.Govin	02/12/15
CHECKED DMM	02/18/15
APPROVED DMM	02/18/15



1 COCKPIT

- 4 SMOKE GOOGLES
- 4 LIFE VEST
- 2 FLASHLIGHT
- 1 BCF EXTINGUISHER
- 1 GLOVES
- 2 ESCAPE ROPE
- 1 PBE
- 1 AXE
- 1 PORTABLE ELT XMTR

2 REAR SPACE BEHIND COCKPIT WALL

- FWD GALLEY RETAINED
- R1 ENTRY DOOR SLIDE REMOVED

3 LAVATORY

- 1 DROP-DOWN OXYGEN MASK

4 9g BARRIER FACE.



- 1 F/A SEAT (-304AE RELOCATED)
- 4 OXYGEN BOTTLES W/MASKS
- 1 BCF EXTINGUISHER
- 2 LIFE VEST
- 2 FLASHLIGHT
- 1 FIRST AID KIT (SIDE OF HYD PANEL)

5 F/A SEAT (-304AE RETAINED)

- 2 FLASHLIGHTS
- 2 CREW LIFE VEST
- 1 ESCAPE ROPE

6 CARGO COMPT.

- 12 SMOKE DETECTORS
- 1 FIXED ELT XMTR



QTY	ZONE LOC.	DESCRIPTION	PART NO.	MATERIAL / SPECIFICATION	ITEM
1	6	FIXED ELT XMTR	453-004	ARTEX	18
1	5	ESCAPE ROPE	AE5964		17
2	3	DROP DOWN O ₂ MASK W/GENERATOR	S417T401-25		16
1	L1	SLIDE	61620-468	AIRCRAISER/ZODIAC	15
2	4, 5	ATTENDANT SEAT	2110-304AE (L1-RETAINED); 2100-305AE (9G-RELOCATED)	(AMI INDUSTRIES)	14
12	6	SMOKE DETECTOR, MODEL 602	8930-111B60L010	MEGGIT SAFETY SYSTEMS INC.	13
4	4	EMERGENCY OXYGEN BOTTLES W/MASKS	5500-C1A-BF23A (Bottles) / 28301-02 (Masks)	AVOX	12
1	4	FIRST AID KIT	S6-01-005-306	OR EQUIVALENT	11
2	1	FLASHLIGHT	P2-07-0003-001-214	DME CORP.	10
2	1	ESCAPE ROPE	232N4014-2		9
1	1	PBE	802300-14	BE AEROSPACE/AVOX	8
2	1, 4	BCF EXTINGUISHER	898052		7
8	1, 4, 5	CREW LIFE VEST	P0723-101		6
4	4, 5	FLASHLIGHT	P2-07-0003-001	DME CORP.	5
4	1	SMOKE GOOGLES	MXP210-00	ZODIAC SERVICES	4
1	1	GLOVES	2993	OR EQUIVALENT	3
1	1	AXE	42D8331		2
1	1	PORTABLE ELT XMTR	500-27Y		1

AIRCRAFT TYPE: BOEING 737-400SF			TITLE: EMERGENCY EQUIPMENT LOCATION		Prepared for: Yangtze River Airlines		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES							
FRACTIONS ± 1/32	ANGULAR ± 0°30'	DECIMALS .X ± .1 .XX ± .03 .XXX ± .010	SIZE C		DRAWING NO. LOPA400SF-001	REV —	by: Aeronautical Engineers, Inc. SHEET 1 OF 1
SCALE: NTS							
REMOVE ALL BURRS							

