



FDY80610

●電解液は、バッテリー形式と同一形式の専用容器から注入してください。
●電解液は、バッテリー形式と同一形式の専用容器から注入してください。
●電解液は、バッテリー形式と同一形式の専用容器から注入してください。
●電解液は、バッテリー形式と同一形式の専用容器から注入してください。

FILL ALL SIX CELLS USING THE ACID BOTTLE OF WHICH TYPE IS IDENTICAL WITH THAT OF THE BATTERY.
FILL ALL SIX CELLS USING THE ACID BOTTLE OF WHICH TYPE IS IDENTICAL WITH THAT OF THE BATTERY.
FILL ALL SIX CELLS USING THE ACID BOTTLE OF WHICH TYPE IS IDENTICAL WITH THAT OF THE BATTERY.
FILL ALL SIX CELLS USING THE ACID BOTTLE OF WHICH TYPE IS IDENTICAL WITH THAT OF THE BATTERY.

3. Fill the cells with the acid solution. The acid solution should be poured into the cells from the top of the battery. The acid solution should be poured into the cells from the top of the battery. The acid solution should be poured into the cells from the top of the battery. The acid solution should be poured into the cells from the top of the battery.

Novelbat[®]

Powersports Battery

MOTORCYCLE, SCOOTER, JET SKIS, ATVs,
SNOWMOBILES & MORE



YT7B-BS

OVERPACK



powerbike

MOTORCYCLE BATTERY

Durable

Shock resistant

YTX5L-BS

DICRA
AUTOMOTIVE



Novelbat®

Powersports Battery

MOTORCYCLE, SCOOTER, JET SKIS, ATVs,
SNOWMOBILES & MORE

- YB14-A2
- 12N14-3A
- 12N14-3B
- YB14-A1
- YB14-B1
- YB14L-A1
- YB14-B2
- YB14L-A2
- YB14L-B1
- YB14L-B2
- SYB14L-A2
- SYB14L-B2



NOVELBAT BATTERY
IMPORTER DETAIL:
SUNRAY RECAMBIOS DE AUTOMOCION S.L.
Poligono Industrial Oeste
Parcela 8/12-Modulo A
Av. del Descubrimiento s/n
30820 ALCANTARILLA-MURCIA(España)
CIF.B30489413
MODEL NO.: YB14L-A2

OVERPACK









KINVOLT



**POWER SPORTS
BATTERY**

P O W E R

YTZ7S



MOTORCYCLE BATTERY





Novelbat[®]

Powersports Battery

MOTORCYCLE, SCOOTER, JET SKIS, ATVs,
SNOWMOBILES & MORE

- YB7-A
- YB7-B
- YB7L-A
- YB7L-B
- YB7L-B2
- 12N7-3A
- 12N7-3B
- 12N7-4A
- 12N7-4B



OVERPACK



O03250CAAM1A

REMOVE and DISCARD
Sealed Tube before
filling with Acid

PULL OFF 



POWERROAD®
YUCCELL INDUSTRY LIMITED

POWERROAD BATTERY

IMPORTER DETAIL: SUNRAY RECAMBIOS DE AUTOMOCION S. L.

MODEL NO. : YTX20A-BS



POWER SPORTS BATTERY

MOTORCYCLE, SCOOTER, JET SKIS, ATVs, SNOWMOBILES & MORE



Novelbat®

Powersports Battery

MOTORCYCLE, SCOOTER, JET SKIS, ATVs,
SNOWMOBILES & MORE



- 6N6-1C ■ YB3-A
- 6N6-1D ■ YB3L-A
- 6N6-1D-1 ■ YB3-B
- 6N6-1D-2 ■ YB3L-B
- 6N6-3B-1 ■ 6N6-3B

OVERPACK






Novelbat[®]

Powersports Battery

MOTORCYCLE, SCOOTER, JET SKIS, ATVs,
SNOWMOBILES & MORE



- YTX7L-BS
- YTZ7-BS
- YTZ6-BS

NOVELBAT BATTERY
IMPORTER DETAIL:
SUNRAY RECAMBIOS DE AUTOMOCION S.L.
Poligono Industrial Oeste
Parcela 8/12-Modulo A
Av. del Descubrimiento s/n
30820 ALCANTARILLA-MURCIA(España)
CIF. B30489413
MODEL NO.: YTZ7-BS



BATTERY MOTORCYCLE
BATTERY MOTORCYCLE
BATTERY MOTORCYCLE

Y

- DO NOT REMOVE SEAL UNTIL
- ADDING ELECTROLYTE
- OTHERWISE DRY CHARGE
- EFFICIENCY WILL BE LOST


WILL BE LOST
ELECTROLYTE
DRY CHARGE
WILL BE LOST

P0724PFJHM1A

Novelbat[®]

Powersports Battery

MOTORCYCLE, SCOOTER, JET SKIS, ATVs,
SNOWMOBILES & MORE



B38-6A

OVERPACK




Novelbat[®]

Powersports Battery

MOTORCYCLE, SCOOTER, JET SKIS, ATVs,
SNOWMOBILES & MORE

- YTZ12-BS
- YTZ14-BS
- YTX12-BS
- YTX12L-BS
- YT12B-BS



OVERPACK

THIS SIDE UP

THIS SIDE UP




1 Important information:
- Unlike conventional motorcycle batteries, batteries with AGM technology do not require any water to be added. These sealed motorcycle batteries may not be opened. They have been put into dry-charged condition.
2 Initial operation of batteries:
Fill the battery with the acid supplied only when it has been removed from the shipping container.

Novelbat[®]

Powersports Battery

MOTORCYCLE, SCOOTER, JET SKIS, ATVs,
SNOWMOBILES & MORE

- YTZ12-BS
- YTZ14-BS
- YTX12-BS
- YTX12L-BS
- YT12B-BS



OVERPACK





Novelbat®

Powersports Battery

for motorcycles, scooters, snowmobiles,
jet skis, ATVs & more

- Y60-N24L-A
- Y60-N24-A
- Y60-N24AL-B
- Y60-N30L-A
- Y60-N30-A
- Y60-N30L-B
- B68-12
- 52515
- 53030
- 53034

OVERPACK









KINVOLT

**POWER SPORTS
BATTERY**

POWER

YB16CL-B



MOTORCYCLE BATTERY



GENERAL NOTICE

Should be stored in dry, cool and
temperature locations shielded from
and direct sunlight.

CHARGING OFF SERVICE

Charge and adjust the
weight of the battery is
to the CHEST when battery is
and dry.

RECYCLE and CHARGE

Recycle and charge
rate as given in TABLE
and cell remain constant
and clean and dry.
connections
and dry.

REMOVE and DISCARD
Sealed Tube before
filling with Acid


PULL OFF 

19.5x18.1x18.1cm*

Novelbat[®]

Powersports Battery

MOTORCYCLE, SCOOTER, JET SKIS, ATVs,
SNOWMOBILES & MORE



- 12N12A-4A-1
- YB12A-A
- YB12A-B
- YB12AL-A
- YB12AL-A2

OVERPACK



P0724PFJFM1A

REMOVE and DISCARD
Sealed Tube before
filling with Acid

PULL OFF 

Novelbat[®]

Powersports Battery

MOTORCYCLE, SCOOTER, JET SKIS, ATVs,
SNOWMOBILES & MORE

- YTZ12-BS
- YTZ14-BS
- YTX12-BS
- YTX12L-BS
- YT12B-BS



OVERPACK





NOVELBAT BATTERY
IMPORTER DETAIL:
SUNRAY RECAMBIOS DE AUTOMOCION S.L.
Poligono Industrial Oeste
Parcela B/12 - Modulo A
Av. del Descubrimiento s/n
30820 ALCANTARILLA-MURCIA (España)
CIF. B30489413

Powersports Battery
motorcycles, scooters, snowmobiles,
ATVs & more

- **YTX9L-4**
- GEL-YTX9L-BS
- SLA-YTX9L-BS
- SLA-YTX9L-BS
- SLA-YTX12A-BS
- GEL-YTX12A-BS
- YTZ12S
- YTZ14S
- GEL-YTZ12S
- GEL-YTZ14S



Novelbat[®]

Powersports Battery





TAB 
moto batteries

much more than batteries



180707-11

⊕ ——— UPPER LEVEL ——— ⊖
————— LOWER LEVEL ———

TAB 
moto batteries

HYB14-A2
12V 14Ah / 10h
HIGH PERFORMANCE



Indicaciones de seguridad:
• Esta batería está sellada y no debe ser perforada ni dañada.
• No debe ser sometida a choques ni vibraciones.
• No debe ser expuesta a temperaturas superiores a 50°C.
• No debe ser cargada o descargada a velocidades superiores a las recomendadas.
• No debe ser cargada o descargada en presencia de llamas o chispas.
• No debe ser cargada o descargada en presencia de vapores inflamables.
• No debe ser cargada o descargada en presencia de líquidos inflamables.
• No debe ser cargada o descargada en presencia de líquidos corrosivos.
• No debe ser cargada o descargada en presencia de líquidos oxidantes.
• No debe ser cargada o descargada en presencia de líquidos reactivos.
• No debe ser cargada o descargada en presencia de líquidos tóxicos.
• No debe ser cargada o descargada en presencia de líquidos volátiles.
• No debe ser cargada o descargada en presencia de líquidos inflamables.
• No debe ser cargada o descargada en presencia de líquidos oxidantes.
• No debe ser cargada o descargada en presencia de líquidos reactivos.
• No debe ser cargada o descargada en presencia de líquidos tóxicos.
• No debe ser cargada o descargada en presencia de líquidos volátiles.

• Cuidado al manipularla.
• Evitar el contacto con los ojos.
• Si se produce un contacto con los ojos, lavarlos inmediatamente con agua abundante y acudir al médico.
• Mantener alejada de los niños.
• Mantener alejada de los líquidos inflamables y oxidantes.
• Mantener alejada de los líquidos corrosivos.
• Mantener alejada de los líquidos reactivos.
• Mantener alejada de los líquidos tóxicos.
• Mantener alejada de los líquidos volátiles.
• Mantener alejada de los líquidos inflamables.
• Mantener alejada de los líquidos oxidantes.
• Mantener alejada de los líquidos reactivos.
• Mantener alejada de los líquidos tóxicos.
• Mantener alejada de los líquidos volátiles.



PELIGRO
CORROSIVO







TAB 
moto batteries

much more than batteries



Novelba

Powersports
for motorcycles, scooters,
jet skis, ATVs & more

- YB10L-02 ■ 12N10-3A
- YB10L-4 ■ 12N10-3A-1
- YB10L-A2 ■ 12N10-3A-7
- YB10L-6 ■ 12N10-3B

180707 LL

⊕ UPPER LEVEL ⊖
LOWER LEVEL

TAB 
moto batteries

HYB14-A2
12V 14Ah / 10h
HIGH PERFORMANCE



BATTERY

FREE
YBZS-BS

 KINETIC





Novelbat[®]

Powersports Battery
for motorcycles, scooters, snowmobiles,
jet skis, ATVs & more



OVERPACK

Novelbat[®]

Powersports Battery
for motorcycles, scooters, snowmobiles,
jet skis, ATVs & more



M0911MEBFM1A12



REMOVE and DISCARD
Sealed Tube before
filling with Acid
PULL OFF

— UPPER LEVEL —
— LOWER LEVEL —

Novelbat
HIGH PERFORMANCE

YB10L-A2



mot



TAB

HYB14-A2

LT

12A-A 12V 12Ah
INDUSTRY LIMITED
MADE IN CHINA

HIGH

TAB
micro

