

MIL MI-8 T HELICOPTER



MIL MI-8 T HELICOPTER

- BASICS

Technical basis of the project & implementation

Technical basis of the project & implementation

Planning of the mission and equipment /

/ Planning the deployment and equipment

Technical status quo

Geometric Parameter

Avionics

Equipment

TECHNICAL BASIS OF THE PROJECT & IMPLEMENTATION

PART 1/3

The investment was based on a contract to carry out offshore flight missions in the North Sea and Baltic Sea for wind turbines. The planning required three identical MIL Mi-8 helicopters. Due to the reorganization of energy policy in Germany, this range of operations did not become established. An alternative long-term deployment option was not economically viable. For this reason, the helicopter was technically maintained and stored. .

One helicopter was completed.

TECHNICAL BASIS OF THE PROJECT & IMPLEMENTATION

PART 2/3

With its robust, maintenance-friendly technology and wide range of applications, the MI-8 helicopter offers the best conditions for successful operations. The equipment of the MI-8 is modern and practical. All relevant mission variants are covered. From passenger transport (16 seats) to cargo and special operations with payloads of up to 4 tons.

TECHNICAL BASIS OF THE PROJECT & IMPLEMENTATION PART 3/3



Deployment and equipment part 1

PLANNING THE DEPLOYMENT AND EQUIPMENT

Part 1

- Freight and air transportation

- Assembly flights

- Special photo and measurement flights

- Personnel relocation

- Special missions

- Firefighting (special equipment usable)

- Offshore missions

Our Vision

PLANNING THE DEPLOYMENT AND EQUIPMENT Part 2

Operational readiness -45°C to +45°C

Sea rescue equipment

IFR equipment

De-icing system

Removable wide-opening rear gate

Individually usable interior cabin

16 passenger configuration

Fixed observation window

Emergency flotation gear

Life Raft Gumotex GTX-707-04 / Life vests

Technical Parameters

TECHNICAL PARAMETERS

Maximum speed 250 Km/h

Cruising speed 220 Km/h

Elevation 5-8 M per sec

Maximum flying range 900 km

Maximum operating altitude 4.500 m

Maximum take-off weight 11.900 kg

Helicopter empty weight 6.779 kg

Crew 2 Pilots + 1 deck engineer (if app) + 16 Pax

Maximum load weight in cab 4.000 kg

Maximum load weight on suspension equipment / on hook 3.000 kg

Helicopter consumption Engines 780 – 800 l per h JET A1

Engines 2x TB2-117 AG Power (2x 1.500 kW)

Our Vision

GEOMETRICAL PARAMETERS

Overall length	25,244 m
Length of body	18,300 m
Height of helicopter	5,650 m
Main rotor	21,260 m
Cabin	
Length	5,150 m
Width	2,340 m
Height	1,820 m
Entrance door	1,370 m x 0,82 m



Avionics

AVIONICS

AVIONICS

Cockpit Avionics

ELT 406 emergency locatio transmitter

GTX-330 transponders – 2 pcs

GNS-530 Radiostation/VOR/ILS/GPS – 2 pcs

KMA-24 intercom with four sockets

KRA-405B radio altimeter

SPEEL PRS-8 cockpit flight data and voice recorder

Thirđ AGB-3K artificial horizon



Equipment

EQUIPMENT



Equipment

EQUIPMENT

