

















Run hrs 11137.8 h
Num starts 1968
E-Stop 12
ShutDown 251
kWhours 1437818 kWh
kVAhhrs 1561391 VAh
NextServTime 7042 h



Display





SERIAL NUMBER:

503004

MODEL	VOLTAGE / PHASE	PRIME KVA PRP	PRIME KW PRP	FLA
630-SITA	400/3	50	40	72
PF	0.8	HZ	50	RPM
RATED AMBIENT				1500
		INSULATION CLASS		H
YEAR OF MANUF	2016	GROSS MASS	lbs	1435.3
			kg	651

DOOSAN TRADING LIMITED
CO DUBLIN IRELAND

23250756 Rev G

PARTNER[®]

ALTERNATORS

LSA 47.2M7 C.6/4	IP23	P2
No : 332409 / 1	Date	2016/11
1500 R.P.M	50 Hz	Weight 1240 kg
PF 0.80	Th. Class. H/H	Altid. < 1000m
A.V.R	D510C	Excit AREP
Excit.values	full load	61,10 V / 3,51 A
	At no load	0,99 A
D.E bearing		
N.D.E bearing	6315 2RS C3	
		CE

RATINGS

Voltage	400			V
Phase	3			
Conn.	D			
Cont.	500			kVA
BR	400			KW
40°C	722			A
Std by	570			kVA
PR	456			KW
27°C	829			A

ISO 8528-3

Made in Europe by Leroy - Somer

EC 60034-1 & 5 NEMA MG1-32 & 33

www.leroy-somer.com